


# WORK BOOK

COMPLETE PRODUCT RANGE  
WOOD-BASED PANELS  
2021-2024



MAKE  
YOUR  
VISIONS  
WORK.

MADE IN GERMANY

DUROPAL

thermopal

 PFLEIDERER

# CONTENTS

Decor used:  
U18502 Bristol



Make work easier – with the Pfleiderer WorkApp! Simply scan decors with your smartphone, receive combination recommendations and request samples.


The new Pfleiderer WorkApp works on any smartphone. Just go to [workapp.pfleiderer.com](http://workapp.pfleiderer.com) and start the Decor Scanner. If you use it regularly, simply add the app to your home screen!



Our tip:  
scan the QR code  
and get started  
straight away.

|   |            |
|---|------------|
| <b>MAKE YOUR VISIONS WORK</b>           | <b>4</b>   |
| <b>MADE IN GERMANY</b>                  | <b>8</b>   |
| <b>SUSTAINABILITY</b>                   | <b>10</b>  |
| <b>SERVICE</b>                          | <b>12</b>  |
| <b>FUNXTIONAL PRODUCTS</b>              | <b>16</b>  |
| <b>FIRE PROTECTION</b>                  | <b>18</b>  |
| <b>DIGITAL PRINT</b>                    | <b>20</b>  |
| <b>HYGIENE</b>                          | <b>22</b>  |
| <b>DST-SYSTEM</b>                       | <b>24</b>  |
| <hr/>                                   |            |
| <b>SOLUTIONS</b>                        | <b>26</b>  |
| Interior                                | 28         |
| Exterior                                | 56         |
| Construction                            | 64         |
| <hr/>                                   |            |
| <b>DECORS</b>                           | <b>80</b>  |
| <hr/>                                   |            |
| <b>SURFACE TEXTURES</b>                 | <b>116</b> |
| <hr/>                                   |            |
| <b>CORE PANELS AND PRODUCTS</b>         | <b>142</b> |
| Raw panels                              | 144        |
| Decorative panels for interior fittings | 162        |
| Decorative panels for exterior use      | 240        |

**MAKE  
YOUR  
VISIONS  
WORK.**



- U17500 SD**  
Royal Blue
- U19014 SD**  
Sage
- R20020 RU**  
Mocha Piemont Oak
- U11027 SD**  
Icy White

## **WOOD-BASED PANELS THAT OPEN UP NEW PERSPECTIVES.**

From design to completed project, every step counts. After all, designs are only really appealing if they can also be realised. By choosing Pfleiderer, you're off to the right start. Aesthetic, functional and by design.

In the 2021–2024 Workbook, we introduce you to our extensive product range designed to make you more successful. Stylish, expressive and modern decors, innovative surface textures and core panels all come together perfectly to meet your technical, cost and user requirements. From high quality individual items to sector spanning concepts – you can turn your vision into reality with practical, high quality solutions from Pfleiderer.

**MAKE  
YOUR  
VISIONS  
WORK.**

## **EXACTLY WHAT YOU NEED**

### **Suitable concepts for every application.**

Every sector has its own rules – including which type of wood-based panels to use. In order to add real value, the aesthetics, workability and functionality have to be right. Here at Pflleiderer, we base our solutions on precisely this principle. We present you with sector-specific product and material solutions that enable you to overcome your challenges – from the interior to the exterior and even construction.

See page 26 for an overview of all of Pflleiderer's solutions.

**HOME & LIVING**

**DOORS**

**OFFICES & EDUCATION**

**HOTELS & CATERING**

**HEALTH & CARE**

**SHOPS & EXHIBITIONS**

**TRAVEL & TRANSPORT**

**FACADES & PARAPETS**

**OUTDOOR FURNITURE**

**TIMBER CONSTRUCTION**

**STORAGE TECHNOLOGY**

**PACKAGING CONSTRUCTION**

**FORMWORK CONSTRUCTION**



**MADE IN  
GERMANY**

## **UNCOMPROMISINGLY GOOD: AT PFLEIDERER QUALITY HAS A SYSTEM**

### **You can rely on security and transparency.**

Producing wood-based materials sustainably and in the highest quality is a challenge. As a leading company in the wood industry, Pfleiderer faces up to this challenge at all levels – and with traditional entrepreneurial diligence. With modern production sites, an integrated management system for quality, environment, energy and safety, and a corporate culture that continuously develops these values. Because for us, the compatibility of quality and sustainability is a matter of course!

In concrete terms, this means that we certify our processes throughout the entire value chain – often far beyond what is legally required. We attach great importance to being as transparent as possible for our customers and partners. Our environmental management systems at our locations are certified according to DIN ISO EN 14001 and ISO 50001. Also we belong to the Quality Association for Wood-based Panels and have certifications according to FSC® (License Code: FSC® C011773) and PEFC™ (License Code: PEFC/04-32-0828). And if you want to know more, just contact us. We will be happy to give you detailed information!

  
MADE IN GERMANY

# SUSTAINABILITY


## DESIGNED FOR A FUTURE WORTH LIVING: SUSTAINABILITY AT PFLEIDERER

### Responsibility for tomorrow starts today.

Those who rely on wood as a raw material rightly expect an environmentally conscious "green" material. We at Pflleiderer want to do full justice to this and have therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability – in addition to ecological, social and economic aspects – as well as careful use of natural resources are permanent pillars of our corporate philosophy. Consistent recycling management and wood recycling ensure that no trees are felled for our products. Through regular independent evaluation of our procurement and production processes, we are able to ensure that we are able to offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

### A healthy full range of products.

Pflleiderer focuses on low-emission materials, e.g. F\*\*\*\* glued panels for interior design or LivingBoard with formaldehyde-free gluing. Many of our board materials have been awarded the Blue Angel for a healthy indoor climate for many years. At the beginning of 2020, we succeeded in obtaining this award – in addition to raw boards and directly coated products – also for large parts of the HPL range. This means that you can also fall back on a consistently sustainable full product range for demanding projects – and fulfil customer wishes without compromising on ecology and sustainability.



Through multi-stage wood utilisation (so-called cascade utilisation), wood recycling, and the use of forestry wood and industrial waste wood for high quality materials with a long service life, Pflleiderer conserves valuable resources and actively contributes to reducing carbon emissions, air, water and soil pollution and energy consumption. We control the wood mix individually, depending on the product, to achieve a perfect balance between quality requirements and resource conservation.



# SERVICE



## ALWAYS THERE, WHENEVER YOU NEED US

### **Pfleiderer services: sophisticated, efficient, reliable.**

When it comes to your success, we give it our all. That goes for our products, our solutions and beyond! We have developed customised services for our partners to provide you with the support you need, whenever and wherever you need it. Whether you're a specialist company, planner, designer, architect or even a retail partner. Talk to us, we are happy to help!

### **Precise information**

Themed brochures, technical information, sample collections or larger samples? These are all available to you! Simply download, order via our samples service or get in touch with our sales team.

### **Intelligent selection and planning**

Use our online services and interactive tools to make your work easier. Or the Pfleiderer WorkApp when combining decors. More interactive help is also available from BIM data using our Product Finder, Decor Finder and 3D Structure Viewer as well as our Room Designer tool, just go to the service tab at [pfleiderer.com](https://www.pfleiderer.com).

### **Impressive presentations**

For your sales presentations, we offer materials and well-designed shop systems, which can be adapted to your individual space and requirements. Show your customers what you can do!

# ILLUSTRATIVE AND RESULTS-DRIVEN: DIGITAL SERVICES FROM PFLEIDERER

The digital world has even opened up new possibilities and advantages when working with wood-based panels. Pfleiderer offers its partners a wide range of tools that make selecting, designing, planning, visualising and realising projects significantly easier. Find out about our digital services – you'll never want to do without them again.

---

## WorkApp



**workapp.pfleiderer.com**

The quickest way to find the answers to all your decor-related questions: simply open the Decor Scanner on your smartphone, scan the decor, view detailed information straight away on your phone, receive combination recommendations and request the matching sample directly from the app, if required. It is compatible with all smartphones and, of course, you can also easily add the app to your home screen.

---

## Digital Product Finder



**productfinder.pfleiderer.com**

Which decorative panel is best suited to which application? Which product has particular material properties or surface characteristics? What is available quickly? Use the digital product finder to find the perfect material for your application in just a few steps. After all, bringing together creative ideas with construction requirements is what Pfleiderer does best!

---

## Room Designer



**roomdesigner.pfleiderer.com**

Combine all the decor collections in 26 different digital room layouts – and show your customers in advance how bespoke design options could look in their home, health or care setting, office, hotel, shop, caravan or yacht. Easy to use, with detailed decor lists and smart filters as well as an interactive compare function. You can print and download the results or save them as favourites.

---

## Mood Board Tool



**moods.pfleiderer.com**

Get the first glimpse of your desired decor before you order! Just upload your own image to our Mood Board Tool. The tool extracts the colours from your motif and suggests suitable decors from our portfolio. You can then save your created mood board in your account or send it via e-mail in order to discuss the selection further.

---

## 3D-Viewer



**3d-viewer.pfleiderer.com**

In order to properly evaluate a surface texture, you have to be able to see it from different angles. That's why we provide the 3D VIEWER for surface textures! It enables you to get a realistic 360-degree view of our surface textures from all sides and in different lighting conditions. A useful tool for everyone who appreciates quick and illustrative support when evaluating and deciding on different textures!

---

## Individual Konfigurator



**individual.pfleiderer.com**

The idea behind Pfleiderer's individual design concept is to enable almost unlimited creative freedom starting from a lot size of one. It allows you to use your own motifs – without compromising on the quality of the surface or core materials. You can use the Individual Product Finder to configure your unique product easily online, from selecting the core material to uploading your motif and enquiring about production.

---

## BIM Data and Specifications



**BIM.pfleiderer.com**

Access the BIM product data from Heinze directly via our website – including all of the datasets for the entire Pfleiderer range. You can access all the relevant product information and downloads in one place. From the BIM data itself to additional product information, decor and texture samples as well as declarations of origin and conformity. On our tendering support page, you can also find text blocks for the different products.



# FUNXTIONAL PRODUCTS

## FUNCTIONALITY DOWN TO THE LAST DETAIL: UNIQUE XTREME SURFACES

### High-end finish for extraordinary designs.

Surfaces shape our perceptions through how they look and feel. They make materials tactile and stimulate our senses. Pfleiderer's functional XTreme surfaces raise the bar in this respect. They combine a refined look and a warm, velvety feel with different technical properties in a unique way using stylish and perfectly coordinated decor combinations – and they are suitable for a range of applications. The smooth, super-matt XTreme surfaces with their anti-fingerprint effect are available as robust high-pressure laminate or compact laminate, as direct coatings on decorative PrimeBoard and also on high UV- and weather-resistant Duropal XTerior compact high-pressure laminate for outdoor use. So, you can realise super-matt design concepts that are aesthetically pleasing, robust and suitable for everyday use, wherever and whenever you like. In addition, for PrimeBoard we offer XTreme High Gloss, the perfect mirror finish for vertical applications.

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.

### Duropal XTreme



Extremely matt finish meets outstanding durability. The high pressure laminate for sophisticated concepts – suitable for post-forming, low-maintenance and also resistant to finger prints and grease stains.

> p.192

### Duropal SolidColor XTreme



Extremely elegant laminate, coloured throughout, with a super-matt finish with anti-fingerprint coating – with almost invisible joints, available in contemporary and monochrome designs for sophisticated interior fit-outs.

> p.194


### Duropal XTreme plus



Considerably more scratch resistant and durable than comparable matt surfaces! Duropal XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p.193


### Duropal Compact XTreme plus



The ultimate member of the XTreme family. Duropal XTreme plus compact panels for sophisticated and robust pieces of furniture as well as fitted furniture with anti-fingerprint coating and a super-matt finish. Considerably more scratch resistant and durable than comparable matt surfaces!

> p.212

### PrimeBoard XTreme



High quality panels with a multi-layer coating, available as XTreme Matt (XT) and XTreme High Gloss (XG). Easy to work with and super elegant.

### Duropal XTerior compact F



High quality, fire retardant facade panels. Uniquely matt finish on very weatherproof and extremely strong compact panels with an anti-fingerprint effect. Especially designed for facades.

> p.242

# FIRE PROTECTION



## BUILT-IN SAFETY: SOLUTIONS FOR FIRE PREVENTION

### Expert answers to complex questions.

The serious issue of constructional fire protection is always present, particularly in public buildings. The construction products have to be flame resistant or non-flammable, depending on their field of application, and must have valid proof of fire prevention testing.

The Pfleiderer fire protection range affords designers and architects a wide variety of design possibilities, while always putting safety first. Our tested and certified materials are available with different qualities to suit a range of interior design concepts from new builds to renovations. The DST system also allows the fire protection core panels to be combined with numerous decors and textures so that the special characteristics of the furniture and fittings do not show.

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.

### Duopal flameprotect compact



These decorative non-flammable compact panels are used in the preventive fire-safety area for escape routes or public spaces. In short: wherever non-flammable materials are called for that must also be low-maintenance and attractive.

> p. 213

### Duopal HPL Pyroex



Decorative, robust and fire-retardant high-pressure laminate. Ideal for walls, doors, pieces of furniture and fitted furniture in public buildings or retail spaces with higher fire-safety requirements.

> p. 200

### Duopal Element Pyroex



With our wide range of fire-safety products, we offer architects and planners not only planning reliability but also plenty of design scope. These fire retardant flat bonded elements are ideal for wall and ceiling panels in public institutions!

> p. 221

### DecoBoard Pyroex



Fire-retardant coated panels for maximum planning security with a wide range of design options thanks to the DST system. Ideal for wall and ceiling panels in public buildings!

> p. 180

### PremiumBoard Pyroex



Fire-retardant raw panels: the ideal basis for interior fire-safety products or door jambs. Also available as tongue-and-groove chipboard or in the coated version DecoBoard Pyroex or the composite element version Pyroex.

> p. 149

### Duopal XTerior compact F



High quality, fire-retardant facade panels. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for facades.

> p. 242

# DIGITAL PRINTING

## BESPOKE DECOR DESIGNS: YOUR MOTIFS IN DIGITAL PRINT

**Inspiringly creative – large quantities or one-offs with Pfleiderer Individual.**

Individual Motiv, Individual Inspiration and Individual Dekor for truly unique furniture and interior designs – this is what Pfleiderer Individual stands for. By using state-of-the-art digital printing technology photos, illustrations, logos, text and any other reproducible templates can be transformed into high quality decors. Even from a minimum lot size of just one!

Pfleiderer Individual is available as HPL, compact laminate, as flat bonded elements consisting of a core with HPL panelling and also as DecoBoard with direct coating lamination. The excellent product characteristics are therefore 100% retained. That means you can still have food-safe, easy-to-clean and durable surfaces, textures that perfectly match the overall look as well as a choice of low-emission, moisture-resistant and flame-retardant core panels.

Benefit from the limitless creative freedom offered by Pfleiderer Individual, in particular when working with demanding environments such as medical centres, schools or interior fittings for cruise ships! To find out more, visit [individual.pfleiderer.com](http://individual.pfleiderer.com). Be inspired by examples of Pfleiderer's bespoke solutions and even enquire about your own individual product easily online!

BY LARA COSTAFREDA

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.

### Duropol HPL Individual Motiv



Add your own finish design, digital prints or one-off images to furniture, walls or doors with this high pressure laminate, starting from a lot size of one or small batches – also available in fire-retardant and IMO approved versions and on DecoBoard products!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 195

### Duropol HPL Compact Individual Motiv



Express your creativity – digitally printed designs on robust compact high pressure laminates with a core that is evenly coloured black throughout. This material is suitable for solutions with visible edges as well as customised 3D engraving effects. Also available on DecoBoard P2 and HPL products!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 210

### Duropol Element Individual Motiv P2



Add your own finish design, digital prints or one-off images to furniture or walls with these flat bonded elements, starting from a lot size of one or small batches – also available on DecoBoard products!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 217

### DecoBoard Individual P2



Add your own finish design, digital prints or one-off images to furniture or walls with this melamine-faced chipboard, starting from a lot size of one – also available on HPL products!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 172

### DecoBoard Individual Pyroex



Creativity meets fire-safety! Digitally printed melamine facing designs on a fire-retardant core. Thanks to the DST system, identical finishes are also available as Pyroex flat bonded compact panels or HPL Compact!

> p. 181

# HYGIENE

## PROTECT HEALTH: WITH MATERIALS FOR CLEAN SOLUTIONS

### Reliable cleanliness begins with the material.

Protecting health is rightly considered the top priority. That applies to health and care sectors as well as to sports facilities, transport, hospitality, hotels and other highly frequented places. With easy-to-clean, detergent-resistant and robust HPL products or directly coated melamine panels, Pfleiderer wood-based panels help to keep living spaces hygienic and therefore safer. They are also resistant to cleaning agents and disinfectants.

Duropol HPL, Duropol XTreme plus and DecoBoard surfaces have an antimicrobial effect according to JIS Z 2801 / ISO 22196 – germs are permanently and demonstrably reduced by over 99 percent within 24 hours.

In addition, our surfaces are approved for contact with food (food safety). Rely on the safe solution especially for demanding projects!



Further information can be found at [microplus.pfleiderer.com](http://microplus.pfleiderer.com)

For special areas of application – you will find a selection of products on our website at [pfleiderer.com](http://pfleiderer.com)

### Duropol HPL



High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 191

### DecoBoard P2



Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 171

### Duropol Worktop



Worktops that meet the most demanding standards in terms of wear resistance and durability. Because of their food safe surface, they are used in contemporary kitchens, bathrooms and surgeries, or also for countertops in shops or in industrial facilities.


> p. 233


### Duropol XTreme plus



Considerably more scratch resistant and durable than comparable matt surfaces! Duropol XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p. 193





## DESIGN AND FUNCTION IN HARMONY

### Flexible choice of materials for individual solutions.




Whether you want to use a certain colour across a range of items, have to fulfil specific fire prevention regulations or need a surface that is easy to clean, the DST system from Pflaiderer can help you to realise coherent and functional designs: it offers numerous, technically tested and visually checked combination options of decors, surface textures and core panels for you to choose from. In addition, all the decors from the design collection are available both as HPL and DecoBoard. Find exactly what you need to realise your vision. We are also happy to provide you with individual advice on request!



Core materials for coating, which are available with the decors of the design collection such as the fire retardant Pyroex, moisture resistant P3, MDF or others can be found in the Decorative Products section from page 162 or under [productfinder.pfleiderer.com](https://productfinder.pfleiderer.com)



MAKE  
YOUR  
VISIONS  
WORK.



|                        |    |
|------------------------|----|
| <b>INTERIOR</b>        |    |
| Home & Living          | 28 |
| Doors                  | 32 |
| Offices & Education    | 36 |
| Hotels & Catering      | 40 |
| Health & Care          | 44 |
| Shops & Exhibitions    | 48 |
| Travel & Transport     | 52 |
| <hr/>                  |    |
| <b>EXTERIOR</b>        |    |
| Facades & Parapets     | 56 |
| Outdoor Furniture      | 60 |
| <hr/>                  |    |
| <b>CONSTRUCTION</b>    |    |
| Timber Construction    | 64 |
| Storage Technology     | 68 |
| Packaging Construction | 72 |
| Formwork Construction  | 76 |




## OVERVIEW OF APPLICATION AREAS

### Consolidated expertise for your projects.

For the first time, we are presenting you Pfleiderer's solutions in our Workbook, which gives you an overview of our full 2021–2024 range. Each solution segment focuses on a specific area of use and features a summary of the respectively suitable products. We focus on their design as well as their functional properties and structure-related aspects – the requirements that are key in this particular area of use keeping in mind. This approach allows you to fully utilise all of the advantages offered by our range and to produce optimum results even faster.

# HOME & LIVING



**R38002 RU**  
Acacia



**U19002 SD**  
Ivy



**U16166 SD**  
Salsa



**R55057 RU**  
Jacobsen Pine Blue



## The latest trends, realised without compromise.

All homes are special. We ensure that everything matches and that design concepts can be realised throughout, from the kitchen to the bathroom, study, living room or bedroom – with sustainable, low-maintenance materials, stylish finishes that make you want to touch them.

**PRODUCTS**  
HOME & LIVING

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTreme**

Extremely matt finish meets outstanding durability. The high pressure laminate for sophisticated concepts – suitable for postforming, low-maintenance and also resistant to fingerprints and grease stains.

> p.192



**PrimeBoard XTreme P2**

High quality panels with a multi-layer coating, available as XTreme Matt (XT) and XTreme High Gloss (XG). Easy to work with and extremely elegant.

> p.164



**Duropal Worktop Quadra P2**

Worktops that meet the most demanding standards in terms of wear resistance and durability. Because of their food safe surface, they are used in contemporary kitchens, bathrooms and surgeries, or also for countertops in shops or in industrial facilities.

**Duropal HPL Compact, black core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. Thanks to the fact that the core is coloured black throughout, the material is suitable for solutions with exposed edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p.209

Whether high-gloss or very matt, with an anti-bacterial coating or with precisely the same finish on horizontal as well as vertical surfaces: with a number of carefully considered special ranges and with the aid of the DST system, Pfleiderer ensures that home concepts can be realised without compromise. Thanks to the high quality of our products, the end result will also not only be beautiful but functional as well as low-maintenance.



**DecoBoard P2 / DecoBoard Individual P2**

Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p.171-172



**Duropal HPL**

High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p.191



**Duropal HPL Compact, grey core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. As the core is coloured grey throughout, the material is suitable for solutions with visible edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)





> p.208



# DOORS



MAKE  
YOUR  
VISIONS  
WORK.

-  **U18006 SD**  
Skagerrak
-  **U12044 SD**  
Dolphin Grey
-  **U16037 SD**  
Powder
-  **R20128 RU**  
Sonoma Oak Light



## Unlock new perspectives – with our cleverly designed door range.

All interior plans feature doors. Pfleiderer's door range ensures that they meet all functional and aesthetic requirements: the materials have been optimised in terms of making them easy to work with, they allow doors to be realised in matching finishes, and they are of an uncompromisingly good quality.

## PRODUCTS DOORS


Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



### Duropal XTreme

Extremely matt finish meets outstanding durability. The high pressure laminate for sophisticated concepts – suitable for postforming, low-maintenance and also resistant to fingerprints and grease stains.

> p.192



### Duropal SolidColor XTreme

Extremely elegant laminate, coloured throughout, with a super-matt finish with anti-fingerprint coating – with almost invisible joints, available in contemporary and monochrome designs for sophisticated interior fit-outs.

> p.194



### Duropal XTreme plus

Considerably more scratch resistant and durable than comparable matt surfaces! Duropal XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p.193



### Duropal HPL


High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p.191

Pfleiderer's door range covers simply everything door-related, including core materials for door jambs or leaves as well as robust, low-maintenance HPL coatings in an almost limitless range of design options. In order to meet the respective requirements, our core materials are also available in moisture-resistant or fire-retardant versions.



### Duropal SolidColor

The laminate SolidColor is coloured throughout, which makes it possible to realise contemporary and monochrome designs completely without visible edges. Also available in the product version SolidColor XTreme with anti-fingerprint coating!

> p.194



### LivingBoard P5

Recommended from a building biology and ecology perspective, LivingBoard P5 panels are the ideal choice for ecological timber construction projects, formwork or even door fillings. Natural, vapour permeable fibreboard for roof and wall use.

> p.152



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)



### StyleBoard thin HDF


The smooth, hard surface is ideal for door panels and is incredibly easy to work with.

> p.160

See our collection card as well as our door range brochure for more information.



# OFFICES & EDUCATION



**F76001 ML**  
Loftec



**R34024 NW**  
Portland Ash Dark



**U18029 SD**  
Horizon



**R38002 RU**  
Acacia



## Optimum basis for motivated learning and working.

We spend a lot of time in educational facilities and workplaces. Pfleiderer's wood-based materials make an important contribution to designing these spaces in a way that makes them visually appealing, functional and safe. The DST system and our fire safety range help you to realise matching design concepts throughout that offer well-thought-out solutions for all requirements.

**PRODUCTS**  
OFFICES &  
EDUCATION

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTreme plus**

Considerably more scratch resistant and durable than comparable matt surfaces! Duropal XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p. 193



**Duropal Compact XTreme plus**

The ultimate member of the XTreme family. Duropal XTreme plus compact panels for sophisticated and robust pieces of furniture as well as fitted furniture with anti-fingerprint coating and a super-matt finish. Considerably more scratch resistant and durable than comparable matt surfaces!

> p. 212



**Duropal HPL Compact, black core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. Thanks to the fact that the core is coloured black throughout, the material is suitable for solutions with exposed edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 209



**Duropal Element Pyroex**

With our wide range of fire-safety products, we offer architects and planners not only planning reliability but also plenty of design scope. These fire retardant flat bonded elements are ideal for wall and ceiling panels in public institutions!

> p. 221

Whether fitted furniture, doors or dividing wall systems, worktops or window sills: Pfleiderer's DST system offers you a uniquely extensive range of products and finishes with durable surfaces and highly functional core materials. This applies to our HPL surfaces, with their unparalleled robustness, just as much as to our direct-coated DecoBoard or flat bonded elements. For particularly sophisticated designs, we also offer core materials that are coloured throughout as well as unique, customised digitally printed finishes. Thanks to our comprehensive and carefully considered product range, you are also on the safe side when you have to meet certain fire-safety standards!



**Duropal Element Magnet P2**

Write your own ideas on the wall! Thanks to its magnetic properties, ideal for wall panels and dividing walls in educational institutions, care facilities and surgeries.

> p. 219



**Duropal HPL Compact, grey core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. As the core is coloured grey throughout, the material is suitable for solutions with visible edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 208



**DecoBoard P2 ESA**

Our ESA products are essential in all areas that call for static dissipation. The dissipating components are a safe and simple earthing option for worktops, furniture or dividing walls in workplaces and laboratories!

> p. 174





**DecoBoard Pyroex**

Fire-retardant coated panels for maximum planning security with a wide range of design options thanks to the DST system. Ideal for wall and ceiling panels in public buildings!

> p. 180


# HOTELS & CATERING



MAKE  
YOUR  
VISIONS  
WORK.



**U19007 SD**  
Agave



**S68039 MS**  
Terrazzo Classico  
Black



**S63044 XP**  
Caviar Black



**R30039 NW**  
California Walnut



## Five-star materials to make your guests feel welcome.

An attractive ambience is important if you want people to feel comfortable. With our materials, you can create matching, sophisticated room concepts with a high quality feel that also withstand long-term heavy use.

**PRODUCTS**  
HOTELS & CATERING

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTreme plus**

Considerably more scratch resistant and durable than comparable matt surfaces! Duropal XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p. 193



**Duropal Compact XTreme plus**

The ultimate member of the XTreme family. Duropal XTreme plus compact panels for sophisticated and robust pieces of furniture as well as fitted furniture with anti-fingerprint coating and a super-matt finish. Considerably more scratch resistant and durable than comparable matt surfaces!

> p. 212



**PrimeBoard XTreme P2**

High quality panels with a multi-layer coating, available as XTreme Matt (XT) and XTreme High Gloss (XG). Easy to work with and extremely elegant.

> p. 164



**Duropal HPL**

High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 191

Every hotel, café or restaurant has its own unique character. Revealing it with the aid of their interior design is a challenge that is made a little easier by Pfleiderer's products, as our more than 300 plain, wood, stone and fantasy as well as 24 textured finishes provide the basis for a unique look. In addition, Pfleiderer Individual also makes it possible for you to realise your own designs in the form of high quality, digitally printed finishes. Pfleiderer's extensive choice of finishes and textures is available on a wide range of core materials that even leaves you unlimited interior design scope if, for example, certain fire-safety or hygiene standards have to be taken into account.



**Duropal HPL Compact, grey core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. As the core is coloured grey throughout, the material is suitable for solutions with visible edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)


> p. 208



**DecoBoard MFP Hybrid**

These high quality panels combine the advantages of classic chipboard with those of a high density fibreboard panel. Due to its increased bending strength, it is ideal for very wide shelving systems and furniture components.

> p. 182



**DecoBoard HDF Compact black**

Chic as well as robust – high density fibreboard, coloured black, for use in interior areas that are exposed to a higher moisture impact.

> p. 188



**DecoBoard P2 / DecoBoard Individual P2**


Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 171-172

# HEALTH & CARE



MAKE  
YOUR  
VISIONS  
WORK.



**S60036 SX**  
Classic Concrete



**U11027 XP**  
Icy White



**R37001 ML**  
Baron Elm



**U15194 SD**  
Zinc Yellow



## Health care industry interiors that are fit for purpose.

Whether anti-bacterial, static dissipative, fire-retardant or non-flammable – we have the right "prescriptions" for high quality and robust interior fit-outs that also look great, from reception areas and public spaces to treatment and patient rooms as well as operating theatres and laboratories.

**PRODUCTS**  
HEALTH & CARE

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropol HPL**

High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 191



**Duropol flameprotect compact**

These decorative non-flammable compact panels are used in the preventive fire-safety area for escape routes or public spaces. In short: wherever non-flammable materials are called for that must also be low-maintenance and attractive.


> p. 213



**Duropol Compact XTreme plus**

The ultimate member of the XTreme family, Duropol XTreme plus compact panels for sophisticated and robust pieces of furniture as well as fitted furniture with anti-fingerprint coating and a super-matt finish. Considerably more scratch resistant and durable than comparable matt surfaces!

> p. 212



**Duropol HPL Compact, black core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. Thanks to the fact that the core is coloured black throughout, the material is suitable for solutions with exposed edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 209

Pfleiderer's range of wood-based materials offers clever dedicated ranges with special features and low-maintenance durability designed especially for the challenging medical and care sector. From anti-bacterial surfaces and low swell core materials to static dissipative or fire-retardant – with Pfleiderer, you can realise everything that is needed in everyday medical environments. The unique DST system ensures that high quality interior fit-outs & finishes in surgeries or hospitals also meet all visual requirements with regard to matching finishes throughout in a range of design options.



**DecoBoard P2**

Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 171



**Duropol HPL Compact, grey core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. As the core is coloured grey throughout, the material is suitable for solutions with visible edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)


> p. 208



**DecoBoard Pyroex**

Fire-retardant coated panels for maximum planning security with a wide range of design options thanks to the DST system. Ideal for wall and ceiling panels in public buildings!

> p. 180




**Duropol XTerior compact F**

High quality, fire-retardant facade panels. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for facades.

> p. 242



# SHOPS & EXHIBITIONS



MAKE  
YOUR  
VISIONS  
WORK.

-  **S68039 SM**  
Terrazzo Classico  
Black
-  **U11518 SD**  
Pearl Grey
-  **U16179 SD**  
Cuba Libre
-  **U19008 SD**  
Labrador



**For memorable presentations that leave a lasting impression.**

Visually spot on, low-maintenance and also affordably realisable. In the shop fit-out and exhibitions area, Pfleiderer offers a wide range of designs that are easy to work with and of outstanding durability. With core materials from coloured throughout to fire-retardant, we ensure that your projects can do more than just look amazing.

**PRODUCTS**  
SHOPS &  
EXHIBITIONS

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropol XTreme**

Extremely matt finish meets outstanding durability. The high pressure laminate for sophisticated concepts – suitable for postforming, low-maintenance and also resistant to fingerprints and grease stains.

> p. 192



**Duropol XTreme plus**

Considerably more scratch resistant and durable than comparable matt surfaces! Duropol XTreme plus also brings the unique XTreme look and feel to horizontal surfaces and edges that are subject to heavy use.

> p. 193



**Duropol HPL Compact, grey core**

Ideal for projects that call for outstanding robustness, durability and high hygiene standards as well as outstanding material aesthetics. All of the finishes in the Design Collection are available on compact panels as well as HPL and DecoBoard. As the core is coloured grey throughout, the material is suitable for solutions with visible edges as well as customised 3D engraving effects.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 208



**Duropol SolidColor**

The laminate SolidColor is coloured throughout, which makes it possible to realise contemporary and monochrome designs completely without visible edges. Also available in the product version SolidColor XTreme with anti-fingerprint coating!

> p. 194

Because we know what matters in the shop fit-out and exhibitions area, we not only offer outstanding products but also reliable availability and fast delivery – on request, also directly to the project location. The more than 160 finishes in the DST Express range, products that are available from stock, offer maximum design scope and short delivery times – the most important finishes are also available from stock in large-scale formats. With sustainable materials and low-maintenance surfaces with textures from high-gloss to very matt, our range also provides maximum design scope for aesthetics that will appeal to customers.



**PrimeBoard XTreme P2**

High quality panels with a multi-layer coating, available as XTreme Matt (XT) and XTreme High Gloss (XG). Easy to work with and extremely elegant.

> p. 164



**DecoBoard P2**

Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)


> p. 171



**DecoBoard MFP Hybrid**

These high quality panels combine the advantages of classic chipboard with those of a high density fibreboard panel. Due to its increased bending strength, it is ideal for very wide shelving systems and furniture components.

> p. 182




**DecoBoard HDF Compact black**

Chic as well as robust – high density fibreboard, coloured black, for use in interior areas that are exposed to a higher moisture impact.

> p. 188

# TRAVEL & TRANSPORT



MAKE YOUR VISIONS WORK.



**R20128 RU**  
Sonoma Oak Light



**R20288 NW**  
Indian Oak Red



**S68036 ML**  
Cento



**U11027 SD**  
Icy White



### Interior fit-outs that are going places – in premium quality.

Anything that moves is particularly challenging. Our lightweight, flexible, fire-safety certified materials, some of which can even be equipped with anti-bacterial coatings, offer added value in this area. They perfectly combine technology and safety aspects with design, and are suitable, for example, for use in ships, motorhomes, caravans and lifts.

**PRODUCTS**  
TRAVEL &  
TRANSPORT

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTreme**

Extremely matt finish meets outstanding durability. The high pressure laminate for sophisticated concepts – suitable for postforming, low-maintenance and also resistant to fingerprints and grease stains.

> p. 192



**Duropal HPL**

High pressure laminates in a wide range of selected DST system finish and texture combinations on DecoBoard products. The entire Design Collection is available from stock. Minimum offcut thanks to a range of formats from standard to non-standard widths, for example also suitable for doors.

> p. 191



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)



**Duropal HPL Pyroex**

Decorative, robust and fire-retardant high-pressure laminate. Ideal for walls, doors, pieces of furniture and fitted furniture in public buildings or retail spaces with higher fire-safety requirements.

> p. 200



**Duropal HPL IMO**

Certified safety in the ship interior fit-out area as your robust laminate is IMO approved!

> p. 202

Interior fit-outs of unusual places – for example motorhomes or cruise ships – are governed by particular rules: all of the materials used must be lightweight, easy to work with and robust; everything shouldn't take long to process and should also retain its good looks for a long time to come. In addition to this, high fire-safety and moisture-resistance standards must also be taken into account. With suitable core materials, low-maintenance surfaces and a wide range of finish designs, Pfleiderer provides maximum design scope in this respect. With premium solutions such as HPL Metallic IMO and HPL Individual IMO, it is even possible to realise metallic effects or customised finishes!



**Duropal flameprotect compact IMO**

These decorative non-flammable compact panels are used in the preventive fire-safety area for escape routes or public spaces; with IMO certificate particularly in the ship interior fit-out area.

> p. 214



**Duropal Element Pyroex**

With our wide range of fire-safety products, we offer architects and planners not only planning reliability but also plenty of design scope. These fire retardant flat bonded elements are ideal for wall and ceiling panels in public institutions!

> p. 212




**DecoBoard P2**

Our all-rounder – available in many designs and formats! All of the designs in our Express range are available at short notice from stock!



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 171





**DecoBoard HDF Compact black**





Chic as well as robust – high density fibreboard, coloured black, for use in interior areas that are exposed to a higher moisture impact.

> p. 188

# FACADES & PARAPETS



MAKE  
YOUR  
VISIONS  
WORK.

-  **U12215 EM**  
Anthracite
-  **U19006 EM**  
Mint
-  **R20038 EM**  
Natural Chalet Oak
-  **S68036 EM**  
Cento



## Setting accents in outdoor areas.

Our innovative, extremely durable and UV resistant panels for outdoor use make it easy to continue interior design concepts on facades and other exterior surfaces with finishes that absolutely match those of the interior – thanks to fire-safety approval, also on multi-storey buildings.

**PRODUCTS**  
FACADES &  
PARAPETS


Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTerior compact –  
single-sided & double-sided lacquering**

Premium for outdoor use – from garden furniture to facades. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for outdoor use.

> p. 241



**Duropal XTerior compact F –  
single-sided lacquering**


High quality, fire-retardant facade panels. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for facades.

> p. 242

See our "XTerior" range brochure for more information.



# OUTDOOR FURNITURE



MAKE  
YOUR  
VISIONS  
WORK.



**R20095 EM**  
Milano Oak



**R20351 EM**  
Flamed Wood



**S68036 EM**  
Cento



**U12215 EM**  
Anthracite



### Perfect for creating favourite outdoor spots.

Inviting design, pleasant feel and outstanding weatherproofness and UV resistance. Our innovative Duropal XTerior compact laminates offer the ideal properties for attractive garden and patio furniture.

**PRODUCTS**  
OUTDOOR  
FURNITURE


Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**Duropal XTerior compact –  
single-sided & double-sided lacquering**

Premium for outdoor use – from garden furniture to facades. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for outdoor use.

> p. 241



**Duropal XTerior compact F –  
single-sided lacquering**

High quality, fire-retardant facade panels. Uniquely matt finish on very weatherproof and extremely strong compact panels especially designed for facades.

> p. 242

See our "XTerior" range brochure for more information.





# TIMBER CONSTRUCTION



MAKE  
YOUR  
VISIONS  
WORK.



## **Construction materials for modern ecological buildings.**

Wood is an extremely popular building material! Hardly surprising, as our low-emission and formaldehyde-free glued wood-based materials promote a healthy living environment and unlock unique possibilities when it comes to building in a way that conserves our natural resources.

**PRODUCTS**  
TIMBER  
CONSTRUCTION

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**LivingBoard face contiprotect P5/P7**

Moisture-resistant, extremely tough raw panels with formaldehyde-free glued Contiprotect coating. The low emission natural solution for modern timber construction projects, formwork or packing materials.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 153-154



**LivingBoard P4/P5/P7**

Recommended from a building biology and ecology perspective, LivingBoard P5 panels are the ideal choice for ecological timber construction projects, formwork or even door fillings. Natural, vapour permeable fibreboard for roof and wall use.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 152



**PremiumBoard MFP P5**

From wall to roof panels and flooring substructures or high quality packing crates: these moisture-resistant universal panels are suitable for a wide range of different areas of use.

> p. 150

Whether load-bearing, with a high bending strength or particularly sustainable: Pfleiderer offers the right wood-based materials for almost all requirements in the area of structural construction work, from highly isotropic to non-directional tongue-and-groove chipboard and vapour permeable MDF board, always designed with installation efficiency in mind, of an uncompromisingly good quality and, on request, also available in PEFC™ and FSC® certified versions.



**StyleBoard MDF.RWH**

The natural, diffusion-open fibreboard for roof and wall.

> p. 158




**ClassicBoard P3**

Moisture-resistant panels for non-load bearing purposes such as support for floating floors.

> p. 148

See our timber construction range brochure for more information.



# STORAGE TECHNOLOGY



MAKE  
YOUR  
VISIONS  
WORK.



**High-performance to withstand the tough everyday challenges in the logistics area.** Solid, durable high bay racking with a high load-bearing capacity is an important factor for successful and productive warehouse management. Pfleiderer offers exceptionally robust wood-based materials that are easy to work with and allow their efficient construction in the required quality.

**PRODUCTS**  
STORAGE  
TECHNOLOGY

In the logistics area, shelves, platforms, stairs and raised access flooring must be able to withstand the pressures of everyday life. With the right wood-based material panels, Pflleiderer ensures that warehouse racking can be realised quickly, cost-efficiently and in accordance with all applicable rules and regulations.

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



---

**PremiumBoard P4/P6/P6+**

Chipboard with above-average bending strength.



---

**DecoBoard P6+**

Coated chipboard with above-average bending strength and anti-slip surface.

---



---

**PremiumBoard Pyroex P4/P6**


Fire-retardant raw panels with high load-bearing capacity.

---

See our warehouse storage systems brochure for more information.



# PACKAGING CONSTRUCTION



HANDLE WITH  
MANIPULER AV



MAKE  
YOUR  
VISIONS  
WORK.



HANDLE W  
MANIPUL ER



### To ensure that everything gets from A to B safely.

Valuable cargo must be well-protected against impact, moisture and temperature fluctuations. With our packing construction panels, we offer flexibly usable, robust, moisture-resistant and internationally approved solutions.

**PRODUCTS**  
PACKAGING  
CONSTRUCTION

The shipping of valuable machines and industrial products calls for high quality crates and cases. With Pfliederer's range of packing construction panels, you are perfectly equipped for this challenge, as our wood-based materials are robust, easy to work with the usual woodworking machinery and also suitable for spray painted or roller applied labelling, thanks to their sanded surfaces.

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**LivingBoard face contiprotect P5/P7**

Moisture-resistant, extremely tough raw panels with formaldehyde-free glued Contiprotect coating. The low emission natural solution for modern timber construction projects, formwork or packing materials.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 153-154



**PremiumBoard MFP P5**

From wall to roof panels and flooring substructures or high quality packing crates: these moisture-resistant universal panels are suitable for a wide range of different areas of use.

> p. 150

See our packing materials brochure for more information.



# FORMWORK CONSTRUCTION



MAKE  
YOUR  
VISIONS  
WORK.



## **The best thing that can happen to concrete.**

Material that is used for the construction of concrete formwork must be extremely hard-wearing – as well as strong and moisture-resistant. It must also have a high-quality surface finish. Our wood-based materials set benchmarks in the toughest conditions and, if required, help you to create perfect finishes on the cast concrete.

**PRODUCTS**  
FORMWORK  
CONSTRUCTION

Here, you will find a selection of products that are particularly suitable for the area of use listed below. You will find further products in the core materials and products section.



**LivingBoard face contiprotect P5/P7**

Moisture-resistant, extremely tough raw panels with formaldehyde-free glued Contiprotect coating. The low emission natural solution for modern timber construction projects, formwork or packing materials.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 153-154



**PremiumBoard MFP P5**

From wall to roof panels and flooring substructures or high quality packing crates: these moisture-resistant universal panels are suitable for a wide range of different areas of use.

> p. 150

The advantages of cast concrete construction can only be exploited to their full potential in practice with the right formwork. Achieving the desired shape, surface properties and evenness calls for high quality, solid and tough wood-based materials. Pfeleiderer's formwork panels make an important contribution to this as they can be worked precisely and used flexibly – at the same time, they can also reliably withstand the tough conditions on building sites.



**LivingBoard P5/P7**

Recommended from a building biology and ecology perspective, LivingBoard P5 panels are the ideal choice for ecological timber construction projects, formwork or even door fillings. Natural, vapour permeable fibreboard for roof and wall use.



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

> p. 152



**DecoBoard P5/P7S**

Due to the moisture-resistant gluing and the special impregnation of the coating, this panel is perfectly suited for multiple use in formwork construction.

See our formwork construction brochure for more information.






# DECORS

## Ideas that inspire.

Pfleiderer wood-based materials are available in an almost infinite variety of designs, which form the basis of our unique decors. Discover our full range – our colour worlds will offer inspiration, ideas and, above all: choice! Whether you are using a range of finely coordinated solid colours, imaginative patterns or highly authentic reproductions of wood, stone or other materials, we have over 300 decors to make your designs as attractive as possible!



Make work easier – with the Pfleiderer WorkApp! Simply scan decors with your smartphone, receive combination recommendations and request samples.

The new Pfleiderer WorkApp works on any smartphone. Just go to [workapp.pfleiderer.com](http://workapp.pfleiderer.com) and start the Decor Scanner. If you use it regularly, simply add the app to your home screen!



Our tip:  
scan the QR code  
and get started  
straight away.



[decorfinder.pfleiderer.com](http://decorfinder.pfleiderer.com)

**OVER THE RAINBOW**  
CHROMATIC PLAIN SHADES

**STORMY WEATHER**  
NEUTRAL PLAIN SHADES

**BEYOND THE SEA**  
NORDIC WOODS

**TEA FOR TWO**  
TRADITIONAL REDDISH WOODS

**AS TIME GOES BY**  
GREY AGED WOODS

**SUMMERTIME**  
NATURAL WOODS

**BLACK COFFEE**  
BLACK AND WHITE WOODS

**PIANOMAN**  
CLASSIC DARK WOODS

**CATCH OF THE DAY**  
MATERIAL FINISHES

**RIVER DEEP MOUNTAIN HIGH**  
STONE AND MINERALS

# CHROMATIC PLAIN SHADES OVER THE RAINBOW

The colours of the rainbow:  
Pastel, taupe and intensive colours  
in even gradation.

| A | B | C | D | E | 1   |
|---|---|---|---|---|---|
|   |   |   |   |   | U15230 Light Vanilla SD U11509 Magnolia SD U16007 Light Beige SD U16130 Sand Grey SD U17035 Lotus SD    |
|   |   |   |   |   | U15559 Pastel Yellow SD U15246 Mango SD U16010 Orange SD U16051 Siena Red SD U17005 Carmine Red SD      |
|   |   |   |   |   | U15579 Egg Yolk Yellow SD U16009 Golden Orange SD U16012 Antelope SD U16166 Salsa SD U17008 Ruby Red SD |
|   |   |   |   |   | U15194 Zinc Yellow SD U15115 Gorse Yellow SD U16013 Bison SD U17271 Oxide Red SD U17031 Bordeaux SD     |
|   |   |   |   |   | U11506 Ivory White SD U16020 Cream SD U15331 Beige Grey SD U11523 Ivory SD U12168 Cashmere SD           |
|   |   |   |   |   | U15133 Stone Grey SD U16184 Creme SD U16003 Sand Beige SD U16037 Powder SD U16179 Cuba Libre SD         |
|   |   |   |   |   | U15190 Cuvo SD U16001 Sand Greige SD U16002 Congo SD U16000 Truffle Grey SD U17012 Coco SD              |
|   |   |   |   |   | U15193 Cuando SD U17010 Terra Brown SD U12211 Lava SD U16058 Be rooted! SD U17054 Burgundy SD           |

| F | G | H | I | J | K | L | M | 1   |
|---|---|---|---|---|---|---|---|---|
|   |   |   |   |   |   |   |   | U17013 Mimose SD U18003 Crystal Blue SD U18067 Pastel Blue SD U18015 Catania SD U18503 Trinity SD U19003 Cadiz SD U19506 Lily SD U19505 Citron SD     |
|   |   |   |   |   |   |   |   | U17014 Hydrangea SD U18002 Water Blue SD U18010 Cirrus SD U18016 Kavala SD U18500 Patras SD U19004 Saragossa SD U19508 Chartreuse SD U19507 Iris SD   |
|   |   |   |   |   |   |   |   | U17019 Cranberry SD U18068 Heaven Blue SD U18011 Palander SD U18017 Icarus SD U18008 Java SD U19005 Jade SD U19501 Granny Smith SD U19509 Olive SD    |
|   |   |   |   |   |   |   |   | U17503 Purple SD U18059 Gentian Blue SD U18012 Baltic SD U18021 Levant SD U18576 Ocean SD U19002 Ivy SD U19502 Lime SD U19511 Clover SD               |
|   |   |   |   |   |   |   |   | U17509 Hollyhock SD U18031 Gull SD U18029 Horizon SD U18032 Aqua SD U18505 Lagoon SD U18506 Neptune SD U19014 Sage SD U19015 Spearmint SD             |
|   |   |   |   |   |   |   |   | U17501 Rose SD U18148 Ice Blue SD U18013 Cumulus SD U18079 Pacific SD U18504 Hudson SD U19006 Mint SD U19503 Avocado SD U19500 Carambola SD           |
|   |   |   |   |   |   |   |   | U17505 Plum SD U18001 Skyblue SD U18014 Stratus SD U18074 Atlantic SD U18502 Bristol SD U19007 Agave SD U19515 Taiga SD U15110 Iguana SD              |
|   |   |   |   |   |   |   |   | U17141 Orchidea SD U17500 Royal Blue SD U18004 Dark Blue SD U18006 Skaggerak SD U18501 Fjord SD U19008 Labrador SD U19504 Zucchini SD U19512 Khaki SD |

**Legend:**







- HPL stock programme
- EXPRESS collection (HPL and DecoBoard ex-stock)
- HPL in door format ex-stock
- Worktop stock programme
- FunXtional Products stock programme (PrimeBoard XTreme, Duropol XTreme or Duropol XTreme plus)
- Duropol SolidColor stock programme

All decors of the Design Collection are available as HPL and DecoBoard.


## NEUTRAL PLAIN SHADES STORMY WEATHER

Warm, neutral and cool shades of grey and white in numerous nuances form the passe-partout for all materials.

### Legend:

-  HPL stock programme
-  EXPRESS collection (HPL and DecoBoard ex-stock)
-  HPL in door format ex-stock
-  Worktop stock programme
-  FunXtional Products stock programme (PrimeBoard XTreme, Duropol XTreme or Duropol XTreme plus)
-  Duropol SolidColor stock programme

All decors of the Design Collection are available as HPL and DecoBoard.







| A  | B  |    |
|--|--|----|
|   |  | 1  |
| <b>U11027</b>   <br>Icy white           |  | 2  |
|   |  | 3  |
| <b>U11102</b>   <br>Chalk               |  | 4  |
|   |  | 5  |
| <b>W10100</b>  <br>Interior White  |  | 6  |
|    |  | 7  |
| <b>W10003</b>  <br>Opal White  |  | 8  |
|   |  | 9  |
| <b>W10140</b>  <br>Frontal White   |  | 10 |
|   |   | 11 |
| <b>U11026</b>   <br>Crystal White | <b>U12233</b>  <br>Metallic Black   | 12 |
|   |   | 13 |
| <b>U11015</b>  <br>White   | <b>U12007</b>  <br>Graphite Black   | 14 |
|   |   | 15 |
| <b>U11077</b>  <br>Cream White   | <b>U12000</b>   <br>Volcanic Black | 16 |

| C  | D  | E   | F   |    |
|--|--|---|---|----|
|   |   |    |    | 1  |
| <b>U11209</b>   <br>Royal White | <b>W10410</b>   <br>Opaque White          | <b>U12043</b>  <br>Glacier Blue   | <b>U11106</b>  <br>Powderwhite  | 2  |
|   |   |    |    | 3  |
| <b>W10227</b>  <br>Silk White  | <b>U11525</b>  <br>Office White  | <b>U11518</b>  <br>Pearl Grey   | <b>U11552</b>  <br>Moongrey   | 4  |
|   |   |    |    | 5  |
| <b>U12190</b>  <br>Flannel   | <b>U11500</b>  <br>Grey White  | <b>U12188</b>   <br>Light Grey | <b>U12131</b>  <br>Silver Grey  | 6  |
|    |    |   |   | 7  |
| <b>U12204</b>  <br>Manhattan   | <b>U12109</b>  <br>Montana Grey  | <b>U12009</b>  <br>Silver Grey  | <b>U12044</b>   <br>Dolphin Grey | 8  |
|   |   |    |    | 9  |
| <b>U12248</b>  <br>Signal Grey   | <b>U12115</b>   <br>Platinum Grey   | <b>U12010</b>  <br>Platinum Grey  | <b>U12090</b>  <br>Bora Grey  | 10 |
|   |   |    |    | 11 |
| <b>U12146</b>  <br>Shadow  | <b>U12290</b>   <br>Anthracite Grey | <b>U12231</b>  <br>Slate Grey   | <b>U12091</b>  <br>Sharky Grey  | 12 |
|   |   |    |    | 13 |
| <b>U12986</b>  <br>Grey  | <b>U12257</b>   <br>Graphite        | <b>U12215</b>  <br>Anthracite   | <b>U12092</b>   <br>Zonda Grey   | 14 |
|   |   |    |    | 15 |
| <b>U12011</b>  <br>Vulcano   | <b>U19011</b>  <br>Black Green   | <b>U18028</b>  <br>Blue Black   | <b>U12018</b>   <br>Basalt Grey  | 16 |































## NORDIC WOODS BEYOND THE SEA

Light Scandinavian style woods  
create a mood full of lightness and  
freshness.

### Legend:







































-  HPL stock programme
-  EXPRESS collection  
(HPL and DecoBoard ex-stock)
-  HPL in door format ex-stock
-  Worktop stock programme
-  FunXtional Products stock  
programme (PrimeBoard XTreme,  
Duropal XTreme or Duropal XTreme plus)
-  Duropal SolidColor stock programme

All decors of the Design Collection are  
available as HPL and DecoBoard.

| A   | B   | C   |   |
|---|---|---|---|
|    |             |    | 1   |
| <b>R55011</b><br>Anderson Pine White  |  <b>RU</b>   | <b>R55025</b><br>Pinie Baltico White  |  <b>ML</b>   |
|    |             |    | 2   |
| <b>R55006</b><br>Fano Pine White  |  <b>RU</b>   | <b>R27043</b><br>Kiruna Maple   |  <b>ML</b>   |
|   |            |   | 3   |
| <b>R55072</b><br>Willow White   |  <b>ML</b> | <b>R55064</b><br>Jerusalem Pine   |  <b>ML</b> |
|  |           |  | 4   |
| <b>R24029</b><br>Fjord Beech Light  |  <b>ML</b> | <b>R27001</b><br>Royal Maple  |  <b>VV</b> |
|  |           |  | 5   |
| <b>R50094</b><br>Nordic Teak  |  <b>NW</b> | <b>R24054</b><br>Lindstrom Beech Light  |  <b>ML</b> |
|  |           |  | 6   |
| <b>R48043</b><br>Chip   |  <b>ML</b> | <b>R55057</b><br>Jacobsen Pine Blue   |  <b>RU</b> |







## NATURAL WOODS SUMMERTIME

Summery look and naturalness:  
light woods, well-balanced  
shapes and craftsmanship  
communicate a friendly,  
uncomplicated atmosphere.



































| D   | E   | F   | G   | H   |   |
|---|---|---|---|---|---|
|    |              |    |   |   | 1   |
| <b>R38002</b><br>Acacia   |  <b>RU</b>   | <b>R34027</b><br>Sliced Ash Natural   |  <b>NW</b>   | <b>R34028</b><br>Sliced Ash Natural Across  |  <b>ML</b>   |
|    |              |    |   |   | 2   |
| <b>R20095</b><br>Milano Oak   |  <b>NW</b>   | <b>R20021</b><br>Lindberg Oak   |  <b>NW</b>   | <b>R20022</b><br>Lindberg Cross-cut Oak   |  <b>ML</b>   |
|   |             |   |   |   | 3   |
| <b>R34023</b><br>Portland Ash Light   |  <b>NW</b> | <b>R20256</b><br>Lorenzo Oak  |  <b>NW</b> | <b>R20100</b><br>Style Oak Cinnamon   |  <b>NW</b> |
|  |            |  |   |   | 4   |
| <b>R55073</b><br>Sand Pine  |  <b>ML</b> | <b>R55007</b><br>Fano Pine Nature   |  <b>RU</b> | <b>R20288</b><br>Indian Oak Red   |  <b>NW</b> |
|  |            |  |   |   | 5   |
| <b>R34033</b><br>Mountain Ash   |  <b>NW</b> | <b>R37016</b><br>Salisbury Elm Natural  |  <b>NW</b> | <b>R20119</b><br>American Oak   |  <b>NW</b> |
|  |            |  |   |  | 6   |
| <b>R30039</b><br>California Walnut  |  <b>NW</b> | <b>R50030</b><br>Spain Olive Light  |  <b>ML</b> | <b>R20038</b><br>Natural Chalet Oak   |  <b>NW</b> |
|   |   |   |   | <b>R20315</b><br>Artisan Oak  |  <b>NW</b> |

## GREY AGED WOODS AS TIME GOES BY

Striking grains, weathering, craftsmanship and historical references tell of past times.

- Legend:**
-  HPL stock programme
  -  EXPRESS collection (HPL and DecoBoard ex-stock)
  -  HPL in door format ex-stock
  -  Worktop stock programme
  -  FunXtional Products stock programme (PrimeBoard XTreme, Duropal XTreme or Duropal XTreme plus)
  -  Duropal SolidColor stock programme

All decors of the Design Collection are available as HPL and DecoBoard.

| A  | B  | C   |   |
|--|--|---|---|
|     |                                      |                                        | 1   |
| <b>R37001</b><br>Baron Elm   |  <b>R20286</b><br>Italian Oak         |  <b>R37003</b><br>Truffle Baron Elm    |    |
|     |                                      |                                        | 2   |
| <b>R20128</b><br>Sonoma Oak Light  |  <b>R20039</b><br>Grey Sonoma Oak     |  <b>R20351</b><br>Flamed Wood          |    |
|    |                                     |                                       | 3   |
| <b>R20064</b><br>Grey Mountain Oak   |  <b>R20029</b><br>Grey Lancelot Oak |  <b>R20031</b><br>Truffle Sonoma Oak |  |
|   |                                    |                                      | 4   |
| <b>R20147</b><br>Nelson Oak  |  <b>R20285</b><br>Wilton Oak Reed   |  <b>R37010</b><br>Ovid Elm Cinnamon  |  |
|   |                                    |                                      | 5   |
| <b>R55008</b><br>Natural Alpine Spruce   |  <b>R20027</b><br>Pale Lancelot Oak |  <b>R37017</b><br>Salisbury Elm Grey |  |
|  |                                   |   | 6   |
| <b>R55004</b><br>Ponderosa Pine  |  <b>R48036</b><br>Flintwood       |   |  |







## TRADITIONAL REDDISH WOODS TEA FOR TWO

Timeless elegance is created with warm, reddish wood and smooth silky or shiny surfaces.































| D   | E  |   |
|---|--|---|
|    |   | 1   |
| <b>R42006</b><br>Havana Cherry  |  <b>R50084</b><br>Golden Teak               |    |
|    |   | 2   |
| <b>R42009</b><br>Bloomed Cherry Planked   |  <b>R50079</b><br>Luxor cognac              |    |
|   |    | 3   |
| <b>R50016</b><br>Zebrano  |  <b>R50077</b><br>Sulawesi Macassar Brown |  |
|  |   | 4   |
| <b>R48038</b><br>Plane Tree   |  <b>R50077</b><br>Sulawesi Macassar Brown |  |
|   |  | 5   |
|   |  | 6   |

# CLASSIC DARK WOODS PIANOMAN

Warm dark woods used in well-balanced interiors communicate timeless quality, informality and modernity.





















- Legend:**
-  HPL stock programme
  -  EXPRESS collection (HPL and DecoBoard ex-stock)
  -  HPL in door format ex-stock
  -  Worktop stock programme
  -  FunXTional Products stock programme (PrimeBoard XTreme, Duropal XTreme or Duropal XTreme plus)
  -  Duropal SolidColor stock programme

All decors of the Design Collection are available as HPL and DecoBoard.

| A   | B   | C   |   |
|---|---|---|---|
|    |             |              | 1   |
| <b>R50095</b><br>Laos Teak  |  <b>NW</b>   |  <b>NW</b>   |  <b>NW</b>   |
|    |             |              | 2   |
| <b>R38000</b><br>Chestnut   |  <b>NW</b>   |  <b>VV</b>   |  <b>NW</b>   |
|   |            |             | 3   |
| <b>R50088</b><br>Malaysia Teak  |  <b>NW</b> |  <b>RU</b> |  <b>NW</b> |
|  |           |   | 4   |
| <b>R34019</b><br>Sliced Ash   |  <b>NW</b> |  <b>ML</b> |   |
|  |           |   | 5   |
| <b>R30021</b><br>Milano Walnut  |  <b>NW</b> |  <b>NW</b> |   |
|  |           |   | 6   |
| <b>R34024</b><br>Portland Ash Dark  |  <b>NW</b> |  <b>RU</b> |   |







# BLACK AND WHITE WOODS BLACK COFFEE

Sober style, hard contrasts and the interplay between light and shape look sophisticated and stylish.





































| D   | E   |   |
|---|---|---|
|    |              | 1   |
| <b>R20284</b><br>Wilton Oak White   |  <b>NW</b>   |  <b>NW</b>   |
|    |              | 2   |
| <b>F73051</b><br>Texwood White  |  <b>ML</b>   |  <b>ML</b>   |
|   |             | 3   |
| <b>R48005</b><br>Glamour Wood Light   |  <b>NW</b> |  <b>NW</b> |
|  |            | 4   |
| <b>R20033</b><br>Dark Oak   |  <b>NW</b> |  <b>NW</b> |
|  |            | 5   |
| <b>R34032</b><br>Portland Ash Black   |  <b>NW</b> |  <b>ML</b> |










































# MATERIAL FINISHES CATCH OF THE DAY

Metal, concrete, textile and graphic – materials and techniques that add character to every room and make it unique.

- Legend:**
-  HPL stock programme
  -  EXPRESS collection (HPL and DecoBoard ex-stock)
  -  HPL in door format ex-stock
  -  Worktop stock programme
  -  FunXtional Products stock programme (PrimeBoard XTreme, Duropal XTreme or Duropal XTreme plus)
  -  Duropal SolidColor stock programme







All decors of the Design Collection are available as HPL and DecoBoard.

|   |  |   |   |
|---|--|---|---|
| A   | B  | C   | 1   |
|    |    |                                        |   |
| <b>F76023</b><br>Brushed Aluminium  |  <b>M80000</b><br>Alu 1, Stainless Steel Effect |  <b>M80001</b><br>Alu 2, Nickel Effect |    |
|    |    |                                        | 2   |
| <b>F76112</b><br>Inox Grey  |  <b>F70015</b><br>Grey Metallic                 |  <b>F70014</b><br>Anthracite Metallic  |    |
|   |   |                                       | 3   |
| <b>F76143</b><br>Zinc   |  <b>F76113</b><br>Metex Silver                |  <b>F76111</b><br>Kito Steel         |  |
|  |    |                                      | 4   |
| <b>F76083</b><br>Oxide  |  <b>F76114</b><br>Metex Brass                 |  <b>F79934</b><br>Ferro Black        |  |
|  |    |                                      | 5   |
| <b>F70002</b><br>Cava Beige   |  <b>F70000</b><br>Copper Metallic             |  <b>F76141</b><br>Alux Black         |  |
|  |    |                                      | 6   |
| <b>F76110</b><br>Kito Bronze  |  <b>F76100</b><br>Sierra Gold                 |  <b>F70008</b><br>Metallic Toffee    |  |
















|   |  |  |  |   |
|---|--|--|--|---|
| D   | E  | F  | G  | 1   |
|    |   |   |                                   |   |
| <b>S68036</b><br>Cento  |  <b>F76044</b><br>Bellato Grey          |  <b>S60036</b><br>Classic Concrete          |  <b>R48010</b><br>Atrium Grey     |    |
|    |   |   |                                   | 2   |
| <b>S60019</b><br>Crick  |  <b>F76001</b><br>Loftec                |  <b>F76145</b><br>Tazio                     |  <b>F76149</b><br>Kex             |    |
|   |                                        |    |                                  | 3   |
| <b>F76142</b><br>Terracotta   |  <b>F76026</b><br>Ceramic Rust        |  <b>F76146</b><br>Terrazzo Bronze         |  <b>S68034</b><br>Espresso      |  |
|  |                                       |   |                                 | 4   |
| <b>F73075</b><br>Solidale   |  <b>F76084</b><br>Buffalo             |  <b>S68039</b><br>Terrazzo Classico Black |  <b>S68029</b><br>Terrazzo Nero |  |
|  |                                       |   |                                 | 5   |
| <b>F79932</b><br>Window   |  <b>F73073</b><br>Spira Beige         |  <b>F76117</b><br>Piquée Grey Blue        |  <b>F79016</b><br>Caroline      |  |
|  |                                       |   |                                 | 6   |
| <b>F73036</b><br>Suit Grey Light  |  <b>F76014</b><br>Platinum Grey Twist |  <b>F76099</b><br>Loden Green             |  <b>F79023</b><br>Patchwork     |  |

**STONE AND MINERALS**  
RIVER DEEP  
MOUNTAIN HIGH

Solid and timeless:  
real stones characterise the style.

- Legend:**
-  HPL stock programme
  -  EXPRESS collection (HPL and DecoBoard ex-stock)
  -  HPL in door format ex-stock
  -  Worktop stock programme
  -  FunXtional Products stock programme (PrimeBoard XTreme, Duropal XTreme or Duropal XTreme plus)
  -  Duropal SolidColor stock programme

All decors of the Design Collection are available as HPL and DecoBoard.

|   |   |                                     |
|---|---|-------------------------------------|
| A   | B   |                                     |
|    |               | 1                                   |
| <b>S63045</b><br>India White  |  <b>SM</b>     | <b>S62032</b><br>Obelisk Grey       |
|    |               | 2                                   |
| <b>S63009</b><br>Carrara Marble   |  <b>SM</b>     | <b>S68025</b><br>Kings Marble Green |
|   |              | 3                                   |
| <b>S63028</b><br>Nero Portoro   |  <b>SM</b>   | <b>S68044</b><br>Caviar Black       |
|  |   | 4                                   |
| <b>S63007</b><br>Oriental Stone Brown   |  <b>SM</b>   |                                     |
|  |             | 5                                   |
| <b>S61034</b><br>Beola Grigia   |  <b>SD</b>   | <b>S68027</b><br>Roman Mosaik Grey  |
|   |  <b>SD</b> |                                     |



Decor Scanner  
workapp.pfleiderer.com




Make work easier – with the Pfleiderer WorkApp! Simply scan decors with your smartphone, receive combination recommendations and request samples.

The new Pfleiderer WorkApp works on any smartphone. Just go to [workapp.pfleiderer.com](http://workapp.pfleiderer.com) and start the Decor Scanner. If you use it regularly, simply add the app to your home screen!



Our tip:  
scan the QR code  
and get started  
straight away.













STOCK PROGRAMME

| Decor Reference               | Pages / coordinates | Standard surface texture | Colour scheme    | Reflection value | Next NCS code | Metallic | RAL | Pattern                | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock <sup>1</sup> | FUNCTIONAL PRODUCTS   |   |   |  |   |   |   |  |  |  |
|-------------------------------|---------------------|--------------------------|------------------|------------------|---------------|----------|-----|------------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|---|---|---|--|--|--|
|                               |                     |                          |                  |                  |               |          |     |                        |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropal XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropal SolidColor XTreme | Duropal XTreme plus<br>4,100 x 1,300 x 0,8 mm | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm | Duropal SolidColor<br>4,100 x 1,300 x 0,8 mm<br>* in 4,100 x 1,300 x 1,2 mm | XTerior compact F<br>2,800 x 2,070 x 8,0 mm | XTerior compact<br>2,800 x 2,070 x 8,0 mm<br>* also in 2,800 x 2,070 x 6,0 mm | Duropal Worktop<br>4,100 x 6,00 / 9,00 x 38,8 mm |  |  |
| U18505 Lagoon                 | p. 83, J5           | SD                       | Over the rainbow | 0.54             | S2010-B50G    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   | XT - 19   |   |  |   |   | EM  | EM   |  |  |
| U18506 Neptune                | p. 83, K5           | SD                       | Over the rainbow | 0.64             | S1510-B80G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U18576 Ocean                  | p. 83, J4           | SD                       | Over the rainbow | 0.13             | S5030-B30G    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| U19002 Ivy                    | p. 83, K4           | SD                       | Over the rainbow | 0.12             | S5040-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19003 Cadiz                  | p. 83, K1           | SD                       | Over the rainbow | 0.76             | S0520-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19004 Saragossa              | p. 83, K2           | SD                       | Over the rainbow | 0.38             | S2040-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19005 Jade                   | p. 83, K3           | SD                       | Over the rainbow | 0.2              | S4040-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19006 Mint                   | p. 83, K6           | SD                       | Over the rainbow | 0.53             | S2010-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19007 Agave                  | p. 83, K7           | SD                       | Over the rainbow | 0.28             | S4020-B90G    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   | EM  | EM   |  |  |
| U19008 Labrador               | p. 83, K8           | SD                       | Over the rainbow | 0.12             | S7010-B90G    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| U19011 Black Green            | p. 85, D8           | SD                       | Stormy weather   | 0.06             | S8000-N       |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19014 Sage                   | p. 83, L5           | SD                       | Over the rainbow | 0.54             | S2010-G30Y    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| U19015 Spearmint              | p. 83, M5           | SD                       | Over the rainbow | 0.68             | S1010-G30Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   | EM  | EM   |  |  |
| U19500 Carambola              | p. 83, M6           | SD                       | Over the rainbow | 0.46             | S2040-G60Y    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| U19501 Granny Smith           | p. 83, L3           | SD                       | Over the rainbow | 0.35             | S2050-G40Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19502 Lime                   | p. 83, L4           | SD                       | Over the rainbow | 0.17             | S4040-G40Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19503 Avocado                | p. 83, L6           | SD                       | Over the rainbow | 0.38             | S3020-G60Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19504 Zucchini               | p. 83, L8           | SD                       | Over the rainbow | 0.12             | S7010-G50Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19505 Citron                 | p. 83, M1           | SD                       | Over the rainbow | 0.74             | S0540-G70Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19506 Lily                   | p. 83, L1           | SD                       | Over the rainbow | 0.73             | S0530-G50Y    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| U19507 Iris                   | p. 83, M2           | SD                       | Over the rainbow | 0.68             | S0550-G60Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19508 Chartreuse             | p. 83, L2           | SD                       | Over the rainbow | 0.51             | S1050-G40Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19509 Olive                  | p. 83, M3           | SD                       | Over the rainbow | 0.54             | S1070-G70Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19511 Clover                 | p. 83, M4           | SD                       | Over the rainbow | 0.23             | S3065-G50Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19512 Khaki                  | p. 83, M8           | SD                       | Over the rainbow | 0.24             | S5020-G70Y    |          |     | chromatic plain colour |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |   |   |  |  |  |
| U19515 Taiga                  | p. 83, L7           | SD                       | Over the rainbow | 0.62             | S5020-G50Y    |          |     | chromatic plain colour | SD - 19   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |   |   |   |  |  |  |
| R20020 Mocha Piemont Oak      | p. 90, B3           | RU                       | Pianoman         | 0.07             |               |          |     | striped planked        |   |  |                                       | RU                                    | RU                                     |  | RT  |   |   |  |   |   |   |  |  |  |
| R20021 Lindberg Oak           | p. 87, G2           | NW                       | Summertime       | 0.45             |               |          |     | striped planked        | NW - 19   |  |                                       | NW                                    | NW                                     |  | ML  |   |   |  |   |   |   |  |  |  |
| R20022 Lindberg Cross-cut Oak | p. 87, H2           | ML                       | Summertime       | 0.47             |               |          |     | cross                  |   |  |                                       | ML                                    | ML                                     |  | ML  |   |   |  |   |   |   |  |  |  |

FAST DELIVERY PROGRAMME

| Further structures:<br><small>If the decor is part of the EXPRESS collection, the delivery programme as DecoBoard P2 are available. All other products with delivery time on request.</small> | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |    |
|---|---|---|---|--------------------|----|
|   |   |   |   |                    | VV |
|   | VV                                      | SD, VV  | SD  | SD                 | •  |
|   |   |   | SD  | SD                 |    |
| MP, VV  | MP, SD, VV                              | SD  | SD  | •                  |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  | SD, VV                                  | SD  | SD  | •                  |    |
|   |   | SD  | SD  |                    |    |
| VV  | SD, VV                                  | SD  | SD  | •                  |    |
|   |   | SD  | SD  |                    |    |
| VV  | SD, VV                                  | SD  | SD  | •                  |    |
|   |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  |   | SD  | SD  |                    |    |
| VV  | SD, VV                                  | SD  | SD  | •                  |    |
|   |   | RU  | RU  |                    |    |
|   | NW                                      | NW  | NW  | •                  |    |
|   |   | ML  | ML  |                    |    |

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

STOCK PROGRAMME

| Decor Reference | Pages / coordinates   | Standard surface texture | Colour scheme | Reflection value | Next NCS code | Metallic | RAL | Pattern          | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock <sup>1</sup> | FUNCTIONAL PRODUCTS   |   |   | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm | Duropal SolidColor<br>4,100 x 1,300 x 0,8 mm<br>* in 4,100 x 1,300 x 1,2 mm | X Terior compact F<br>2,800 x 2,070 x 8,0 mm | X Terior compact<br>2,800 x 2,070 x 8,0 mm<br>* also in 2,800 x 2,070 x 6,0 mm | Duropal Worktop<br>4,100 x 6,00 / 9,00 x 38,8 mm |
|-----------------|-----------------------|--------------------------|---------------|------------------|---------------|----------|-----|------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|---|--|--|--|
|                 |                       |                          |               |                  |               |          |     |                  |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropal XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropal SolidColor XTreme | Duropal XTreme plus<br>4,100 x 1,300 x 0,8 mm |  |   |  |  |  |
| R20027          | Pale Lancelot Oak     | p. 88, B5                | RU            | As time goes by  | 0.32          |          |     | striped planked  |   |  | RU                                    | RU                                    |  |  |   |   |   | EM   |   | RT - Quadra                                  |  |  |
| R20029          | Grey Lancelot Oak     | p. 88, B3                | RU            | As time goes by  | 0.27          |          |     | striped planked  |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R20031          | Truffle Sonoma Oak    | p. 88, C3                | RU            | As time goes by  | 0.23          |          |     | flowered planked | RU - 19   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R20033          | Dark Oak              | p. 91, D4                | NW            | Black coffee     | 0.07          |          |     | striped          | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |   |  |  |  |
| R20038          | Natural Chalet Oak    | p. 87, G6                | NW            | Summertime       | 0.29          |          |     | flowered planked |   |  | NW                                    | NW                                    |  |  |   |   |   | EM   |   |  |  |  |
| R20039          | Grey Sonoma Oak       | p. 88, B2                | RU            | As time goes by  | 0.32          |          |     | flowered planked |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   | RT - Quadra                                  |  |  |
| R20064          | Grey Mountain Oak     | p. 88, A3                | NW            | As time goes by  | 0.34          |          |     | flowered         |   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20065          | Dark Mountain Oak     | p. 91, E4                | NW            | Black coffee     | 0.1           |          |     | striped          |   |  | NW                                    | NW                                    |  |  |   |   |   |  |   | NY - Quadra                                  |  |  |
| R20095          | Milano Oak            | p. 87, F2                | NW            | Summertime       | 0.4           |          |     | striped planked  | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   | EM   |   |  |  |  |
| R20100          | Style Oak Cinnamon    | p. 87, H3                | NW            | Summertime       | 0.34          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20119          | American Oak          | p. 87, H5                | NW            | Summertime       | 0.35          |          |     | striped planked  |   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20128          | Sonoma Oak Light      | p. 88, A2                | RU            | As time goes by  | 0.47          |          |     | flowered planked | RU - 19   |  | RU                                    | RU                                    |  |  |   |   |   |  |   | RT - Quadra                                  |  |  |
| R20147          | Nelson Oak            | p. 88, A4                | RU            | As time goes by  | 0.32          |          |     | striped planked  |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R20234          | Dark Springfield Oak  | p. 90, C3                | NW            | Pianoman         | 0.12          |          |     | striped planked  | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20256          | Lorenzo Oak           | p. 87, G3                | NW            | Summertime       | 0.37          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |   |  |  |  |
| R20284          | Wilton Oak White      | p. 91, D1                | NW            | Black coffee     | 0.57          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20285          | Wilton Oak Reed       | p. 88, B4                | NW            | As time goes by  | 0.23          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |   |  |  |  |
| R20286          | Italian Oak           | p. 88, B1                | NW            | As time goes by  | 0.3           |          |     | striped planked  | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |   |  |  |  |
| R20288          | Indian Oak Red        | p. 87, H4                | NW            | Summertime       | 0.37          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20315          | Artisan Oak           | p. 87, H6                | NW            | Summertime       | 0.28          |          |     | flowered         | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R20320          | Silver Oak            | p. 91, E3                | NW            | Black coffee     | 0.19          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   | EM   |   |  |  |  |
| R20350          | Giant Oak             | p. 91, E5                | ML            | Black coffee     | 0.14          |          |     | flowered         |   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |   |  |  |  |
| R20351          | Flamed Wood           | p. 88, C2                | NW            | As time goes by  | 0.09          |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   | EM   |   | NY - Quadra                                  |  |  |
| R24029          | Fjord Beech Light     | p. 86, A4                | ML            | Beyond the sea   | 0.51          |          |     | flowered planked | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  |  |
| R24053          | Talinn Beech          | p. 86, C2                | ML            | Beyond the sea   | 0.59          |          |     | striped planked  | ML - 19   |  | ML                                    | ML                                    |  | NY   |   |   |   |  |   |  |  |  |
| R24054          | Lindstrom Beech Light | p. 86, B5                | ML            | Beyond the sea   | 0.38          |          |     | striped          |   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |   |  |  |  |

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

FAST DELIVERY PROGRAMME

| Further structures:<br><small>If the decor is part of the EXPRESS collection, the delivery programme as DecoBoard P2 are available. All other products with delivery time on request.</small> | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |
|---|---|---|---|--------------------|
|   |   |   |   |                    |
|   |   | RU  | RU  |                    |
|   | RU                                      | RU  | RU  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   |   | NW  | NW  |                    |
|   |   | RU  | RU  |                    |
| MO  |   | NW  | NW  |                    |
| MO  |   | NW  | NW  |                    |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
| RU  |   | NW  | NW  |                    |
|   | RU                                      | RU  | RU  | •                  |
|   |   | RU  | RU  |                    |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
| HG, SD  |   | ML  | ML  |                    |
|   | NW                                      | NW  | NW  | •                  |
|   | ML                                      | ML  | ML  | •                  |
|   | ML                                      | ML  | ML  | •                  |
|   |   | ML  | ML  |                    |

Further information and technical data at [www.pfleiderer.com](http://www.pfleiderer.com)

STOCK PROGRAMME

| Decor Reference                  | Pages / coordinates | Standard surface texture | Colour scheme   | Reflection value | Next NCS code | Metallic | RAL | Pattern          | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock! | FUNCTIONAL PRODUCTS   |   |   |  | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm | Duropal SolidColor<br>4,100 x 1,300 x 0,8 mm<br>* in 4,100 x 1,300 x 1,2 mm | X Terior compact F<br>2,800 x 2,070 x 8,0 mm | X Terior compact<br>2,800 x 2,070 x 8,0 mm<br>* also in 2,800 x 2,070 x 6,0 mm | Duropal Worktop<br>4,100 x 6,00 / 9,00 x 38,8 mm |  |  |  |             |
|----------------------------------|---------------------|--------------------------|-----------------|------------------|---------------|----------|-----|------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|--|---|--|--|--|--|--|--|-------------|
|                                  |                     |                          |                 |                  |               |          |     |                  |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropal XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropal SolidColor XTreme | Duropal XTreme plus<br>4,100 x 1,300 x 0,8 mm |  |  |   |  |  |  |  |  |  |             |
| R27001 Royal Maple               | p. 86, B4           | VV                       | Beyond the sea  | 0.56             |               |          |     | flowered planked | VV - 19   |  | VV                                    | VV                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  | VV - Quadra |
| R27043 Kiruna Maple              | p. 86, B2           | ML                       | Beyond the sea  | 0.54             |               |          |     | striped planked  | ML - 19   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R27044 Norway Maple              | p. 86, C3           | ML                       | Beyond the sea  | 0.61             |               |          |     | flowered planked | ML - 19   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30011 Madison Walnut            | p. 90, B1           | NW                       | Pianoman        | 0.16             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30013 Altamira Walnut Dark      | p. 90, C1           | NW                       | Pianoman        | 0.12             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30019 Choco Bella Noce          | p. 90, B2           | VV                       | Pianoman        | 0.12             |               | •        |     | flowered planked |   |  | VV                                    | VV                                    |  | VV   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30021 Milano Walnut             | p. 90, A5           | NW                       | Pianoman        | 0.16             |               |          |     | striped planked  | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30039 California Walnut         | p. 87, E6           | NW                       | Summertime      | 0.39             |               |          |     | striped planked  |   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R30135 Okapi Walnut              | p. 90, C2           | NW                       | Pianoman        | 0.13             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  | NY - Quadra |
| R34019 Sliced Ash                | p. 90, A4           | NW                       | Pianoman        | 0.04             |               |          |     | striped          | NW - 19   |  | NW                                    | NW                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34023 Portland Ash Light        | p. 87, F3           | NW                       | Summertime      | 0.5              |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34024 Portland Ash Dark         | p. 90, A6           | NW                       | Pianoman        | 0.11             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34027 Sliced Ash Natural        | p. 87, G1           | NW                       | Summertime      | 0.49             |               |          |     | striped          |   |  | NW                                    | NW                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34028 Sliced Ash Natural Across | p. 87, H1           | ML                       | Summertime      | 0.51             |               |          |     | striped          |   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34031 Sliced Ash Across         | p. 90, B4           | ML                       | Pianoman        | 0.09             |               |          |     | striped          |   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R34032 Portland Ash Black        | p. 91, D5           | NW                       | Black coffee    | 0.09             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |  |   |  |  |  |  |  |  | NY - Quadra |
| R34033 Mountain Ash              | p. 87, F5           | NW                       | Summertime      | 0.35             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R35003 Masuren Birch Sand        | p. 86, C4           | ML                       | Beyond the sea  | 0.48             |               | •        |     | flowered planked |   |  | ML                                    | ML                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R37001 Baron Elm                 | p. 88, A1           | ML                       | As time goes by | 0.49             |               |          |     | striped planked  | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R37003 Truffle Baron Elm         | p. 88, C1           | NW                       | As time goes by | 0.27             |               |          |     | striped planked  |   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R37010 Ovid Elm Cinnamon         | p. 88, C4           | RU                       | As time goes by | 0.2              |               |          |     | striped planked  |   |  | RU                                    | RU                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R37016 Salisbury Elm Natural     | p. 87, G5           | NW                       | Summertime      | 0.31             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R37017 Salisbury Elm Grey        | p. 88, C5           | NW                       | As time goes by | 0.19             |               |          |     | flowered planked | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R38000 Chestnut                  | p. 90, A2           | NW                       | Pianoman        | 0.13             |               |          |     | striped planked  | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |  |   |  | EM   |  |  |  |  |             |
| R38002 Acacia                    | p. 87, F1           | RU                       | Summertime      | 0.56             |               |          |     | striped planked  | RU - 19   |  | RU                                    | RU                                    |  | RT   |   |   |   |  |  |   |  |  |  |  |  |  |             |
| R42006 Havanna Cherry            | p. 89, D1           | ML                       | Tea for two     | 0.3              |               | •        |     | striped planked  | ML - 19   |  | ML                                    | ML                                    |  | ML   |   |   |   |  |  |   |  |  |  |  |  |  |             |

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

FAST DELIVERY PROGRAMME

| Further structures:<br><small>If the decor is part of the EXPRESS collection, the delivery programme as DecoBoard P2 are available. All other products with delivery time on request.</small> | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |
|---|---|---|---|--------------------|
|   |   |   |   |                    |
|   | ML                                      | ML  | ML  | •                  |
|   | ML                                      | ML  | ML  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   |   | VV  | VV  |                    |
|   | NW                                      | NW  | NW  | •                  |
|   |   | NW  | NW  |                    |
|   | NW                                      | NW  | NW  | •                  |
| ML  | ML, NW                                  | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
| ML  |   | NW  | NW  |                    |
|   |   | ML  | ML  |                    |
|   |   | ML  | ML  |                    |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
|   | NW                                      | NW  | NW  | •                  |
| SM  | ML, SM                                  | ML  | ML  | •                  |

Further information and technical data at [www.pfleiderer.com](http://www.pfleiderer.com)

STOCK PROGRAMME

| Decor Reference | Pages / coordinates     | Standard surface texture | Colour scheme | Reflection value | Next NCS code | Metallic | RAL | Pattern               | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock <sup>1</sup> | FUNCTIONAL PRODUCTS   |   |   | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm | Duropal SolidColor<br>4,100 x 1,300 x 0,8 mm<br>* in 4,100 x 1,300 x 1,2 mm | X Terior compact F<br>2,800 x 2,070 x 8,0 mm | X Terior compact<br>2,800 x 2,070 x 8,0 mm<br>* also in 2,800 x 2,070 x 6,0 mm | Duropal Worktop<br>4,100 x 6,00 / 9,00 x 38,8 mm |
|-----------------|-------------------------|--------------------------|---------------|------------------|---------------|----------|-----|-----------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|---|--|--|--|
|                 |                         |                          |               |                  |               |          |     |                       |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropol XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropol SolidColor XTreme | Duropol XTreme plus<br>4,100 x 1,300 x 0,8 mm |  |   |  |  |  |
| R42009          | Bloomed Cherry Planked  | p. 89, D2                | SM            | Tea for two      | 0.2           |          |     | flowered planked      |   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |
| R48005          | Glamour Wood Light      | p. 91, D3                | NW            | Black coffee     | 0.27          | •        |     | striped               | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R48010          | Atrium Grey             | p. 93, G1                | SD            | Catch of the day | 0.43          |          |     | concrete / plastering |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  |  |
| R48036          | Flintwood               | p. 88, C6                | SD            | As time goes by  | 0.19          |          |     | Intarsie              | SD - 19   |  | SD                                    | SD                                    |  |  |   |   |   |  |   | VV - Quadra                                  |  |  |
| R48038          | Plane Tree              | p. 89, D4                | SM            | Tea for two      | 0.12          |          |     | striped planked       | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |
| R48042          | Lumumba                 | p. 90, B5                | NW            | Pianoman         | 0.13          |          |     | narrow planked        |   |  | NW                                    | NW                                    |  | SM   |   |   |   |  |   |  |  |  |
| R48043          | Chip                    | p. 86, A6                | ML            | Beyond the sea   | 0.55          |          |     | Plywood / Chipboard   |   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  |  |
| R50004          | Natural Sangha Wenge    | p. 90, B6                | RU            | Pianoman         | 0.11          |          |     | striped               | RU - 19   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R50016          | Zebrano                 | p. 89, D3                | RU            | Tea for two      | 0.24          |          |     | striped               |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R50030          | Spain Olive Light       | p. 87, F6                | ML            | Summertime       | 0.4           |          |     | striped planked       |   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  |  |
| R50077          | Sulawesi Macassar Brown | p. 89, E4                | SM            | Tea for two      | 0.11          |          |     | striped               | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |
| R50079          | Luxor Cognac            | p. 89, E3                | HG            | Tea for two      | 0.19          |          |     | Root wood             |   |  | HG                                    | HG                                    |  |  |   |   |   |  |   |  |  |  |
| R50083          | Silver Wenge            | p. 91, E1                | NW            | Black coffee     | 0.38          | •        |     | striped               | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R50084          | Golden Teak             | p. 89, E2                | NW            | Tea for two      | 0.21          |          |     | striped planked       | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  | EM  |  |  |  |
| R50088          | Malaysia Teak           | p. 90, A3                | NW            | Pianoman         | 0.12          |          |     | striped               |   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R50094          | Nordic Teak             | p. 86, A5                | NW            | Beyond the sea   | 0.58          |          |     | flowered              | NW - 19   |  | NW                                    | NW                                    |  | NY   |   |   |   |  |   |  |  |  |
| R50095          | Laos Teak               | p. 90, A1                | NW            | Pianoman         | 0.21          |          |     | flowered planked      | NW - 19   |  | NW                                    | NW                                    |  |  |   |   |   |  |   |  |  |  |
| R55001          | Navarra Pine            | p. 86, C1                | RU            | Beyond the sea   | 0.74          |          |     | striped planked       |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55004          | Ponderosa Pine          | p. 88, B6                | RU            | As time goes by  | 0.27          |          |     | striped planked       |   |  | RU                                    | RU                                    |  |  |   |   |   |  | EM  |  |  |  |
| R55006          | Fano Pine White         | p. 86, A2                | RU            | Beyond the sea   | 0.56          |          |     | striped planked       |   |  | RU                                    | RU                                    |  | RT   |   |   |   |  |   |  |  |  |
| R55007          | Fano Pine Nature        | p. 87, G4                | RU            | Summertime       | 0.35          |          |     | striped planked       |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55008          | Natural Alpine Spruce   | p. 88, A5                | RU            | As time goes by  | 0.27          |          |     | striped planked       |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55011          | Anderson Pine White     | p. 86, A1                | RU            | Beyond the sea   | 0.76          |          |     | striped               | RU - 19   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55025          | Baltico Pine White      | p. 86, B1                | ML            | Beyond the sea   | 0.63          |          |     | flowered planked      |   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  |  |
| R55032          | Bodega Grey             | p. 86, C5                | RU            | Beyond the sea   | 0.21          |          |     | striped planked       |   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55057          | Jacobsen Pine Blue      | p. 86, B6                | RU            | Beyond the sea   | 0.26          |          |     | flowered planked      | RU - 19   |  | RU                                    | RU                                    |  |  |   |   |   |  |   |  |  |  |
| R55059          | Jacobsen Pine Black     | p. 86, C6                | RU            | Beyond the sea   | 0.12          |          |     | flowered planked      |   |  | RU                                    | RU                                    |  | RT   |   |   |   |  |   |  |  |  |

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

FAST DELIVERY PROGRAMME

| Further structures:<br>If the decor is part of the EXPRESS collection, the delivery programme as DecoBoard P2 are available. All other products with delivery time on request. | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |
|--|---|---|---|--------------------|
|  |   |   |   |                    |
| ML   | ML, NW                                  | NW  | NW  | •                  |
|  |   | SD  | SD  |                    |
|  | SD                                      | SD  | SD  | •                  |
| HG   | HG, SM                                  | SM  | SM  | •                  |
| HG   |   | NW  | NW  |                    |
| SX   |   | ML  | ML  |                    |
|  | RU                                      | RU  | RU  | •                  |
|  |   | RU  | RU  |                    |
| SM   |   | ML  | ML  |                    |
| HG   | HG, SM                                  | SM  | SM  | •                  |
|  |   | HG  | HG  |                    |
|  | NW                                      | NW  | NW  | •                  |
|  | NW                                      | NW  | NW  | •                  |
|  |   | NW  | NW  |                    |
|  | NW                                      | NW  | NW  | •                  |
|  | NW                                      | NW  | NW  | •                  |
|  |   | RU  | RU  |                    |
|  |   | RU  | RU  |                    |
|  |   | RU  | RU  |                    |
|  |   | RU  | RU  |                    |
|  | RU                                      | RU  | RU  | •                  |
|  |   | ML  | ML  |                    |
|  |   | RU  | RU  |                    |
|  | RU                                      | RU  | RU  | •                  |
|  |   | RU  | RU  |                    |



DESIGN COLLECTION

INCLUDING ON-STOCK AND FAST DELIVERY PROGRAMME

STOCK PROGRAMME

| Decor Reference               | Pages / coordinates | Standard surface texture | Colour scheme    | Reflection value | Next NCS code | Metallic | RAL | Pattern               | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock <sup>1</sup> | FUNCTIONAL PRODUCTS   |   |   |  |
|-------------------------------|---------------------|--------------------------|------------------|------------------|---------------|----------|-----|-----------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|
|                               |                     |                          |                  |                  |               |          |     |                       |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropal XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropal SolidColor XTreme | Duropal XTreme plus<br>4,100 x 1,300 x 0,8 mm | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm |
| R55064<br>Jerusalem Pine      | p. 86, B3           | ML                       | Beyond the sea   | 0.51             |               |          |     | Plywood / Chipboard   |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| R55072<br>Willow White        | p. 86, A3           | ML                       | Beyond the sea   | 0.64             |               |          |     | Plywood / Chipboard   | ML - 19   |  | ML                                    | ML                                    |  | ML   |   |   | EM  |  |
| R55073<br>Sand Pine           | p. 87, F4           | ML                       | Summertime       | 0.43             |               |          |     | flowered planked      | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   | SD - Quadra  |
| F70000<br>Copper Metallic     | p. 92, B5           | HG                       | Catch of the day | 0.28             | S5020-Y40R    | •**      |     | Uni metallic          |   |  | HG                                    | HG                                    |  |  |   |   |   |  |
| F70002<br>Cava Beige          | p. 92, A5           | HG                       | Catch of the day | 0.47             | S3005-Y20R    | •**      |     | Uni metallic          |   |  | HG                                    | HG                                    |  |  |   |   |   |  |
| F70008<br>Metallic Toffee     | p. 92, C6           | HG                       | Catch of the day | 0.14             | S7010-Y30R    | •**      |     | Uni metallic          |   |  | HG                                    | HG                                    |  |  |   |   |   |  |
| F70014<br>Anthracite Metallic | p. 92, C2           | HG                       | Catch of the day | 0.14             | S6502-B       | •**      |     | Uni metallic          | HG - 19   |  | HG                                    | HG                                    |  |  |   |   |   |  |
| F70015<br>Grey Metallic       | p. 92, B2           | HG                       | Catch of the day | 0.48             | S3000-N       | •**      |     | Uni metallic          | HG - 19   |  | HG                                    | HG                                    |  |  |   |   |   |  |
| F73036<br>Suit Grey Light     | p. 93, D6           | ML                       | Catch of the day | 0.39             |               |          |     | Textile               |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F73050<br>Texwood Black       | p. 91, E2           | ML                       | Black coffee     | 0.11             |               |          |     | fantasy wood          | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F73051<br>Texwood White       | p. 91, D2           | ML                       | Black coffee     | 0.57             |               |          |     | fantasy wood          |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F73073<br>Spira Beige         | p. 93, E5           | SM                       | Catch of the day | 0.58             |               |          |     | Graphic               |   |  | SM                                    | SM                                    |  |  |   |   |   |  |
| F73075<br>Solidale            | p. 93, D4           | SD                       | Catch of the day | 0.48             |               |          |     | Graphic               |   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |
| F76001<br>Loftec              | p. 93, E2           | ML                       | Catch of the day | 0.21             |               |          |     | concrete / plastering | ML - 19   |  | ML                                    | ML                                    |  | ML   |   |   |   | SD - Quadra  |
| F76014<br>Platinum Grey Twist | p. 93, E6           | ML                       | Catch of the day | 0.31             |               |          |     | Textile               |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F76023<br>Brushed Aluminium   | p. 92, A1           | VV                       | Catch of the day | 0.39             |               | •        |     | Metal                 | VV - 19   |  | VV                                    | VV                                    |  |  |   |   |   |  |
| F76026<br>Ceramic Rust        | p. 93, E3           | CR                       | Catch of the day | 0.1              |               |          |     | Rustiness             | CR - 19   |  | CR                                    | CR                                    |  |  |   |   |   | CR - Quadra  |
| F76044<br>Bellato Grey        | p. 93, E1           | ML                       | Catch of the day | 0.46             |               |          |     | concrete / plastering | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   | SD - Quadra  |
| F76083<br>Oxide               | p. 92, A4           | CR                       | Catch of the day | 0.32             |               | •        |     | Metal                 |   |  | CR                                    | CR                                    |  |  |   |   |   |  |
| F76084<br>Buffalo             | p. 93, E4           | SD                       | Catch of the day | 0.1              |               |          |     | Leather               | SD - 19   |  | SD                                    | SD                                    |  |  |   |   |   |  |
| F76099<br>Loden Green         | p. 93, F6           | ML                       | Catch of the day | 0.76             |               |          |     | Textile               |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F76100<br>Sierra Gold         | p. 92, B6           | CR                       | Catch of the day | 0.16             |               | •        |     | Metal                 | CR - 19   |  | CR                                    | CR                                    |  |  |   |   |   |  |
| F76110<br>Kito Bronze         | p. 92, A6           | SD                       | Catch of the day | 0.25             |               | •        |     | Metal                 |   |  | SD                                    | SD                                    |  |  |   |   |   |  |
| F76111<br>Kito Steel          | p. 92, C3           | SD                       | Catch of the day | 0.11             |               | •        |     | Metal                 |   |  | SD                                    | SD                                    |  | SD   |   |   |   |  |
| F76112<br>Inox Grey           | p. 92, A2           | SM                       | Catch of the day | 0.42             |               | •        |     | Stainless Steel       | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   | SD - Quadra  |
| F76113<br>Metex Silver        | p. 92, B3           | SD                       | Catch of the day | 0.25             |               | •        |     | Metal                 | SD - 19   |  | SD                                    | SD                                    |  | ML   |   |   |   | SD - Quadra  |
| F76114<br>Metex Brass         | p. 92, B4           | ML                       | Catch of the day | 0.22             |               | •        |     | Metal                 |   |  | ML                                    | ML                                    |  |  |   |   |   |  |
| F76117<br>Piquée Grey Blue    | p. 93, F5           | SD                       | Catch of the day | 0.31             |               |          |     | Textile               | SD - 19   |  | SD                                    | SD                                    |  |  |   |   |   |  |
| F76141<br>Alux Black          | p. 92, C5           | SM                       | Catch of the day | 0.08             |               | •        |     | Metal                 | SM - 19   |  | SM                                    | SM                                    |  | SM   |   |   |   |  |
| F76142<br>Terracotta          | p. 93, D3           | CR                       | Catch of the day | 0.17             |               |          |     | concrete / plastering |   |  | CR                                    | CR                                    |  |  |   |   |   | CR - Quadra  |

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

\*\* Not suitable for surfaces exposed to mechanical loads

FAST DELIVERY PROGRAMME

Further structures:  
If the decor is part of the EXPRESS collection, the delivery programme as DecoBoard P2 are available. All other products with delivery time on request.

|    | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |
|----|---|---|---|--------------------|
|    |   |   |   |                    |
| SD | ML, SD                                  | ML  | ML  | •                  |
|    | ML                                      | ML  | ML  | •                  |
|    |   | HG  | HG  |                    |
|    |   | HG  | HG  |                    |
|    |   | HG  | HG  |                    |
|    |   | HG  | HG  | •                  |
|    |   | HG  | HG  | •                  |
| SD |   | ML  | ML  |                    |
|    | ML                                      | ML  | ML  | •                  |
|    |   | ML  | ML  |                    |
|    |   | SM  | SM  |                    |
|    |   | SD  | SD  |                    |
| SD | ML, SD                                  | ML  | ML  | •                  |
| VV |   | ML  | ML  |                    |
|    | VV                                      | VV  | VV  | •                  |
|    | CR                                      | CR  | CR  | •                  |
|    | ML                                      | ML  | ML  | •                  |
| SD |   | CR  | CR  |                    |
|    | SD                                      | SD  | SD  | •                  |
| SD |   | ML  | ML  |                    |
| SD | CR, SD                                  | CR  | CR  | •                  |
| ML |   | SD  | SD  |                    |
| ML |   | SD  | SD  |                    |
| SD | SD, SM                                  | SM  | SM  | •                  |
| ML | ML, SD                                  | SD  | SD  | •                  |
| SD |   | ML  | ML  |                    |
|    | SD                                      | SD  | SD  | •                  |
|    | SM                                      | SM  | SM  | •                  |
|    | CR                                      | CR  |   |                    |

Further information and technical data at [www.pfleiderer.com](http://www.pfleiderer.com)

D

STOCK PROGRAMME

| Decor Reference                      | Pages / coordinates | Standard surface texture | Colour scheme             | Reflection value | Next NCS code | Metallic | RAL | Pattern               | DecoBoard P2<br>2,800 x 2,100 mm<br>* in 2,655 x 2,100 mm | DecoBoard P2<br>3,200 x 2,100 mm<br>* also in 4,100 x 2,100 mm | Duropal HPL<br>2,800 x 2,070 x 0,8 mm | Duropal HPL<br>4,100 x 1,300 x 0,8 mm | Duropal Element P2<br>2,800 x 2,070 mm | HPL for doors<br>2,150 x 1,300 x 0,8 mm<br>Further formats from stock <sup>1</sup> | FUNCTIONAL PRODUCTS   |   |   |  |   |  |  |  |
|--------------------------------------|---------------------|--------------------------|---------------------------|------------------|---------------|----------|-----|-----------------------|---|--|---------------------------------------|---------------------------------------|--|--|---|---|---|--|---|--|--|--|
|                                      |                     |                          |                           |                  |               |          |     |                       |   |  |                                       |                                       |  |  | PrimeBoard XTreme P2<br>2,800 x 2,100 mm<br>also in PrimeBoard XTreme<br>MDF Black Natural XT 19 mm | Duropal XTreme<br>4,100 x 1,300 x 0,8 mm<br>* Duropal SolidColor XTreme | Duropal XTreme plus<br>4,100 x 1,300 x 0,8 mm | Duropal SolidColor<br>2,800 x 2,070 x 0,8 mm<br>* also in 2,800 x 2,070 x 1,2 mm | Duropal SolidColor<br>4,100 x 1,300 x 0,8 mm<br>* in 4,100 x 1,300 x 1,2 mm | X Terior compact F<br>2,800 x 2,070 x 8,0 mm | X Terior compact<br>2,800 x 2,070 x 8,0 mm<br>* also in 2,800 x 2,070 x 6,0 mm | Duropal Worktop<br>4,100 x 6,00 / 9,00 x 38,8 mm |
| F76143 Zinc                          | p. 92, A3           | SD                       | Catch of the day          | 0.37             |               | •        |     | Metal                 |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   | EM   |  |  |
| F76145 Tazio                         | p. 93, F2           | CR                       | Catch of the day          | 0.39             |               |          |     | Graphic               |   |  | CR                                    | CR                                    |  |  |   |   |   |  |   |  |  | CR - Quadra                                      |
| F76146 Terrazzo Bronze               | p. 93, F3           | ML                       | Catch of the day          | 0.1              |               | •        |     | mosaic / terrazzo     | ML - 19   |  | ML                                    | ML                                    |  | ML   |   | XG - 19   | XM  | XP   |   | EM   |  | SD - Quadra                                      |
| F76149 Kex                           | p. 93, G2           | CR                       | Catch of the day          | 0.16             |               |          |     | concrete / plastering | CR - 19   |  | CR                                    | CR                                    |  | ML   |   |   |   |  |   | EM   |  |  |
| F79016 Caroline                      | p. 93, G5           | ML                       | Catch of the day          | 0.34             |               |          |     | Textile               | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  |  |
| F79023 Patchwork                     | p. 93, G6           | SD                       | Catch of the day          | 0.41             |               |          |     | Textile               |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  |  |
| F79932 Window                        | p. 93, D5           | HG                       | Catch of the day          | 0.56             |               |          |     | Glass                 | HG - 19   |  | HG                                    | HG                                    |  |  |   |   |   |  |   |  |  |  |
| F79934 Ferro Black                   | p. 92, C4           | CR                       | Catch of the day          | 0.07             |               |          |     | Metal                 | CR - 19   |  | CR                                    | CR                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S60019 Crick                         | p. 93, D2           | CR                       | Catch of the day          | 0.25             |               |          |     | concrete / plastering |   |  | CR                                    | CR                                    |  |  |   |   |   |  |   |  |  | CR - Quadra                                      |
| S60036 Classic Concrete              | p. 93, F1           | SX                       | Catch of the day          | 0.42             |               |          |     | concrete / plastering | SX - 19   |  | SX                                    | SX                                    |  |  |   |   |   |  |   | EM   |  |  |
| S61034 Beola Grigia                  | p. 94, A5           | SD                       | River deep, Mountain high | 0.17             |               | •        |     | Granite               |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S62032 Obelisk Grey                  | p. 94, B1           | SM                       | River deep, Mountain high | 0.51             |               |          |     | Marble                | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |
| S63007 Oriental Stone Brown          | p. 94, A4           | SM                       | River deep, Mountain high | 0.18             |               |          |     | Marble                |   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S63009 Carrara Marble                | p. 94, A2           | SM                       | River deep, Mountain high | 0.64             |               |          |     | Marble                |   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S63028 Nero Portoro                  | p. 94, A3           | SM                       | River deep, Mountain high | 0.11             |               |          |     | Marble                |   |  | SM                                    | SM                                    |  |  |   |   |   |  |   | EM   |  | SD - Quadra                                      |
| S63044 Caviar Black                  | p. 94, B3           | SM                       | River deep, Mountain high | 0.09             |               |          |     | Marble                | SM - 19   |  | SM                                    | SM                                    |  |  | XG - 19   | XM  | XP  |  |   |  |  | MS - Quadra                                      |
| S63045 India White                   | p. 94, A1           | SM                       | River deep, Mountain high | 0.76             |               |          |     | Marble                | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  | MS - Quadra                                      |
| S68025 Kings Marble Green            | p. 94, B2           | SM                       | River deep, Mountain high | 0.11             |               |          |     | Marble                | SM - 19   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  | MS - Quadra                                      |
| S68027 Roman Mosaik Grey             | p. 94, B5           | SD                       | River deep, Mountain high | 0.24             |               |          |     | mosaic / terrazzo     |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  | FG - Quadra                                      |
| S68029 Terrazzo Nero                 | p. 93, G4           | SD                       | Catch of the day          | 0.09             |               |          |     | mosaic / terrazzo     | SD - 19   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  |  |
| S68034 Espresso                      | p. 93, G3           | SD                       | Catch of the day          | 0.11             |               |          |     | mosaic / terrazzo     |   |  | SD                                    | SD                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S68036 Cento                         | p. 93, D1           | ML                       | Catch of the day          | 0.47             |               |          |     | concrete / plastering | ML - 19   |  | ML                                    | ML                                    |  |  |   |   |   |  |   |  |  | SD - Quadra                                      |
| S68039 Terrazzo Classico Black       | p. 93, F4           | SM                       | Catch of the day          | 0.43             |               |          |     | mosaic / terrazzo     |   |  | SM                                    | SM                                    |  |  |   |   |   |  |   |  |  | MS - Quadra                                      |
| M80000 Alu 1, Stainless Steel Effect | p. 92, B1           | HG                       | Catch of the day          | 0.76             | S3010 - G     |          |     | Metal                 | HG - 19   |  | HG                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |
| M80001 Alu 2, Nickel Effect          | p. 92, C1           | HG                       | Catch of the day          | 0.53             | S4005 - G50Y  |          |     | Metal                 |   |  | HG                                    | SM                                    |  |  |   |   |   |  |   |  |  |  |

FAST DELIVERY PROGRAMME

|    | DecoBoard P2<br>2,800 x 2,100 x 8-38 mm | Duropal Element P2<br>2,800 x 2,070 x 9,6-39,6 mm | Duropal Element P2<br>4,100 x 1,300 x 9,6-39,6 mm | EXPRESS COLLECTION |
|----|---|---|---|--------------------|
|    |   |   |   |                    |
|    |   | SD  | SD  |                    |
|    |   | CR  | CR  |                    |
| CR | CR, ML                                  | ML  | ML  | •                  |
|    | CR                                      | CR  | CR  | •                  |
|    | ML                                      | ML  | ML  | •                  |
|    |   | SD  | SD  |                    |
| SM | HG, SM                                  | HG  | HG  | •                  |
|    | CR                                      | CR  | CR  | •                  |
|    |   | CR  | CR  |                    |
|    | SX                                      | SX  | SX  | •                  |
|    |   | SD  | SD  |                    |
| ML | ML, SM                                  | SM  | SM  | •                  |
| HG |   | SM  | SM  |                    |
| ML |   | SM  | SM  |                    |
| HG |   | SM  | SM  |                    |
| HG | HG, SM                                  | SM  | SM  | •                  |
| ML | ML, SM                                  | SM  | SM  | •                  |
| HG | HG, SM                                  | SM  | SM  | •                  |
|    |   | SD  | SD  |                    |
| CR | CR, SD                                  | SD  | SD  | •                  |
| CR |   | SD  | SD  |                    |
|    | ML                                      | ML  | ML  | •                  |
|    |   | SM  | SM  |                    |
| SM | HG, SM                                  | HG  | SM  | •                  |
| SM |   | HG  | SM  |                    |

Further structures:  
If the decor is part of the EXPRESS collection, the fast delivery programme as DecoBoard P2 are available. All other products with delivery time on request.

<sup>1</sup> 2,150 x 915 / 950 / 1,050 / 1,300 x 0,8 mm  
2,350 x 1,050 / 1,300 x 0,8 mm  
3,050 x 1,300 x 0,8 mm

# SURFACE TEXTURES

## **Creativity that appeals to all the senses.**

Surface textures play an important role in making our decorative wood-based panels truly unique. They open up exciting possibilities and give each design its own special look and feel. At Pfleiderer, you can choose from our extensive range of surface texture groups. Perfectly tailored to every décor with fascinating depth effects, extremely robust properties or even anti-bacterial finishes – let your sense of touch guide you!

**BLUE VELVET**  
VELVETY, SILKY SURFACES


**DIAMONDS AND PEARLS**  
SHINY AND REFLECTIVE SURFACES

**INVISIBLE**  
UNIVERSAL AND ROBUST SURFACES

**BREEZIN'**  
TRENDY MATERIAL STRUCTURES

**SWEET, SOFT AND LAZY**  
SOFT, NATURAL WOODGRAINS

**SOLID AS A ROCK**  
SOLID AND MULTI-LAYERED STONE STRUCTURES




## COLLECTION TEXTURES

Here you will find the entire diversity of textures in our design collection. Inspiring designs that set the scene perfectly!



## FUNXTIONAL PRODUCTS

Special products with innovative surface properties provide for extraordinary experiences! Stylish, highly aesthetic and fascinatingly functional. For example the matt XTreme with its unique anti-fingerprint effect.



## ADDITIONAL STRUCTURES

In addition to the wide ranging standard textures within our Design Collection we offer you these structures, which are available with lead time upon request.

# SURFACE TEXTURES

## COLLECTION TEXTURES



**SD** Sandpearl HPL DB




**VV** Top Velvet HPL DB




**MP** Miniperl HPL DB




**MO** Montana HPL DB



**NW** Natural Wood HPL DB



**NY** Natural Wood HPL




**RU** Rustic Wood HPL DB

**RT** Rustic Wood HPL



**HG** High Gloss HPL DB



**HS** Enhanced High Gloss HPL



**ML** Matt Lacquer HPL DB

**SM** Semi matt HPL DB

**MS** Enhanced Semi Matt HPL



**CR** Corrosio HPL DB



**SX** Stucotex HPL DB

## FUNXTIONAL PRODUCTS



**XT** XTreme Matt PrimeBoard



**XG** XTreme High Gloss PrimeBoard



**XM** XTreme Matt HPL



**XP** XTreme plus HPL



**EM** Exterior Matt XTerior

## ADDITIONAL STRUCTURES



**CW** Classic Wood HPL DB



**RC** Rustic Wood HPL



**RX** Roxano HPL DB




**VO** Volcano HPL



**VE** Vermont HPL



**GR** Solid Granite HPL



**FG** Fine Grain HPL



**CO** Crocket HPL

**VELVETY, SILKY  
SURFACES**  
BLUE VELVET

Matt homogeneous surfaces with various degrees of glossiness put the emphasis on shape and colour.

**Legend:**

|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |




**MS** Enhanced Semi Matt HPL

**SM** Semi matt HPL DB

Semi Matt: As a classical, semi matt surface texture, this structure can be used universally. The name says it all: silky and pleasant to the touch, it enhances plain colours and filigree wood decors.

Enhanced Semi Matt: Matt structure with improved abrasion resistance for HPL (only for selected decors).



**ML** Matt Lacquer

HPL DB

Due to its extremely low level of gloss, this highly modern surface texture is extraordinary and edgy. Puristic, but nevertheless super matt with a velvety, warm feel, Matt Lacquer is perfectly suited to give a clear style to furniture and interior fittings.

**VELVETY, SILKY SURFACES**  
BLUE VELVET



**XT** XTreme Matt

PrimeBoard


The extremely matt lacquered finish, with less than 5 gloss units, enthral designers; the velvety feel invites people to touch it. XTreme Matt gives plain decors and wood reproductions a truly pure and precious appearance. The new Scandinavian woods are also enhanced with the depth of the matt look. Classic woods impress with XT; they appear simply modern. The high degree of everyday suitability is enhanced by the anti-fingerprint effect: it protects the surface against unwanted dirt and enables particularly fast and easy cleaning.



**XP** XTreme plus

HPL

XTreme plus is an attractive matt surface with anti-fingerprint properties. XP impresses with its velvety soft feel and delicate appearance. The structure is extremely durable and easy to clean, making it perfect for horizontal, heavy duty applications.



**XM** XTreme Matt

HPL


XTreme Matt impresses with a surface of unprecedented colour transparency and depth - and a pleasantly warm, velvety soft feel. Although the matt, low-reflection surface looks particularly elegant, its texture is durable, resistant and easy to clean. The warm, "soft" surface invites you to touch it - and remains resistant to fingerprints or traces of grease.

**SHINY AND REFLECTIVE SURFACES**  
DIAMONDS AND PEARLS

High gloss and polished effects add vibrancy to the finishes, as well as depth and sophistication.

**Legend:**

|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |




**HS** Enhanced High Gloss HPL

**HG** High Gloss HPL DB

High Gloss: This sophisticated, well-proportioned high gloss texture gives the highest elegance to classic wood- or stone decors. The particularly high gloss level of this texture is in a class of its own.

Enhanced High Gloss: High gloss with improved abrasion resistance in HPL (only for selected decors).



**XG** XTreme High Gloss

PrimeBoard

The XTreme High gloss surface produces a perfectly even and three-dimensional mirror shine that lends a modern touch to plain decors. At the same time, its impressive depth conveys an extraordinary elegance to classic wood, stone and mother-of-pearl decors. This high quality surface is ideally suited to vertical applications.




**UNIVERSAL  
AND ROBUST  
INVISIBLE**

Non-directional, uncomplicated pearlescent textures in various grain sizes and designs are easy to maintain and can be used universally.

**Legend:**


|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |



**SD** Sandpearl

HPL DB

The sandy pearl structure is homogeneous and multi-directional, the fine grain is sharp-edged and precise. The both matt and delicate surface has a modern and well-balanced appearance. It can therefore be used universally for almost all decors. In particular, sand pearl gives clarity to material and uni decors.




**VV** Top Velvet

HPL DB

Top Velvet is a fine parchment structure and is universally applicable. The restrained gloss-matt effect and its discreet parchment gives class and elegance to all directionless decors.


**UNIVERSAL AND ROBUST SURFACES**  
INVISIBLE



**MP** Miniperl

HPL DB


This classic, directionless pearl structure with a medium gloss level is particularly resistant to mechanical stress and can be used universally for numerous applications and with all decor types.



**FG** Fine Grain

HPL

The matt, slightly grainy texture Fine Grain combines the trend for matt surfaces with high load-bearing capacity and is designed specifically for horizontal use. The structure is very universal, ideal for almost all material, textile and large stone decors.



**EM** Exterior Matt

XTerior


The fine grain makes the surface sandy and yet it also reflects the light. The lustre produced in this way contributes to the high quality of the surface and enhances the decor and form in a harmonious way under any angle of light.. The Exterior Matt also has a convincing anti-fingerprint effect and is easy care.

**UNIVERSAL AND  
ROBUST SURFACES  
BREEZIN'**

Varied material textures highlight the impact of the latest fabric, metal or stone finishes.

**Legend:**


|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |



**SX** Stucotex

HPL DB

This modern structure with numerous material properties is like a chameleon. A plaster or concrete décor is lifted by the rusting or scratched metal effect. The craftsmanship of the material is emphasised by the matt, rough feel; the subtle brush stroke gives a feel of momentum and generosity, and the glossiness enhances the depth.



**CR** Corrosio

HPL DB


The rough, lively material structure Corrosio looks like corroded metal. An overall matt effect broken up with sharp-edges, but also softer uneven areas, it is complemented by the shimmering silk-matt background. Directional yet universal, Corrosio can be used with almost all material and stone decors as well as plain colours. Corrosio looks particularly authentic with metal decors such as iron, rust, bronze and gold.



**RX** Roxano

HPL DB

The new stone structure Roxano is multi-directional, rough and very matt. This fine-grained structured surface is brought to life by even elevations, refined by a net-like substructure. The organically shaped and graphically arranged depressions have a silky shine and give the structure depth and modernity. Roxano is suitable for all stone decors and also lends uni decors a material character.



**CO** Crocket

HPL


Crocket is a fine, horizontally running HPL structure which is extremely versatile. It emphasises the sawing accuracy of rustic wood, highlights the grain of textile effects, defuses the straightness of graphic decors, and lends an exciting appearance to uni colours.

**SOFT, NATURAL  
WOODGRAINS**  
SWEET, SOFT & LAZY

Universal wood grains with matt-gloss effects and meticulously worked fine pores add authenticity to wood finishes.

**Legend:**

|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |



**NY** Natural Wood HPL

**NW** Natural Wood HPL DB

Naturalness and precision characterise this delicate wood structure. The fine surface texture looks freshly sanded. The pores appear irregular and linear. Their different depth and edge sharpness make them look extremely authentic. Natural Wood can be universally applied to many fine-pored woodgrains. It perfectly accentuates the Scandinavian style, but also exotic- or fruit woods are given a new feel with this structure. Natural Wood also works with plain colours, giving them a stained wood appearance. NY is an additional equivalent texture for HPL.



**MO** Montana

HPL DB

The generous, deep wood structure is particularly suited to expressive hardwoods and softwoods. It is characterised by a unique gloss/matt effect and offers tangible depth. Thus, large scale and flowery structured woodgrains appear particularly authentic with this structure.

**SOFT, NATURAL WOODGRAINS**  
SWEET, SOFT & LAZY



**CW** Classic Wood

HPL DB

The modern matt oak structure Classic Wood has a balanced and natural look. Sharp-edged pores compressed in clusters bring depth and expressiveness. An overriding combination of silky and matt sections, curved around imaginary knots, provides vibrancy and elegance. Classic Wood is perfectly suited for structured wood decors and plain colours that look like varnished wood.



**RT** Rustic Wood HPL

**RU** Rustic Wood HPL DB

The depth and expression of this structure give striped woodgrains a sporty look. The gloss-matt effect and the natural irregularity of the grain make woodgrains look very authentic. RT is an additional equivalent texture for HPL.



**RC** Rustic

HPL

The Rustic (RC) structure complements the family of Rustic Wood structures. In contrast to RU and RT, the streaked, universal softwood structure does not have a matt-gloss effect and thus appears even more authentic.

**SOLID AND  
MULTI-LAYERED  
STONE STRUCTURES**  
SOLID AS A ROCK

Expressive stone textures with depth, rough or with a crystalline effect, emphasise the natural look of stone finishes.

**Legend:**

|            |   |
|------------|---|
| HPL        | Available for laminate (HPL) or HPL flat bonded element |
| DB         | Available for direct coating (DecoBoard)                |
| PrimeBoard | Available for PrimeBoard XTreme                         |
| XTerior    | Available for XTerior compact                           |



**VO** Volcano

HPL

This authentic stone structure is versatile for stones, and many ceramic, metallic or even textile materials. The very matt rough surface texture is paired with precisely elaborated, organically shaped, shiny grooves. The matt-gloss contrast and the subtle, slightly sharp, rough structure looks very puristic.



**GR** Solid Granite

HPL

This rugged but uniform stone structure is impressive due to its great depth. Solid Granite (GR) is sharp and precise in every detail. Fine differences in height, subtle elevation breaks and the silky matt surface give an authentic and high quality impression. Classic fine structured stones, artificial stones and concrete can be impressively combined with Solid Granite. Dark, neutral uni decors visually transform this structure into granite.



**VE** Vermont

HPL

Vermont is an expressive stone structure, characterised by its depth. Thanks to its low degree of gloss, it satisfies the current trend for deep matt surfaces. Decors such as slate or sandstone are emphasised particularly well by Vermont. A slight roughness in the troughs and a silky sheen on the peaks add vibrancy to this texture.

# CORE BOARDS AND PRODUCTS

## RAW PANELS

Particleboards  
Fibreboards

## DECORATIVE PANELS FOR INTERIOR FITTINGS

Lacquered boards PrimeBoard XTreme  
Direct faced boards DecoBoard  
High-pressure laminates (HPL)  
Compact laminates and flat bonded elements  
Worktops and windowboards

## DECORATIVE PANELS FOR EXTERIOR USE

Compact laminates

### Material that unlocks new possibilities.

Good ideas need solid foundations. Ideally from the Pfleiderer range of core panels. The range includes raw panels for timber construction, cores for lamination and decorative panels – with direct lamination, high quality coating or robust HPL surfaces. Whether you need sustainably certified chipboard, fibreboard, compact or composite materials to realise your ideas.

Here at Pfleiderer, you can always find a well-designed, cost-effective and functional solution for your challenging fire prevention requirements, structural load capacities and lightweight constructions!



See [pfleiderer.com](https://www.pfleiderer.com) for more information about our products, formats and finish/texture combinations.



# RAW PANELS

Image:  
LivingBoard

Particleboards  
Fibreboards

## RAW PANELS PARTICLEBOARDS

### ClassicBoard P2



Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

#### AREAS OF APPLICATION



Furniture and interior fitting



Timber construction

The panel type with exceptionally uniformed base layer satisfies the highest demands on the surface and is therefore outstandingly suitable for use as core material for impregnated decorative paper, thin foils, delicate veneers and even high-pressure laminates (Duropal HPL).

The ClassicBoard P2 floor panel has a wide variety of applications, e.g. for floating floors or roofing applications. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

#### PRODUCT FEATURES



Sanded



Easy to use and machine



Floor panel available

|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | P2  |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Boards for interior fitments (including furniture) for use in dry conditions.             |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                            |

#### FORMAT IN MM

| Length | Width | Thickness   |
|--------|-------|---|
| 2,655  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38   50 |
| 2,800  | 2,070 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38   40 |
| 3,200  | 2,100 | 8   10   13   16   18   19   22   25   30                               |
| 4,100  | 2,100 | 16   19   |
| 4,110  | 2,070 | 10   13   16   19   22   25   28   38                                   |
| 5,310  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   38   50      |
| 5,600  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   38           |

#### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |
|--------|-------|--------------------------------|----|----|----|
|        |       | 16                             | 19 | 22 | 25 |
| 2,050  | 925   | 50                             | 40 | 35 | 32 |




## ClassicBoard P2 CARB2



Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

### AREAS OF APPLICATION



Furniture and interior fitting

This panel type satisfies the same demands as the standard P2 panel, but is suitable for fields of application with stricter emission demands. ClassicBoard P2 CARB2 has a wide variety of applications, such as in furniture production and interior fitting or roofing applications.

### PRODUCT FEATURES



Sanded



Easy to use and machine



Particularly low emission

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

#### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

#### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness                                      |
|--------|-------|--|
| 2,655  | 2,100 | 8   10   13   16   18   19   22   25   28   50 |
| 5,310  | 2,100 | 8   10   13   16   18   19   22   25   28   50 |



## ClassicBoard P2 F\*\*\*\*



Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

### AREAS OF APPLICATION



Furniture and interior fitting

This panel type satisfies the same demands as the standard P2 panel, but is suitable for fields of application with stricter emission demands. ClassicBoard P2 F\*\*\*\* has a wide variety of applications, such as in furniture production and interior fitting or roofing applications.

### PRODUCT FEATURES



Sanded



Easy to use and machine



Particularly low emission

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

#### Formaldehyde emission class

F\*\*\*\*  
E1 E05

#### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,800  | 2,100 | 19        |
| 5,600  | 2,100 | 19        |




## ClassicBoard P3



Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas.


### AREAS OF APPLICATION



Thanks to the bonding with melamine-reinforced urea resin, this panel type is resistant to high humidity and exposure to higher humidity for limited periods. This quality is suitable for lamination with films, veneers, melamine resin impregnated decorative paper and high-pressure laminates (Duropal HPL).

The ClassicBoard P3 floor panel has a wide variety of applications, e.g. for floating floors or roofing applications, roof panelings or steps. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | P3  |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Non load-bearing boards for use in humid conditions                                       |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                            |

### FORMAT IN MM

| Length | Width | Thickness                             |
|--------|-------|---------------------------------------|
| 2,800  | 2,070 | 10   13   16   19   22   25   28   38 |
| 4,110  | 2,070 | 19   22                               |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |    |    |    |    |
|--------|-------|--------------------------------|----|----|----|----|----|----|----|
|        |       | 10                             | 13 | 16 | 19 | 22 | 25 | 28 | 38 |
| 2,050  | 615   | 80                             | 60 | 50 | 40 | 35 | 32 |    |    |
| 2,050  | 925   | 80                             | 60 | 50 | 40 | 35 | 32 | 30 | 20 |




## PremiumBoard Pyroex



Flame resistant particleboard, suitable for non load-bearing purposes in dry areas, for interior fitting and for furniture subject to higher demands on fire protection.

### AREAS OF APPLICATION



This panel type combines all the advantages of particleboard (high strength, above-average durability, easy to process, wide range of decorative lamination possibilities) with additional safety in the event of a fire. Through the addition of flame retardants, the burning rate of the raw particleboards is reduced, thus significantly increasing the fire resistance and delaying the "flash-over point". The primary areas of application are interior fitting of rooms with high fire risk (laboratories, fuel station sales offices, TV studios).

The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Reaction to fire</b>            | Flame retardant<br>B-s2,d0 (EN 13501-1)  |
| <b>Formaldehyde emission class</b> | E1 E05   |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request |

### FORMAT IN MM

| Length | Width | Thickness                                  |
|--------|-------|--|
| 2,655  | 2,100 | 10   13   16   18   19   22   25   28   38 |
| 5,310  | 2,100 | 10   13   16   18   19   22   25   28   38 |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |    |    |    |    |
|--------|-------|--------------------------------|----|----|----|----|----|----|----|
|        |       | 10                             | 13 | 16 | 19 | 22 | 25 | 28 | 38 |
| 1,760  | 690   | 80                             | 60 | 50 | 40 | 35 | 32 | 30 | 20 |



## PremiumBoard MFP P5



Particleboard MFP, type P5 in accordance with EN 312, suitable for load-bearing purposes in damp areas.


### AREAS OF APPLICATION



This multi-functional, moisture-resistant glued wood material is characterised by high bending and transverse loading resistance in longitudinal and transverse direction and high moisture resistance. This is ensured by the randomly distributed wood chips and the high quality melamine-reinforced urea resins in the glue. It is thus ideally suited to a wide range of constructional applications and for the production of sturdy packagings.

The PremiumBoard MFP P5 floor panel is PEFC™ certified and is outstandingly suited to a wide range of constructional applications. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product-type</b>                | P5   |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Load-bearing boards for use in humid conditions                              |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m³) |
| <b>Formaldehyde emission class</b> | E1 E05   |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request               |

### FORMAT IN MM

| Length | Width | Thickness                   |
|--------|-------|-----------------------------|
| 2,500  | 1,250 | 10   12   15   18   22   25 |
| 2,800  | 1,196 | 12                          |
| 5,030  | 1,250 | 10   12   15   18   22   25 |
| 5,030  | 2,500 | 10   12   15   18   22   25 |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |    |
|--------|-------|--------------------------------|----|----|----|----|
|        |       | 12                             | 15 | 18 | 22 | 25 |
| 2,500  | 615   | 60                             | 50 | 40 | 35 | 32 |



## PremiumBoard MFP Hybrid



PremiumBoard MFP Hybrid consists of a PremiumBoard MFP as core layer combined with StyleBoard HDF as top layers with a thickness of 2 mm that can also be laminated on both sides. The MFP and HDF panels are glued using PVAC-glue (D4-glue). Due to its isotropic bending strength, its very good screw-holding strength and its high durability, the Hybrid wood-based panel is mainly suited for applications where high stability and load-bearing capacity are required.

### AREAS OF APPLICATION



Furniture construction and interior fitting, stage and set construction, shelving systems, furniture, shelves. Suitable for use in dry environments.

### PRODUCT FEATURES



**Formaldehyde emission class** E1 E05

### FORMAT IN MM

| Length | Width | Thickness         |
|--------|-------|-------------------|
| 2,800  | 2,100 | 16   19   22   25 |
| 5,600  | 2,100 | 16   19   22   25 |




## LivingBoard P5




Formaldehyde-free glued particleboard, type P5 in accordance with EN 312, suitable for load-bearing purposes in damp areas.

### AREAS OF APPLICATION



Thanks to the (formaldehyde-free) PMDI gluing, this panel type is suitable for all fields of application with stricter emission and high strength demands. This wood material thus satisfies the special demands on healthy living in wood panelling and interior fitting. Thanks to the additional fine surface layer, this wood material can also be used in laminated form for LEED-certified buildings. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | P5  |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Load-bearing boards for use in humid conditions   |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05 (The bonding is free of formaldehyde.)   |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                                      |

### FORMAT IN MM

| Length | Width | Thickness              |
|--------|-------|------------------------|
| 2,500  | 1,250 | 13   16   19   22   25 |
| 5,040  | 2,580 | 13   16   19   22   25 |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |    |
|--------|-------|--------------------------------|----|----|----|----|
|        |       | 13                             | 16 | 19 | 22 | 25 |
| 2,510  | 635   | 60                             | 50 | 40 | 35 | 32 |



## LivingBoard face contiprotect P5




Wood particleboard type P5 in accordance with EN 312, for structural purposes, for use in humid conditions, unfaced and 100 % formaldehyde-free bonding

### AREAS OF APPLICATION



This panel type can be used under tough and inclement conditions. With the unsanded contiprotect surface, it offers even better moisture resistance and swelling values. Thanks to the formaldehyde-free gluing, this wood material satisfies the special demands on healthy living in wood panelling and interior fitting. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES




|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | P5  |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Load-bearing boards for use in humid conditions   |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05 (The bonding is free of formaldehyde.)   |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                                      |

### FORMAT IN MM

| Length | Width | Thickness              |
|--------|-------|------------------------|
| 2,500  | 1,250 | 12   15   18   22   25 |
| 5,040  | 2,580 | 12   15   18   22   25 |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | NUMBER PER PACKAGE / THICKNESS |    |    |    |    |
|--------|-------|--------------------------------|----|----|----|----|
|        |       | 12                             | 15 | 18 | 22 | 25 |
| 2,510  | 635   | 60                             | 50 | 40 | 35 | 32 |



## LivingBoard face contiprotect P7



Wood particleboard type P7 in accordance with EN 312, heavy-duty, for structural purposes for use in humid conditions, unfaced and 100% formaldehyde-free bonding.

### AREAS OF APPLICATION



This panel type can be used under tough and inclement conditions. With the unsanded contiprotect surface, it offers even better moisture resistance and swelling values. Thanks to the formaldehyde-free gluing, this wood material satisfies the special demands on healthy living in wood panelling and interior fitting.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | P7  |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Heavy duty load-bearing boards for use in humid conditions.   |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05 (The bonding is free of formaldehyde.)   |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                                      |

## StyleBoard MDF plus




Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.

### AREAS OF APPLICATION



This panel type offers for good profiling ability, optimal density distribution and outstanding surface stability and is optimally suited for high quality furniture and interior fitting.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled  |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                                      |

### FORMAT IN MM

| Length | Width | Thickness   |
|--------|-------|---|
| 2,800  | 2,100 | 8   10   12   16   18   19   22   25   28   30   38 |
| 4,110  | 2,100 | 16   19   |




## StyleBoard MDF black



Decorative black colour-through pigmented medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.

### AREAS OF APPLICATION




Furniture and interior fitting

This type of board is completely through-dyed in black and stands for good profiling capability, optimum density distribution and excellent surface uniformity. It is optimally suitable for high quality furniture and interior finishes, fixtures and fittings, and at the same time it adds accentuations with its colour.


### PRODUCT FEATURES



Sanded



Deep router quality



Easy to use and machine

### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness         |
|--------|-------|-------------------|
| 2,800  | 2,100 | 10   16   19   25 |
| 5,600  | 2,100 | 10   16   19      |



## StyleBoard MDF.MR



Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.

### AREAS OF APPLICATION




Furniture and interior fitting

The right choice for exposure to higher humidity exposure for limited periods – the green coloured StyleBoard MDF MR (moisture-resistant). With its special recipe this panel type features very low volume swell characteristics.


### PRODUCT FEATURES



Sanded



Low swelling / moisture resistant



Easy to use and machine

### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 5,310  | 2,100 | 18   19   |




## StyleBoard MDF.RWH



The natural and open to diffusion fibre board in accordance with EN 622-5 for roof and wall.

### AREAS OF APPLICATION



Timber construction

The fibre board StyleBoard MDF.RWH is produced in dry process according to EN 622-5. This panel type is suitable for use as open to diffusion starting board for roof and wall by EN 14964 and ZVDH guidelines. The high dimensional accuracy of the tongue-and-groove joint guarantees an optimum fit and level, flush laying.

### PRODUCT FEATURES




|                                    |   |
|------------------------------------|---|
| <b>Product-type</b>                | MDF.RWH   |
| <b>EC scope</b>                    | EN 13986:2004 +A1:2015<br>Boards for use in rigid underlays in roofing and walls  |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request                                      |

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,500  | 1,250 | 16        |

### FLOORPANELS: FORMAT IN MM (OVERALL DIMENSIONS INCL. TONGUE)

| Length | Width | SUBTENSION IN MM |       | EDGE                         | NUMBER PER PACKAGE / THICKNESS |
|--------|-------|------------------|-------|------------------------------|--------------------------------|
|        |       | Length           | Width |                              |                                |
| 2,510  | 635   | 2,500            | 625   | tongue and groove on 4 sides | 50                             |




## StyleBoard HDF 106



High-density, thin fibreboard in accordance with EN 622-1, with uniform structure and good stability.

### AREAS OF APPLICATION



Furniture and interior fitting

Doors

This type of board is very high density, has a fine, hard surface, high stability and has excellent use and processing properties.

### PRODUCT FEATURES



Sanded

Easy to use and machine

|                                    |  |
|------------------------------------|--|
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled     |
| <b>Note</b>                        | Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request |

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,620  | 2,070 | 5         |





## StyleBoard thin HDF



High-density thin fibreboard in accordance with EN 622-1, with uniform structure and good durability.

### AREAS OF APPLICATION



This type of board is even more highly compressed (higher density), has a fine, hard surface, high stability and has excellent use and processing properties. The board performs convincingly in many areas, whether trade stand construction, advertising boards, packaging, rear panels of furniture or as a surface layer for doors or lightweight construction boards.

### PRODUCT FEATURES



#### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

#### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,850  | 2,070 | 3   4   5 |



## StyleBoard HDF Compact black




Highly compressed, swell-reduced and black-dyed fibreboard with uniform structure and good stability.

### AREAS OF APPLICATION



In case of temporarily high humidity and thus higher loading, such as in bathrooms or kitchens, the completely black through-dyed StyleBoard HDF Compact black is the right choice for furniture making, wall panelling and partition wall elements. The special recipe of this type of board produces very low swelling values and it is therefore optimally suitable for high quality furniture and interior finishes.

### PRODUCT FEATURES



#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m³)

#### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

#### Note

Also available with PEFC™- or FSC® (License Code: FSC® C011773) certification on request

### FORMAT IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,800  | 2,070 | 8   12    |
| 2,800  | 2,100 | 8   12    |



Decor used:  
S63009 Carrara Marble

# DECORATIVE PANELS FOR INTERIOR FITTINGS

Lacquered boards PrimeBoard XTreme  
Direct faced boards DecoBoard  
High-pressure laminates (HPL)  
Compact laminates and flat bonded elements  
Worktops and windowboards

## DECORATIVE PANELS FOR A WIDE RANGE OF APPLICATIONS

Pfleiderer's DST System offers you decorative melamine faced DecoBoard and HPL products with various core materials\* for different requirements and applications, e.g. with the fire-retardant Pyroex finish, with a moisture resistant P3 core or in the low-emission version CARB2/F\*\*\*\*.

| Core Boards and products                                 | Area of application | Raw panel | DecoBoard | PrimeBoard XTreme | Duropol Compact laminate | Duropol flat bonded element | Duropol Worktop | Duropol windowboards |
|--|---------------------|-----------|-----------|-------------------|--------------------------|-----------------------------|-----------------|----------------------|
| ClassicBoard P2  |                     | •         | •         | •                 |                          | •                           | •               |                      |
| ClassicBoard P2 CARB2                                    |                     | •         | •         | •                 |                          | •                           | •               |                      |
| ClassicBoard P2 F****                                    |                     | •         | •         | •                 |                          | •                           |                 |                      |
| ClassicBoard Hydrofuge MR                                |                     |           |           |                   |                          |                             | •               |                      |
| ClassicBoard P3  |                     | •         | •         | •                 |                          | •                           |                 | •                    |
| PremiumBoard Pyroex                                      |                     | •         | •         |                   |                          | •                           |                 |                      |
| PremiumBoard P2 ESA                                      |                     |           | •         |                   |                          | •                           |                 |                      |
| PremiumBoard MFP Hybrid                                  |                     | •         | •         |                   |                          | •                           |                 |                      |
| PremiumBoard Birch multiplex                             |                     |           |           |                   |                          | •                           |                 |                      |
| PremiumBoard Poplar veneer CARB2                         |                     |           |           |                   |                          | •                           |                 |                      |
| StyleBoard MDF plus                                      |                     | •         | •         | •                 |                          | •                           |                 |                      |
| StyleBoard MDF black                                     |                     | •         | •         | •                 |                          | •                           |                 |                      |
| StyleBoard MDF.MR  |                     |           | •         |                   |                          |                             |                 |                      |
| StyleBoard MDF Pyroex                                    |                     |           | •         |                   |                          | •                           |                 |                      |
| StyleBoard HDF Compact black                             |                     | •         | •         |                   |                          | •                           |                 |                      |
| StyleBoard HDF   |                     | •         | •         |                   |                          |                             |                 |                      |
| Duropol HPL Compact, black, white, grey core             |                     |           |           |                   | •                        |                             | •               |                      |
| Duropol HPL Compact Pyroex, black core                   |                     |           |           |                   | •                        |                             |                 |                      |
| Duropol HPL Compact XTreme plus, black, white, grey core |                     |           |           |                   | •                        |                             |                 |                      |
| Duropol flameprotect compact                             |                     |           |           |                   | •                        |                             |                 |                      |
| Duropol flameprotect compact IMO                         |                     |           |           |                   | •                        |                             |                 |                      |
| Duropol XTerior compact                                  |                     |           |           |                   | •                        |                             |                 |                      |
| Duropol XTerior compact F                                |                     |           |           |                   | •                        |                             |                 |                      |

\* Some product varieties are available from stock, for others minimum quantities with delivery times must be observed and only a limited decor programme is available!

- Furniture and interior fitting
- Timber construction
- Fire protection
- Lightweight construction
- Packaging construction
- Doors
- Ship interior fitting
- Exterior use

For more detailed information about the production varieties, please go to [productfinder.pfleiderer.com](https://productfinder.pfleiderer.com)

Detailed information on the available decors and structures can be found for the stock programmes in the decor table or with the respective decor at [decorfinder.pfleiderer.com](https://decorfinder.pfleiderer.com)


## PrimeBoard XTreme P2



Melamine resin faced chipboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.



### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



#### Core material

ClassicBoard P2  
Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m<sup>3</sup>)

#### Formaldehyde emission class

E1 E05

#### Note

The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)

#### FORMAT IN MM THICKNESS IN MM

| Length | Width | THICKNESS IN MM                            |
|--------|-------|--|
| 2,800  | 2,100 | 10   12   13   16   18   19   22   25   28 |



## PrimeBoard XTreme P2 CARB2



Emission-reduced chipboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.




### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



#### Core material

ClassicBoard P2 CARB2  
Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m<sup>3</sup>)

#### Formaldehyde emission class

E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

#### Note

The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)

#### FORMAT IN MM THICKNESS IN MM

| Length | Width | THICKNESS IN MM                            |
|--------|-------|--|
| 2,800  | 2,100 | 10   12   13   16   18   19   22   25   28 |




## PrimeBoard XTreme P2 F\*\*\*\*



Emission-reduced chipboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.




### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



#### Core material

ClassicBoard P2 F\*\*\*\*  
Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

#### Formaldehyde emission class

F\*\*\*\*  
E1 E05

#### Note

The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)

#### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness |
|--------|-------|-----------|
| 2,800  | 2,100 | 19        |



## PrimeBoard XTreme P3



Melamine resin faced chipboard for damp areas with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.




### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



#### Core material

ClassicBoard P3  
Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas.

#### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

#### Formaldehyde emission class

E1 E05

#### Note

The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)

#### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness                             |
|--------|-------|---------------------------------------|
| 2,800  | 2,100 | 10   13   16   18   19   22   25   28 |




## PrimeBoard XTreme MDF plus



Melamine resin faced medium-density fibreboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.




### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



**Core material**  
StyleBoard MDF plus  
Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.


**Reaction to fire**  
D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

**Formaldehyde emission class**  
E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

**Note**  
The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)  
Thickness 10 mm on request

### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness                        |
|--------|-------|----------------------------------|
| 2,800  | 2,100 | 10   12   16   18   19   22   25 |



## PrimeBoard XTreme MDF black



Decorative, black through-dyed, medium-density fibreboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.




### AREAS OF APPLICATION



Furniture and interior fitting

Exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



**Core material**  
StyleBoard MDF black  
Decorative black colour-through pigmented medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.


**Reaction to fire**  
D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

**Formaldehyde emission class**  
E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

**Note**  
The lacquering can be applied on one or both sides.  
XTreme Matt (XT) / XTreme High Gloss (XG)  
Thickness 10 mm on request

### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness         |
|--------|-------|-------------------|
| 2,800  | 2,100 | 10   16   19   25 |




## PrimeBoard XTreme MDF Black Natural



Natural, raw, black through-dyed, medium-density fibreboard with high quality and innovative multi-layer coating made up of a permanently elastic functional layer and UV-curing acrylic coatings.



### AREAS OF APPLICATION



Furniture and interior fitting

Shop design / product presentation, exclusive interior and project fixtures and fittings, living room and bedroom furniture / sliding doors, bathroom furniture and kitchen fronts.

### PRODUCT FEATURES



### Core material

StyleBoard MDF black  
Decorative black colour-through pigmented medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.

### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m<sup>3</sup>)

### Formaldehyde emission class


E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

### Note

The lacquering can be applied on one or both sides.  
With 1-sided lacquering, the reverse is raw / untreated.  
XTreme Matt (XT) / XTreme High Gloss (XG)  
Thickness 10 mm on request  
Due to the use of a natural wood-based material, the appearance of the panel can vary.  
Such deviations are due to the desired character of the product. As is usual with natural products, each board is unique.

### FORMAT IN MM THICKNESS IN MM

| Length | Width | THICKNESS IN MM   |
|--------|-------|-------------------|
| 2,800  | 2,100 | 10   16   19   25 |



## DecoBoard P2



Urea resin bonded particleboard with decorative melamine facing on both faces, awarded with the Blue Angel.


### AREAS OF APPLICATION



Furniture and interior fitting

Carcass and front quality for furniture making, shopfitting and interior fitting.

### PRODUCT FEATURES



### Product standard

EN 14322

### Core material

ClassicBoard P2  
Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

### Reaction to fire

D-s2,d0 according to EN 13986 dependent on end use  
(Thickness: ≥ 9 mm / Gross density: ≥ 600 kg/m<sup>3</sup>)

### Formaldehyde emission class

E1 E05

### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

### FORMAT IN MM THICKNESS IN MM

| Length | Width | THICKNESS IN MM  |
|--------|-------|--|
| 2,655  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 2,800  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 3,200  | 2,100 | 8   10   13   16   18   19   22   25   30                          |
| 4,100  | 2,100 | 16   18   19   |
| 5,310  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 5,600  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |



## DecoBoard Individual P2



Urea resin bonded particleboard with individual digital print motifs in direct facing method, awarded with the Blue Angel. The front face is printed as required, the standard reverse is white.

### AREAS OF APPLICATION



Furniture and interior fitting

The possible applications are virtually limitless: Individual furniture and interior fitting elements, wall fittings and partitions, shopfitting, trade fair stands, boatbuilding, caravans, hotels, spas, medical centres, offices and living spaces. You will find the right, individually tailored product for every requirement.

### PRODUCT FEATURES



Individually designed



Easy care



Antimicrobial



Food harmless



Particularly low emission

|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 14322   |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )               |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                               |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.       |

| FORMAT IN MM |       | THICKNESS IN MM                       |
|--------------|-------|---------------------------------------|
| Length       | Width |                                       |
| 2,800        | 2,100 | 16   18   19   22   25   28   30   32 |



## DecoBoard Real Metal P2



Urea resin bonded particleboard with real aluminium foil on both faces in direct facing method.

### AREAS OF APPLICATION



Furniture and interior fitting

Exclusively for vertical applications in high quality interior fitting, shop fitting and trade fair construction, for kitchen and residential furniture. Real aluminium surfaces are not suitable for horizontal surfaces and/or surfaces exposed to mechanical loads.


### PRODUCT FEATURES



Real metal surface

|                                    |  |
|------------------------------------|--|
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.  |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )  |
| <b>Formaldehyde emission class</b> | E1 E05   |
| <b>Note</b>                        | Please note the visible longitudinal joint of the real metal foil (2 strips) at approx. 1,380 mm and the effective length of min. 2,780 mm.<br>Cut to size is not available.<br>Decors: M80000 Alu 1, Stainless Steel Effect / M80001 Alu 2, Nickel Effect |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 16   18   19    |



## DecoBoard P2 ESA



Electrostatically dissipative particleboard with decorative melamine resin facing on both faces.

### AREAS OF APPLICATION



Furniture and interior fitting

The products from our ESA system are indispensable wherever electrostatic charges are to be prevented. The conductive constituents ensure a reliable and simple earthing possibility for furniture, partition elements and panels at places of work in the microelectronics industry, in laboratories or central control rooms.

### PRODUCT FEATURES



Easy care



Electrostatically dissipative



Easy to use and machine

**Product standard** EN 14322

**Core material** PremiumBoard P2 ESA  
Electrostatically dissipative particleboard, Type P2 to DIN EN 312, suitable for interior fitting and furniture, for non load-bearing purposes in dry areas.

**Reaction to fire** D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)


**Formaldehyde emission class** E1 E05

**Volume resistance RD**  $1 \times 10^4 - 1 \times 10^9$  Ohm (EN 61340-5-1)  
Measured dry, measurement voltage 100 V DC, cylindrical electrode, 20-30 °C and 20-50% rel. humidity (96 h conditioning)

**Note** Decors: W10140 Frontal White / U12188 Light Grey

### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness           |
|--------|-------|---------------------|
| 2,800  | 2,100 | 19   25   28.4   38 |
| 5,600  | 2,100 | 19   25   28.4   38 |



## DecoBoard P2 CARB2



Emission-reduced particleboard, with decorative melamine resin coating on both sides, awarded with the Blue Angel.

### AREAS OF APPLICATION



Furniture and interior fitting

Carcass and front quality for furniture making, shopfitting and interior fitting.

### PRODUCT FEATURES



Decorative variety




Easy care



Antimicrobial



Food harmless



Easy to use and machine



Particularly low emission

**Product standard** EN 14322

**Core material** ClassicBoard P2 CARB2  
Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.

**Reaction to fire** D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

**Formaldehyde emission class** E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

**Antimicrobial effect** Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

### FORMAT IN MM THICKNESS IN MM

| Length | Width | Thickness  |
|--------|-------|--|
| 2,655  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 2,800  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 3,200  | 2,100 | 8   10   13   16   18   19   22   25   30                          |
| 4,100  | 2,100 | 16   18   19   |
| 5,310  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |
| 5,600  | 2,100 | 8   10   12   13   15   16   18   19   22   25   28   30   32   38 |





## DecoBoard P2 F\*\*\*\*



Emission-reduced particleboard, with decorative melamine resin coating on both sides, awarded with the Blue Angel.


### AREAS OF APPLICATION



Furniture and interior fitting


Pollutant-reduced integrated solutions for interior fitting and furniture in both private and public premises, such as hotels, schools, offices and administration buildings, especially when materials with exceptionally low emission potential are required.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 14322  |
| <b>Core material</b>               | ClassicBoard P2 F****<br>Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )                     |
| <b>Formaldehyde emission class</b> | F****<br>E1 E05   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                     |

| FORMAT IN MM |       | THICKNESS IN MM            |
|--------------|-------|----------------------------|
| Length       | Width |                            |
| 2,655        | 2,100 | 8   10   16   18   19   25 |
| 2,800        | 2,100 | 19                         |
| 5,310        | 2,100 | 8   10   16   18   19   25 |
| 5,600        | 2,100 | 19                         |



## DecoBoard Individual P2 F\*\*\*\*



Emission-reduced particleboard, with individual digital print motifs in direct facing method, awarded with the Blue Angel. The front face is printed as required, the standard reverse is white.

### AREAS OF APPLICATION



Furniture and interior fitting


Individual furniture and interior fitting elements, wall fittings and partitions, shopfitting, trade fair stands, boatbuilding, caravans, hotels, spas, medical centres, offices and living spaces. You will find the right, individually tailored product for every requirement notably if special low emissions are needed. Not suitable for horizontal surfaces and or surfaces exposed to mechanical loads.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 14322   |
| <b>Core material</b>               | ClassicBoard P2 F****<br>Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )                     |
| <b>Formaldehyde emission class</b> | F****<br>E1 E05   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                     |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.             |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 19              |



## DecoBoard P3



Melamine resin bonded particleboard with melamine resin facing on both faces for damp areas.


### AREAS OF APPLICATION



Furniture and interior fitting

Carcass and front quality for furniture making, shopfitting and interior fitting. Particularly for areas with higher demands on moisture resistance i. e. in bathroom furniture.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 14322   |
| <b>Core material</b>               | ClassicBoard P3<br>Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )                    |
| <b>Formaldehyde emission class</b> | E1 E05   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                    |

| FORMAT IN MM |       | THICKNESS IN MM                            |
|--------------|-------|--|
| Length       | Width |  |
| 2,800        | 2,100 | 10   13   16   18   19   22   25   28   38 |
| 5,600        | 2,100 | 10   13   16   18   19   22   25   28   38 |



## DecoBoard Individual P3



Melamine urea resin bonded particleboard with individual digital print motifs in direct facing method for damp areas. The front face is printed as required, the standard reverse is white.

### AREAS OF APPLICATION



Furniture and interior fitting

Preventive fire protection for individual furniture and interior fitting elements, wall fittings and partitions, shopfitting, trade fair stands, boatbuilding, caravans, hotels, spas, medical centres, offices and living spaces. You will find the right, individually tailored product for every requirement notably if special low emissions are needed. Not suitable for horizontal surfaces and or surfaces exposed to mechanical loads.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | Produced acc. to EN 14322  |
| <b>Core material</b>               | ClassicBoard P3<br>Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )                    |
| <b>Formaldehyde emission class</b> | E1 E05   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                    |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.            |

| FORMAT IN MM |       | THICKNESS IN MM             |
|--------------|-------|-----------------------------|
| Length       | Width |                             |
| 2,800        | 2,100 | 16   18   19   22   25   28 |



## DecoBoard Pyroex




Flame resistant particleboard with decorative melamine resin facing on both faces.

### AREAS OF APPLICATION




Preventive fire protection in the decorative sector. For interior fitting as wall and ceiling coverings, installations, room dividers and furniture, in industrial and administrative buildings, schools, sports and festival halls, hotels and care facilities.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 14322  |
| <b>Core material</b>               | PremiumBoard Pyroex<br>Flame resistant particleboard, suitable for non load-bearing purposes in dry areas, for interior fitting and for furniture subject to higher demands on fire protection. |
| <b>Reaction to fire</b>            | Flame retardant<br>B-s2,d0 (EN 13501-1)   |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |

| FORMAT IN MM |       | THICKNESS IN MM                            |
|--------------|-------|--|
| Length       | Width |  |
| 2,655        | 2,100 | 10   13   16   18   19   22   25   28   38 |
| 2,800        | 2,100 | 16   19                                    |
| 5,310        | 2,100 | 10   13   16   18   19   22   25   28   38 |
| 5,600        | 2,100 | 16   19                                    |




## DecoBoard Individual Pyroex



Flame resistant particleboard with individual digital print motifs in direct facing method. The front face is printed as required, the standard reverse is white.

### AREAS OF APPLICATION




Preventive fire protection for individual furniture and interior fitting elements, wall fittings and partitions, shopfitting, trade fair stands, boatbuilding, caravans, hotels, spas, medical centres, offices and living spaces. You will find the right, individually tailored product for every requirement notably if special low emissions are needed. Not suitable for horizontal surfaces and or surfaces exposed to mechanical loads.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 14322   |
| <b>Core material</b>               | PremiumBoard Pyroex<br>Flame resistant particleboard, suitable for non load-bearing purposes in dry areas, for interior fitting and for furniture subject to higher demands on fire protection. |
| <b>Reaction to fire</b>            | Flame retardant<br>C-s2,d0 (EN 13501-1)   |
| <b>Formaldehyde emission class</b> | E1 E05  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 16   19         |



## DecoBoard MFP Hybrid



Combination of particleboard (MFP) as middle layer and one high-density thin fibreboard (HDF) as top layer on each side with decorative melamine resin facing on both faces.

### AREAS OF APPLICATION



Furniture and interior fitting

Furniture construction and interior fitting, stage and set construction, shelving systems, furniture, shelves. Suitable for use in dry environments.

### PRODUCT FEATURES



**Product standard** EN 14322

**Core material** PremiumBoard MFP Hybrid  
PremiumBoard MFP Hybrid consists of a PremiumBoard MFP as core layer combined with StyleBoard HDF as top layers with a thickness of 2 mm that can also be laminated on both sides. The MFP and HDF panels are glued using PVAC-glue (D4-glue). Due to its isotropic bending strength, its very good screw-holding strength and its high durability, the Hybrid wood-based panel is mainly suited for applications where high stability and load-bearing capacity are required.

**Formaldehyde emission class** E1 E05

**Antimicrobial effect** Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

| FORMAT IN MM |       | THICKNESS IN MM   |
|--------------|-------|-------------------|
| Length       | Width |                   |
| 2,800        | 2,100 | 16   19   22   25 |
| 5,600        | 2,100 | 16   19   22   25 |



## DecoBoard MDF plus



Medium-density fibreboard with uniform layering and decorative melamine resin facing on both faces.

### AREAS OF APPLICATION



Furniture and interior fitting

Fronts, carcasses, tabletops, shop fitting and interior design with high demands on edge quality: can be profiled and lacquered.

### PRODUCT FEATURES



**Product standard** EN 14322


**Core material** StyleBoard MDF plus  
Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.

**Reaction to fire** D-s2,d0 according to EN 13986 dependent on end use  
(Thickness:  $\geq 9$  mm / Gross density:  $\geq 600$  kg/m<sup>3</sup>)

**Formaldehyde emission class** E1 E05  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled

**Antimicrobial effect** Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

| FORMAT IN MM |       | THICKNESS IN MM                                |
|--------------|-------|--|
| Length       | Width |  |
| 2,655        | 2,100 | 8   10   12   16   18   19   22   25   28      |
| 2,800        | 2,100 | 8   10   12   16   18   19   22   25   28   38 |
| 5,310        | 2,100 | 8   10   12   16   18   19   22   25   28      |
| 5,600        | 2,100 | 8   10   12   16   18   19   22   25           |



## DecoBoard Individual MDF plus



Medium-density fibreboard with individual digital print motifs in direct facing method. The front face is printed as required, the standard reverse is white.

### AREAS OF APPLICATION



Furniture and interior fitting


Preventive fire protection for individual furniture and interior fitting elements, wall fittings and partitions, shopfitting, trade fair stands, boatbuilding, caravans, hotels, spas, medical centres, offices and living spaces. You will find the right, individually tailored product for every requirement notably if special low emissions are needed. Not suitable for horizontal surfaces and or surfaces exposed to mechanical loads.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 14322   |
| <b>Core material</b>               | StyleBoard MDF plus<br>Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.                           |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )         |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                         |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 16   18   19    |



## DecoBoard MDF black



Decorative, black through-dyed, medium-density fibreboard with uniform layering and decorative melamine resin facing on both faces.


### AREAS OF APPLICATION



Furniture and interior fitting


Applications for decorative open edge solutions, e.g. carcasses, tabletops, shop fitting and interior design and trade fair construction.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 14322   |
| <b>Core material</b>               | StyleBoard MDF black<br>Decorative black colour-through pigmented medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure. |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )                          |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM   |
|--------------|-------|-------------------|
| Length       | Width |                   |
| 2,800        | 2,100 | 10   16   19   25 |
| 5,600        | 2,100 | 10   16   19   25 |




## DecoBoard MDF.MR



Medium-density fibreboard with uniform construction, reduced swelling behaviour and decorative melamine resin facing on both faces (MR = Moisture Resistant = with improved swelling values for damp areas).

### AREAS OF APPLICATION



Furniture and interior fitting


Carcass and front quality for furniture manufacture, shop fitting and interior design with higher demands on moisture resistance. Edges can be profiled and lacquered.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 14322  |
| <b>Core material</b>               | StyleBoard MDF.MR<br>Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.                     |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> ) |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                 |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,655        | 2,100 | 18   19         |
| 5,310        | 2,100 | 18   19         |



## DecoBoard MDF Pyroex



Flame resistant, medium-density fibreboard with uniform layers and decorative melamine resin facing on both sides.

### AREAS OF APPLICATION




Wherever high demands are made on fire protection – flame resistant – and on the edge quality – for profiling and lacquering. Such as for furniture and shelving in shop fitting and interior design.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 14322   |
| <b>Core material</b>               | StyleBoard MDF Pyroex<br>Flame resistant, medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure and outstanding surface stability. |
| <b>Reaction to fire</b>            | Flame retardant<br>C-s2,d0 (EN 13501-1)  |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 16   19         |
| 5,600        | 2,100 | 16   19         |




## DecoBoard HDF Compact black



High-density, moisture-resistant and black-coloured fibreboard with uniform structure and decorative melamine lamination on both sides.


### AREAS OF APPLICATION



Furniture and interior fitting


Recommended for indoor use. Design-oriented and constructive interior fittings, interior fittings in damp areas – wall fittings and partitions, furniture and shop fittings, objects, trade fair construction, ship interior fitting, hotels and public facilities.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 14322   |
| <b>Core material</b>               | StyleBoard HDF Compact black<br>Highly compressed, swell-reduced and black-dyed fibreboard with uniform structure and good stability.  |
| <b>Reaction to fire</b>            | D-s2,d0 according to EN 13986 dependent on end use<br>(Thickness: $\geq 9$ mm / Gross density: $\geq 600$ kg/m <sup>3</sup> )  |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Note</b>                        | Moisture resistant (thickness swelling $< 4\%$ at 24h water storage in coated condition)<br>Highly compressed and robust core with mean density 930 kg / m <sup>3</sup> (EN 323) |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 8   12          |



## DecoBoard HDF



High-density thin fibreboard with uniform layering, good stability and decorative melamine facing on both faces.

### AREAS OF APPLICATION



Furniture and interior fitting



Doors


Back panels, drawer bottoms, blinds, partition walls in trade fair construction, shop fitting, interior design, caravan and motor vehicle construction.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 14322  |
| <b>Core material</b>               | StyleBoard HDF 106<br>High-density, thin fibreboard in accordance with EN 622-1, with uniform structure and good stability. |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196               |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,100 | 3   5           |




## DecoBoard HDF lacquered




High-density fibreboard with single-sided lacquered surface.

### AREAS OF APPLICATION



Back panels, drawer bottoms, blinds, partition walls in trade fair construction, shop fitting, interior design, caravan and motor vehicle construction.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Core material</b>               | StyleBoard HDF 1316<br>High-density, thin fibreboard in accordance with EN 622-1, with uniform structure and good stability. |
| <b>Formaldehyde emission class</b> | E1 E05<br>Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,850        | 2,070 | 3   4   5       |




## Duropal HPL



Decorative high pressure laminate in postforming quality according to EN 438-3:HGP/VGP, with robust melamine resin surface and sanded reverse.

### AREAS OF APPLICATION




Surface material for high quality kitchen and office furniture, for walls and doors, furniture and installations in retail and recreational facilities, in the restaurant sector, in administration buildings, day nurseries, schools, sanitary, clinical or laboratory sectors. Particularly where high demands are made on sturdiness, ease of care and hygiene.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-3  |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.6   0.8   1.2 |
| 2,150         | 915   | 0.8             |
| 2,150         | 950   | 0.8             |
| 2,150         | 1,050 | 0.8             |
| 2,150         | 1,300 | 0.8             |
| 2,350         | 1,050 | 0.8             |
| 2,350         | 1,300 | 0.8             |
| 2,800         | 2,070 | 0.6   0.8   1.2 |
| 3,050         | 1,300 | 0.8             |
| 4,100         | 1,300 | 0.6   0.8   1.2 |
| 5,300         | 1,300 | 0.6   0.8   1.2 |
| 5,600         | 2,070 | 0.6   0.8   1.2 |






## Duropol XTreme



Decorative high pressure laminate in postforming quality based on EN 438-3:HGP/VGP, with robust, electron beam cured surface and sanded reverse. Duropol XTreme is an attractive supermatt surface material with an anti-fingerprint effect, which is one of the few products of its kind that is postformable.

### AREAS OF APPLICATION




Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropol HPL products. Duropol XTreme may be used vertically as well as horizontally.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.6   0.8       |
| 2,150         | 915   | 0.8             |
| 2,150         | 950   | 0.8             |
| 2,150         | 1,050 | 0.8             |
| 2,150         | 1,300 | 0.8             |
| 2,350         | 1,050 | 0.8             |
| 2,350         | 1,300 | 0.8             |
| 3,050         | 1,300 | 0.8             |
| 4,100         | 1,300 | 0.6   0.8       |
| 5,300         | 1,300 | 0.6   0.8       |




## Duropol XTreme plus




Decorative high pressure laminate in standard quality based on EN 438-3:HGS/VGS, with robust, electron beam cured surface and sanded reverse. Duropol XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

### AREAS OF APPLICATION




Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropol HPL products. Duropol XTreme plus is suitable for vertical applications as well as for horizontal, heavily-used contact surfaces.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.8             |
| 4,100         | 1,300 | 0.8             |
| 5,300         | 1,300 | 0.8             |




## Duropol SolidColor



Decorative high pressure laminate in standard quality according to EN 438-9:BTS, with uniform colour-through core for the highest demands on aesthetics, functionality and durability. The reverse is sanded ready for gluing.




### AREAS OF APPLICATION




The through-colour core creates the freedom of a monochrome design without visible edges or joints. For high quality, aesthetically demanding furniture and design elements in the residential and interior design sector, such as for racking and shelving, furniture fronts, door sets and table tops, trade fair systems and sales displays. The material is not suitable for areas subject to large fluctuations in temperature and humidity.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-9  |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,400 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.8             |
| 2,150         | 915   | 0.8             |
| 2,150         | 950   | 0.8             |
| 2,150         | 1,050 | 0.8             |
| 2,150         | 1,300 | 0.8             |
| 2,350         | 1,050 | 0.8             |
| 2,350         | 1,300 | 0.8             |
| 2,800         | 2,070 | 0.8   1.2       |
| 4,100         | 1,300 | 0.8   1.2       |




## Duropol HPL Individual Motiv



High pressure laminate of standard quality with individual digital printed motifs based on EN 438-3:HGS/VGS. The reverse is sanded ready for gluing. Our well-known individual world from just 1 piece upwards, where your image files can be used as a motif.

### AREAS OF APPLICATION




Durable surface material for creative furniture design and the interior fitting of shops and stores, cafés and bistros, educational and recreational facilities, doctors' surgeries and clinics.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.                   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 1.2             |




## Duopal HPL Individual Inspiration



High pressure laminate of standard quality with digital printed motifs based on EN 438-3:HGS/VGS. The reverse is sanded ready for gluing. Inspiration at the highest level! Our decor selection offers opportunities for project requirements in industrial quantities. It is available in our cylinder print colour spectrum.

### AREAS OF APPLICATION




Durable surface material for creative furniture design and the interior fitting of shops and stores, cafés and bistros, educational and recreational facilities, doctors' surgeries and clinics. The material is not suitable for use outdoors.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |
| <b>Note</b>                        | Please comply with information for Duopal HPL Individual Inspiration collection at <a href="http://www.pfleiderer.com">www.pfleiderer.com</a> .         |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.8             |




## Duopal HPL Individual Dekor



High pressure laminate of standard quality with individual digital printed motifs based on EN 438-3:HGS/VGS. The reverse is sanded ready for gluing. Would you like to take colour ideas from our Inspiration Dekor collection or do you have your own decor proposals? Then Individual Dekor fits your requirements. This applies to requirements in industrial quantities in our cylinder print colour spectrum.

### AREAS OF APPLICATION




Durable surface material for creative furniture design and the interior fitting of shops and stores, cafés and bistros, educational and recreational facilities, doctors' surgeries and clinics. The material is not suitable for use outdoors.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.8             |
| 2,800         | 2,070 | 0.8             |
| 5,600         | 2,800 | 0.8             |



## Duropol HPL Real Metal



High pressure laminate with real metal surface in standard quality based on EN 438-8:MTS. The reverse is sanded ready for gluing.


### AREAS OF APPLICATION



Furniture and interior fitting

Surface material for vertical applications with authentic metal character in high quality interior design and shop fitting, in trade fair construction, but also in the private residential sector. Real aluminium surfaces are not suitable for horizontal applications and/or surfaces exposed to mechanical loads.


### PRODUCT FEATURES



Real metal surface

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | Produced acc. to EN 438-8  |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |
| <b>Note</b>                        | Please note: with format 2,800 x 2,070 mm the visible longitudinal joint of the real metal foil (2 strips) at approx. 1,380 mm and the usable length of min. 2,780 mm. Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 0.8             |
| 4,100        | 1,300 | 0.8             |




## Duropol HPL Magnet



Magnetic, decorative high pressure laminate in standard quality based on EN 438-9:RTS. The reverse is sanded ready for gluing.

### AREAS OF APPLICATION



Furniture and interior fitting

Furniture, partition walls and wall coverings with magnetic properties in shop and trade fair construction, in offices, schools, day nurseries, care home facilities, public facilities, etc.

### PRODUCT FEATURES



Magnetic



Easy care




Antimicrobial



Food harmless

|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-9   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG)   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |
| <b>Note</b>                        | Full-size boards have a non-magnetic, visible border approx. 30 mm wide. Slight deviations in the structure compared with the standard product cannot be avoided because of the metal mesh. Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 1.2             |



## Duropol HPL Pyroex



Decorative high pressure laminate in flame resistant quality according to EN 438-3:HGF/VGF with robust melamine resin surface and sanded reverse.

### AREAS OF APPLICATION




Flame resistant surface material for walls and doors, furniture and installations in public buildings and special constructions, such as railway stations and airports, retail and recreational facilities, public areas, hotels, schools, care home facilities and hospitals.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 438-3   |
| <b>Reaction to fire</b>            | Flame-retardant grade<br>B-s1,d0 (EN 13501-1): 2,800 x 2,070 x 0.8 mm<br>C-s1,d0 (EN 13501-1): 2,800 x 2,070 x 1.2 mm<br>Depending on the core material and adhesive used, HPL flat bonded panels may have a different classification. We recommend the use of the product Duropol Element Pyroex. |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 0.8   1.2       |




## Duropol HPL Individual Motiv Pyroex



High pressure laminate of flame retardant quality with individual digital printed motifs based on EN 438-3:HGF/VGF. The reverse is sanded ready for gluing. Our well-known individual world from just 1 piece upwards, where your image files can be used as a motif.

### AREAS OF APPLICATION




Flame retardant surface material for the trade fair, shop and event sector, for public buildings and special constructions, hotels, schools, doctors' surgeries and clinics. Whenever special demands are made on the individual design, the ease of care or durability in addition to the constructional fire protection.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | Produced acc. to EN 438-3  |
| <b>Reaction to fire</b>            | Flame-retardant grade<br>C-s1,d0 (EN 13501-1)<br>Depending on the core material and adhesive used, HPL flat bonded panels may have a different classification. |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.                          |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 1.2             |




## Duopal HPL IMO



Decorative high pressure laminate in postforming quality according to EN 438-3:HGP/VGP "Low Flame-Spread Surface Material" with robust melamine resin surface and sanded reverse.

### AREAS OF APPLICATION




Flame-retardant surface material for preventive fire protection in the decorative sector in ship interior fitting. Particularly for corridors and stairways, for partition walls, doors, wall and ceiling coverings.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-3  |
| <b>Classification</b>              | MED – Low Flame-Spread Surface Material (MED)<br>USCG – Low Flame-Spread Surface Material (USCG)<br>Transport Canada – Low Flame Spread Surface Linings (Transport Canada)<br>CCS – Low Flame-Spread Material (CCS) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |
| <b>Note</b>                        | Classification MED, USCG, CCS for the widths 915 mm / 950 mm / 1,050 mm / 1,300 mm;<br>Classification MED, USCG, Transport Canada for width 2,070 mm  |

| FORMAT IN MM  |       | THICKNESS IN MM |
|---------------|-------|-----------------|
| Length        | Width |                 |
| 2,050 – 5,300 | 1,300 | 0.6   0.8       |
| 2,150         | 915   | 0.8             |
| 2,150         | 950   | 0.8             |
| 2,150         | 1,050 | 0.8             |
| 2,150         | 1,300 | 0.8             |
| 2,350         | 1,050 | 0.8             |
| 2,350         | 1,300 | 0.8             |
| 2,800         | 2,070 | 0.6   0.8       |
| 3,050         | 1,300 | 0.8             |
| 4,100         | 1,300 | 0.6   0.8       |
| 5,300         | 1,300 | 0.6   0.8       |
| 5,600         | 2,070 | 0.6   0.8       |




## Duopal HPL Individual Motiv IMO




High pressure laminate of standard quality with individual digital printed motifs according to EN 438-3:HGS/VGS "Low Flame-Spread Surface Material". The reverse is sanded ready for gluing. Our well-known individual world from just 1 piece upwards, where your image files can be used as a motif.

### AREAS OF APPLICATION




Flame-retardant surface material for preventive fire protection in the decorative sector in ship interior fitting. Particularly for corridors and stairways, for partition walls, doors, wall and ceiling coverings. Whenever, in addition to preventive fire protection in shipbuilding, special demands are made on individual design, ease of care or durability.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Classification</b>              | MED – Low Flame-Spread Surface Material (MED)<br>USCG – Low Flame-Spread Surface Material (USCG)                                      |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                         |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 1.2             |



## Duopal HPL ESA



Electrostatically dissipative high pressure laminate in postforming quality based on EN 438-3:HGP/VGP, with robust melamine resin surface and sanded reverse.

### AREAS OF APPLICATION



Furniture and interior fitting

Surface material for furniture and tabletops in ESD areas, e.g. at production and assembly workstations in the microelectronics industry. Also wherever electrostatic charges are to be prevented, such as on production lines, in laboratories or central control rooms.

### PRODUCT FEATURES




Easy care



Electrostatically dissipative

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | Produced acc. to EN 438-3  |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG)                                  |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |
| <b>Volume resistance RD</b>        | 1 x 10 <sup>4</sup> – 1 x 10 <sup>9</sup> Ohm (EN 61340-5-1)<br>Measured dry, measurement voltage 100 V DC, cylindrical electrode, 20-30 °C and 20-50% rel. humidity (96 h conditioning) |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 0.6   0.8       |
| 5,600        | 2,070 | 0.6   0.8       |



## Duopal Thin Laminate 0.35 (rolled goods)



Decorative thin laminate in postforming quality based on EN 438-3:VGP with melamine resin surface. Duopal thin laminate 0.35 mm is delivered as rolled goods only.

### AREAS OF APPLICATION



Furniture and interior fitting



Doors

Overlaying and / or sheathing of door elements and door frames, furniture fronts, window sills, mouldings as well as cornice and strip lighting profiles. Duopal Thin laminate 0.35 is recommended solely for vertical use.

### PRODUCT FEATURES




Antimicrobial


|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

### FORMAT

| Length in m | Width in mm | HPL-thickness in mm |
|-------------|-------------|---------------------|
| 400         | 1,300       | 0.35                |




## Duopal Thin Laminate 0.35 XTreme (rolled goods)



Decorative thin laminate in postforming quality based on EN 438-3:VGP, with robust, electron beam cured surface and sanded reverse. Duopal thin laminate 0.35 XTreme is an attractive supermatt surface material with an anti-fingerprint effect, which is one of the few products of its kind that is postformable. Thin laminate 0.35 XTreme is delivered as rolled goods only.

### AREAS OF APPLICATION



Overlaying and / or sheathing of door elements and door frames, furniture fronts, window sills, mouldings as well as cornice and strip lighting profiles. Duopal Thin laminate 0.35 XTreme is recommended solely for vertical use.


### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-3   |
| <b>Reaction to fire</b>            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG) |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

### FORMAT

| Length in m | Width in mm | HPL-thickness in mm |
|-------------|-------------|---------------------|
| 400         | 1,300       | 0.35                |



## Duopal HPL Compact, white core




Compact high pressure laminate in standard quality according to EN 438-9:BCS. With uniform white-coloured core and decorative melamine resin surface on both sides.

### AREAS OF APPLICATION



For unusual furniture and interior concepts in the home and contract sectors, in leisure and spa facilities, in shop design, in catering, as well as in humid and wet conditions in which particular robustness, durability and high hygienic standards including aesthetics are required of the material. The material is suitable for open edge solutions as well as for engraving for individual 3D effects.


### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-9  |
| <b>Core material</b>               | Compact laminate white core<br>Uniform white through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG); 2,800 x 2,070 x 6 – 15 mm,<br>4,100 x 1,300 x 6 – 12 mm   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,400 kg/m <sup>3</sup> (EN ISO 1183-1)  |

### FORMAT IN MM THICKNESS IN MM

| Length | Width | THICKNESS IN MM                   |
|--------|-------|-----------------------------------|
| 2,800  | 2,070 | 4   5   6   8   10   12   13   15 |
| 4,100  | 1,300 | 4   5   6   8   10   12           |





## Duopal HPL Compact, grey core



Compact high pressure laminate in standard quality according to EN 438-9:BCS. With uniform grey-coloured core and decorative melamine resin surface on both sides.



### AREAS OF APPLICATION




For unusual furniture and interior concepts in the home and contract sectors, in leisure and spa facilities, in shop design, in catering, as well as in humid and wet conditions in which particular robustness, durability and high hygienic standards including aesthetics are required of the material. The material is suitable for open edge solutions as well as for engraving for individual 3D effects.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-9  |
| <b>Core material</b>               | Compact laminate grey core<br>Uniform grey through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 4,100 x 1,300 x 6 – 12 mm   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,400 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM |       | THICKNESS IN MM         |
|--------------|-------|-------------------------|
| Length       | Width |                         |
| 4,100        | 1,300 | 4   5   6   8   10   12 |



## Duopal HPL Compact, black core




Compact high pressure laminate in standard quality according to EN 438-4:CGS. With uniform black-coloured core and decorative melamine resin surface on both sides.

### AREAS OF APPLICATION



For unusual furniture and interior concepts in the home and contract sectors, in leisure and spa facilities, in shop design, in catering, as well as in humid and wet conditions in which particular robustness, durability and high hygienic standards including aesthetics are required of the material. The material is suitable for open edge solutions as well as for engraving for individual 3D effects.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 438-4   |
| <b>Core material</b>               | Compact laminate black core<br>Solid, black pigmented compact laminate core, impact resistant and moisture resistant for applications with high specification demands.           |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 1,860 x 6 – 15 mm, 2,800 x 2,070 x 6 – 15 mm, 4,100 x 1,300 x 6 – 15 mm, 5,600 x 2,070 x 6 – 15 mm |
| <b>EC scope</b>                    | EN 438-7:2005<br>Compact laminate intended for internal wall and ceiling finishes (including suspended ceilings)   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |

| FORMAT IN MM |       | THICKNESS IN MM                   |
|--------------|-------|-----------------------------------|
| Length       | Width |                                   |
| 2,800        | 1,860 | 4   5   6   8   10   12   13   15 |
| 2,800        | 2,070 | 4   5   6   8   10   12   13   15 |
| 4,100        | 1,300 | 4   5   6   8   10   12   13   15 |
| 5,600        | 2,070 | 4   5   6   8   10   12   13   15 |




## Duopal HPL Compact Individual Motiv, black core



Compact high pressure laminate of standard quality with individual digital printed motifs based on EN 438-4:CGS. With uniform black-coloured core and white reverse. Our well-known individual world from just 1 piece upwards, where your image files can be used as a motif.

### AREAS OF APPLICATION



Furniture and interior fitting

Individual furniture and interior design elements, particularly where high demands are made on the durability, ease of care and moisture resistance of the material. But also when low material cross-sections or open edge solutions are required. Such as in the restaurant sector, in shop fitting and in food sensitive areas, in doctors' surgeries and clinics, leisure and sanitary areas. The material is not suitable for use outdoors.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | Produced acc. to EN 438-4  |
| <b>Core material</b>               | Compact laminate black core<br>Solid, black pigmented compact laminate core, impact resistant and moisture resistant for applications with high specification demands. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 6 – 15 mm  |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.<br>Cut to size is not available.                                  |

| FORMAT IN MM |       | THICKNESS IN MM                   |
|--------------|-------|-----------------------------------|
| Length       | Width |                                   |
| 2,800        | 2,070 | 4   5   6   8   10   12   13   15 |




## Duopal HPL Compact Pyroex, black core




Compact high pressure laminate of flame retardant quality according to EN 438-4:CGF. With uniform black-coloured core and decorative melamine resin surface on both sides.

### AREAS OF APPLICATION



Preventive fire protection in interior design, for damp and wet areas and wherever outstanding durability of the material is demanded, e.g. as wall protection. Also for furniture and installation elements, particularly when low material cross-sections or open edge solutions are required as part of fire protection concepts.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 438-4  |
| <b>Core material</b>               | Flame-retardant compact laminate black core<br>Solid, black pigmented compact laminate core, suitable for applications with high requirements for the surface spread of flame.  |
| <b>Reaction to fire</b>            | Flame-retardant grade<br>C-s2,d0 (EN 13501-1): 2,800 x 2,070 x 4 – 6 mm, 5,600 x 2,070 x 4 – 6 mm<br>B-s1,d0 (EN 13501-1): 2,800 x 2,070 x 8 – 15 mm, 5,600 x 2,070 x 8 – 15 mm |
| <b>EC scope</b>                    | EN 438-7:2005<br>Compact laminate intended for internal wall and ceiling finishes (including suspended ceilings)  |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM |       | THICKNESS IN MM                   |
|--------------|-------|-----------------------------------|
| Length       | Width |                                   |
| 2,800        | 2,070 | 4   5   6   8   10   12   13   15 |
| 5,600        | 2,070 | 4   5   6   8   10   12   13   15 |




## Duopal Compact XTreme plus



Compact high pressure laminate in standard quality based on EN 438-4:CGS or EN 438-9:BCS. With uniform black-, grey- or white- coloured core and electron beam cured surface on both sides. Duopal Compact XTreme plus is an attractive supermatt compact material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

### AREAS OF APPLICATION



For unusual furniture and interior concepts in the home and contract sectors, in leisure and spa facilities, in shop design, in catering, as well as in humid and wet conditions in which particular robustness, durability and high hygienic standards including aesthetics are required of the material. The material is suitable for heavy-duty, horizontal surfaces, open edge solutions as well as for engraving for individual 3D effects.

### PRODUCT FEATURES



### Product standard

Black core: produced acc. to EN 438-4  
White/ grey core: produced acc. to EN 438-9

### Core material

**Compact laminate white core**  
Uniform white through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands.  
**Compact laminate grey core**  
Uniform grey through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands.  
**Compact laminate black core**  
Solid, black pigmented compact laminate core, impact resistant and moisture resistant for applications with high specification demands.

### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)

### Formaldehyde emission class

E1 (EN 717-1)

### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196


### Density

Min. 1,350 kg/m<sup>3</sup>, min. 1,400 kg/m<sup>3</sup> (EN ISO 1183-1)

### FORMAT IN MM

### THICKNESS IN MM

| Length | Width | Black core           | White/ grey Core |
|--------|-------|----------------------|------------------|
| 4,100  | 1,300 | 6   8   10   12   13 | 6   8   10   12  |




## Duopal flameprotect compact



Non-combustible fire protection panel of primarily mineral constituents with uniform white-coloured core and decorative melamine resin surface on both sides based on EN 438-4.

### AREAS OF APPLICATION



For universal use in preventive fire protection to reduce the spread of flame. Particularly useful where non-flammable materials are required and high demands are made on the design and ease of care. The area of application covers decorative interior fitting as furniture, installations and wall coverings in corridors and stairways (escape routes) in standard buildings, but also for higher demands in special buildings such as high-rise apartment blocks, large office buildings, hospitals, care facilities, schools, day nurseries, hotels, sales rooms and public areas, etc. Use in wet areas and outdoors, as well as mechanical surface stress, is not recommended.

### PRODUCT FEATURES



### Product standard

Produced acc. to EN 438-4

### Core material

Mineral compact laminate  
Compact core of primarily mineral constituents with outstanding strength properties. Suitable for areas subject to particularly high demands of fire protection.

### Reaction to fire

Non-combustible  
A2-s1,d0 (EN 13501-1)

### Formaldehyde emission class

E1 (EN 717-1)

### Density

1,900 kg/m<sup>3</sup> ± 50 kg/m<sup>3</sup> (EN ISO 1183-1)


### Note

Please comply with information for Duopal flameprotect compact collection at [www.pfleiderer.com](http://www.pfleiderer.com).

### FORMAT IN MM

### THICKNESS IN MM

| Length | Width | Thickness                         |
|--------|-------|-----------------------------------|
| 2,800  | 2,070 | 4   6   7   8   10   12   13   15 |




## Duopal flameprotect compact IMO




Fire protection panel with IMO classification "Low Flame-Spread Surface Material" of primarily mineral constituents with uniform white-coloured core and decorative melamine resin surface on both sides.

### AREAS OF APPLICATION




For universal use in preventive fire protection to reduce the fire spread. Particularly useful where high demands are made on the design and ease of care. The field of application covers decorative ship interior fitting through furniture, installations and wall coverings as well as in corridors and stairways. Use in wet areas and outdoors, as well as mechanical surface stress, is not recommended.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Produced acc. to EN 438-4   |
| <b>Core material</b>               | Mineral compact laminate<br>Compact core of primarily mineral constituents with outstanding strength properties.<br>Suitable for areas subject to particularly high demands of fire protection. |
| <b>Classification</b>              | MED – Low Flame-Spread Surface Material (MED)<br>USCG – Low Flame-Spread Surface Material (USCG)<br>Transport Canada – Low Flame Spread Surface Linings (Transport Canada)                      |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Density</b>                     | 1,900 kg/m <sup>3</sup> ± 50 kg/m <sup>3</sup> (EN ISO 1183-1)  |

| FORMAT IN MM |       | THICKNESS IN MM                   |
|--------------|-------|-----------------------------------|
| Length       | Width |                                   |
| 2,800        | 2,070 | 4   6   7   8   10   12   13   15 |



## Duopal Element P2



Flat bonded element consisting of a particleboard construction, Type P2 to EN 312, surfaced on both sides with Duopal HPL.

### AREAS OF APPLICATION




Furniture production and interior design wherever high demands are made on quality and durability: For kitchen and interior design furniture, in shop fitting and partition wall construction, for interior fitting of banks, offices, schools, clinics, laboratories, retail buildings, in shipbuilding and motor vehicle construction.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.  |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 16 – 25 mm,<br>3,050 x 1,300 x 19 mm, 4,100 x 1,300 x 16 – 25 mm, 5,600 x 2,070 x 16 – 25 mm |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM                                       |
|--------------|-------|---|
| Length       | Width |   |
| 2,800        | 2,070 | 9.6   16   17.6   19   20.6   23.6   25   29.6   39.6 |
| 3,050        | 1,300 | 19  |
| 4,100        | 1,300 | 9.6   16   17.6   19   20.6   25   29.6   39.6        |
| 5,600        | 2,070 | 9.6   16   17.6   19   20.6   23.6   25   29.6   39.6 |




## Duropol Element SolidColor P2



Laminate of a particleboard core Type P2, faced on both sides with uniformed colour-through Duropol SolidColor. The durable surface and proven core material guarantee the highest quality and finish.




### AREAS OF APPLICATION




The special material composition opens up new possibilities for discerning furniture and interior design concepts. In the private sector, but also in restaurants, in cultural and conference centres, banks, offices and in shop design. For installations, design and presentation elements, shelving, furniture fronts, racking, desks, tabletops and worktops, etc. The material is not suitable for areas subject to large fluctuations in temperature and humidity.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                               |

| FORMAT IN MM |       | THICKNESS IN MM                                       |  |
|--------------|-------|---|--|
| Length       | Width | HPL 0.8 mm  | HPL 1.2 mm   |
| 2,800        | 2,070 | 9,6   16   17,6   19   20,6   23,6   25   29,6   39,6 | 10,4   16,8   18,4   19,8   21,4   24,4   25,8   30,4   40,4 |
| 4,100        | 1,300 | 9,6   16   17,6   19   20,6   25   29,6   39,6        | 10,4   16,8   18,4   19,8   21,4   25,8   30,4   40,4        |



## Duropol Element Individual Motiv P2



Flat bonded element with individually digitally printed motifs made from a particleboard core, Type P2 to EN 312, surfaced with Duropol HPL Individual Motiv, reverse side white. Our well-known individual world from just 1 piece upwards, where your image files can be used as a motif.

### AREAS OF APPLICATION



Individual furniture and interior design elements, wall coverings, partition elements, etc. in the creative interior design and object business. The material is suitable for use at trade fairs and events, in shops and stores, in restaurants, in hotels, in educational and recreational facilities, doctors' surgeries and clinics. The material is not suitable for permanent use outdoors.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)                         |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                               |
| <b>Note</b>                        | Maximum motif format per board, incl. overprinting: 2,750 mm x 2,030 mm. Larger motifs can be tiled.  |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 18,4   21,4     |




## Duopal Element Real Metal P2




Flat bonded element with real metal surface made from a particleboard core, Type P2 to EN 312, faced on both sides with Duopal HPL Real Metal.

### AREAS OF APPLICATION



Vertical applications in high quality interior design and shop fitting, in trade fair construction, but also for kitchen and residential furniture. Real aluminium surfaces are not suitable for horizontal surfaces and or surfaces exposed to mechanical loads.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.   |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 16 – 25 mm,<br>4,100 x 1,300 x 16 – 25 mm   |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Note</b>                        | Please note: with format 2,800 x 2,070 mm the visible longitudinal joint of the real metal foil (2 strips) at approx. 1,380 mm and the usable length of min. 2,780 mm.<br>Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |    |      |    |      |    |      |      |
|--------------|-------|-----------------|----|------|----|------|----|------|------|
| Length       | Width | 9.6             | 16 | 17.6 | 19 | 20.6 | 25 | 29.6 | 39.6 |
| 2,800        | 2,070 | 9.6             | 16 | 17.6 | 19 | 20.6 | 25 | 29.6 | 39.6 |
| 4,100        | 1,300 | 9.6             | 16 | 17.6 | 19 | 20.6 | 25 | 29.6 | 39.6 |



## Duopal Element Magnet P2



Decorative, magnetic high pressure laminate flat bonded particleboard, magnetic on both sides thanks to 1.2 mm Duopal HPL Magnet.

### AREAS OF APPLICATION



Furniture, partition walls and wall coverings with magnetic properties in shop and trade fair construction, in offices, schools, day nurseries, care home facilities, public facilities, etc.

### PRODUCT FEATURES



Magnetic



Easy care



Antimicrobial



Food harmless

|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.   |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 16.8 – 25.8 mm  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Note</b>                        | Full-size boards have a non-magnetic, visible border approx. 30 mm wide.<br>Slight deviations in the structure compared with the standard product cannot be avoided because of the metal mesh.<br>Cut to size is not available. |

| FORMAT IN MM |       | THICKNESS IN MM |      |      |      |      |      |      |      |
|--------------|-------|-----------------|------|------|------|------|------|------|------|
| Length       | Width | 16.8            | 18.4 | 19.8 | 21.4 | 25.8 | 30.4 | 32.4 | 40.4 |
| 2,800        | 2,070 | 16.8            | 18.4 | 19.8 | 21.4 | 25.8 | 30.4 | 32.4 | 40.4 |




## Duropol Element P2 F\*\*\*\*



Flat bonded element of a particleboard construction, Type P2 to EN 312, faced on both sides with Duropol HPL. With this board material, the limit values of the EPF and the CARB2 standard are easily satisfied thanks to the minimised formaldehyde content.

### AREAS OF APPLICATION



Furniture and interior fitting

Pollutant-reduced integrated solutions for interior fitting and furniture construction in both private and public premises, such as hotels, schools and day nurseries, offices and administration buildings, particularly suitable where materials with low emission potential and high surface quality are required.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | ClassicBoard P2 F****<br>Low emission particleboard core, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)                               |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)<br>F**** (JIS A 1460)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                     |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 20.6            |
| 5,600        | 2,070 | 20.6            |




## Duropol Element Pyroex



Flame resistant flat bonded element of particleboard core with improved flame resistance, faced on both sides with Duropol HPL Pyroex.

### AREAS OF APPLICATION




Wherever high demands are made on quality and durability in addition to preventive fire protection in decorative interior design. For wall coverings, installations and interior furnishing in industrial, sales and administration buildings, in recreational facilities and public areas, such as schools, sports and festival halls, cinemas, discotheques, hotels, hospitals and care home facilities.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | PremiumBoard Pyroex<br>Flame resistant particleboard, suitable for non load-bearing purposes in dry areas, for interior fitting and for furniture subject to higher demands on fire protection. |
| <b>Reaction to fire</b>            | Flame retardant<br>C-s2,d0 (EN 13501-1): 2,800 x 2,070 x 17.6 – 20.6 mm<br>C-s3,d0 (EN 13501-1): 4,100 x 1,300 x 20.6 mm  |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)   |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 17.6   20.6     |
| 4,100        | 1,300 | 20.6            |




## Duropol Element P2 ESA



Electrostatically dissipative flat bonded element of an ESA chipboard faced on both sides with durable Duropol HPL ESA.

### AREAS OF APPLICATION



The products from our ESA system are indispensable wherever electrostatic charges are to be prevented. The conductive constituents in the core plate and facing ensure a reliable and simple earthing possibility for furniture components and worktops in ESD areas, on production and assembly lines, in laboratories or central control rooms.

### PRODUCT FEATURES



Easy care



Electrostatically dissipative

#### Product standard

EN 13894-1

#### Core material

PremiumBoard P2 ESA  
Electrostatically dissipative particleboard, Type P2 to DIN EN 312, suitable for interior fitting and furniture, for non load-bearing purposes in dry areas.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 20.6 mm,  
5,600 x 2,070 x 20.6 mm

#### Formaldehyde emission class

E1 E05 (EN 717-1)


#### Volume resistance RD

1 x 10<sup>4</sup> – 1 x 10<sup>9</sup> Ohm (EN 61340-5-1)  
Measured dry, measurement voltage 100 V DC, cylindrical electrode, 20-30 °C and 20-50% rel. humidity (96 h conditioning)

#### FORMAT IN MM

#### THICKNESS IN MM

| Length | Width | Thickness   |
|--------|-------|-------------|
| 2,800  | 2,070 | 20.6   39.6 |
| 5,600  | 2,070 | 20.6   39.6 |



## Duropol Element P3



Flat bonded element of a moisture-resistant particleboard construction, Type P3 to EN 312, faced on both sides with Duropol HPL.

### AREAS OF APPLICATION



Ideal for surfaces in furniture production and interior fitting where exceptional sturdiness and moisture resistance is required: For kitchen and bathroom furniture, elements in sanitary areas, in shop fitting and interior design construction, in clinics and laboratories plus workplaces such as in the foodstuffs processing industry.

### PRODUCT FEATURES



Decorative variety



Easy care



Antimicrobial



Food harmless



Low swelling /  
moisture  
resistant

#### Product standard

EN 13894-1

#### Core material

ClassicBoard P3  
Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 17.6 – 20.6 mm,  
4,100 x 1,300 x 17.6 – 20.6 mm, 5,600 x 2,070 x 17.6 – 20.6 mm

#### EC scope

EN 438-7:2005  
HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)

#### Formaldehyde emission class

E1 E05 (EN 717-1)

#### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

#### FORMAT IN MM

#### THICKNESS IN MM

| Length | Width | Thickness                 |
|--------|-------|---------------------------|
| 2,800  | 2,070 | 17.6   19.6   20.6   39.6 |
| 4,100  | 1,300 | 17.6   20.6               |
| 5,600  | 2,070 | 17.6   19.6   20.6   39.6 |





## Duropol Element SolidColor P3



Flat bonded element of a moisture-resistant particleboard construction, Type P3 to EN 312, faced on both sides with uniform colour-through Duropol SolidColor. The robust surface and the proven core material guarantee highest quality and aesthetics.

### AREAS OF APPLICATION



Furniture and interior fitting

The special material composition opens up new possibilities for discerning furniture and interior design concepts. In the private sector, but also in restaurants, in cultural and conference centres, banks, offices and in shop design. For installations, design and presentation elements, shelving, furniture fronts, racking, desks, tabletops and worktops, etc. The material is not suitable for areas subject to large fluctuations in temperature and humidity.

### PRODUCT FEATURES



Easy care



Antimicrobial



Food harmless

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | ClassicBoard P3<br>Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)   |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                    |

| FORMAT IN MM |       | THICKNESS IN MM           |                           |
|--------------|-------|---------------------------|---------------------------|
| Length       | Width | HPL 0.8 mm                | HPL 1.2 mm                |
| 2,800        | 2,070 | 17,6   19,6   20,6   39,6 | 18,4   20,4   21,4   40,4 |
| 4,100        | 1,300 | 17,6   20,6               | 18,4   21,4               |



## Duropol Element MDF plus



Flat bonded element of a medium-density fibreboard (MDF) construction with uniform structure, faced on both sides with Duropol HPL.

### AREAS OF APPLICATION



Furniture and interior fitting

Decorative, sturdy elements for furniture and interior design where a uniform core material with very high edge quality – for profiling and lacquering – is required: e. g. in restaurants and shop fitting and for office and interior furniture.

### PRODUCT FEATURES



Decorative variety



Easy care




Antimicrobial



Food harmless

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | StyleBoard MDF plus<br>Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.  |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 17.6 – 20.6 mm, 4,100 x 1,300 x 17.6 – 20.6 mm, 5,600 x 2,070 x 17.6 – 20.6 mm |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM          |  |
|--------------|-------|--------------------------|--|
| Length       | Width |                          |  |
| 2,800        | 2,070 | 9.6   17.6   19.6   20.6 |  |
| 4,100        | 1,300 | 17.6   20.6              |  |
| 5,600        | 2,070 | 9.6   17.6   19.6   20.6 |  |



## Duopal Element SolidColor MDF plus



Flat bonded element of a medium-density fibreboard faced on both sides with uniform coloured Duopal SolidColor. The robust surface and the proven core material guarantee highest quality and aesthetics.

### AREAS OF APPLICATION



Furniture and interior fitting

The special material composition opens up new possibilities for discerning furniture and interior design concepts. In the private sector, but also in restaurants, in cultural and conference centres, banks, offices and in shop design. For installations, design and presentation elements, shelving, furniture fronts, racking, desks, tabletops and worktops, etc. The material is not suitable for areas subject to large fluctuations in temperature and humidity.

### PRODUCT FEATURES



Easy care




Antimicrobial



Food harmless

|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | StyleBoard MDF plus<br>Medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure.   |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196 |

| FORMAT IN MM |       | THICKNESS IN MM          |                           |
|--------------|-------|--------------------------|---------------------------|
| Length       | Width | HPL 0.8 mm               | HPL 1.2 mm                |
| 2,800        | 2,070 | 9,6   17,6   19,6   20,6 | 10,4   18,4   20,4   21,4 |
| 4,100        | 1,300 | 17,6   20,6              | 18,4   21,4               |



## Duopal Element MDF black



Flat bonded element of a decorative black colour-through pigmented medium-density fibreboard (MDF) with uniform structure. Faced on both sides with Duopal HPL.

### AREAS OF APPLICATION



Furniture and interior fitting

Furniture and design elements with decorative edge solutions and high surface quality: e. g. fronts, table tops, racking, displays, partition walls and panels.

### PRODUCT FEATURES



Decorative variety



Easy care




Antimicrobial



Food harmless

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | StyleBoard MDF black<br>Decorative black colour-through pigmented medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)   |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)                                    |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM    |  |
|--------------|-------|--------------------|--|
| Length       | Width |                    |  |
| 2,800        | 2,070 | 17.6   20.6   26.6 |  |
| 5,600        | 2,070 | 17.6   20.6   26.6 |  |



## Duopal Element MDF Pyroex



Flame resistant flat bonded element of a medium-density fibreboard core (MDF) with uniform structure and flame retardant properties, faced on both sides with Duopal HPL Pyroex.

### AREAS OF APPLICATION




Wherever a durable, outstanding surface quality – for profiling and lacquering – is required in conjunction with improved fire protection: For furnishings and installations in sales and recreational facilities, public buildings, special buildings and public areas, also in the trade fair and event sector.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | StyleBoard MDF Pyroex<br>Flame resistant, medium-density fibreboard (MDF) in accordance with EN 622-1, with uniform structure and outstanding surface stability. |
| <b>Reaction to fire</b>            | Flame retardant<br>B-s2,d0 (EN 13501-1)  |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 17.6   20.6     |
| 5,600        | 2,070 | 17.6   20.6     |



## Duopal Element MFP Hybrid



Heavy-duty composite element with isotropic bending strength made of MFP hybrid, both sides faced with Duopal HPL. The innovative wood-based panel combination offers maximum stability with optimum uniformity of finish.

### AREAS OF APPLICATION



In the top-end furniture and interior finishes sector ideal for shop and shelf systems as well as for office and projects furniture. Due to the directionally independent bending strength, good durability and robust Duopal HPL facing, it can be used universally and with very little cutting waste.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | PremiumBoard MFP Hybrid<br>PremiumBoard MFP Hybrid consists of a PremiumBoard MFP as core layer combined with StyleBoard HDF as top layers with a thickness of 2 mm that can also be laminated on both sides. The MFP and HDF panels are glued using PVAC-glue (D4-glue). Due to its isotropic bending strength, its very good screw-holding strength and its high durability, the Hybrid wood-based panel is mainly suited for applications where high stability and load-bearing capacity are required. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 20.6            |
| 5,600        | 2,070 | 20.6            |



## Duopal Element HDF Compact black



Flat bonded element made of a high-density moisture-resistant fibreboard with uniform layering, both sides covered with Duopal HPL.

### AREAS OF APPLICATION



Furniture and interior fitting

Decorative, moisture-resistant elements for furniture and interior fixtures and finishes, for which a uniform core material with the highest edge quality – suitable for profiling and varnishing – is required: e.g. furniture making, shop fit-out and interior fixtures and finishes.

### PRODUCT FEATURES



Antimicrobial



Food harmless



Low swelling / moisture resistant

#### Product standard

EN 13894-1

#### Core material

StyleBoard HDF Compact black  
Highly compressed, swell-reduced and black-dyed fibreboard with uniform structure and good stability.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 2,800 x 2,070 x 13.6 mm

#### Formaldehyde emission class

E1 E05 (EN 717-1)  
Requirements according to "CARB Phase 2" and "TSCA Title VI" are fulfilled


#### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

#### FORMAT IN MM

#### THICKNESS IN MM

| Length | Width | Thickness  |
|--------|-------|------------|
| 2,800  | 2,070 | 9.6   13.6 |



## Duopal Element Birch Multiplex



Birch veneer panel, glued moisture-resistant, faced on both sides with Duopal HPL. This flat bonded element guarantees the highest stability and material quality.

### AREAS OF APPLICATION



Furniture and interior fitting

High quality furniture and installations on which high static demands are made: Shop fitting, discerning interior design, library, shop and chemist fitting and in the office furniture sector.

### PRODUCT FEATURES



Decorative variety



Easy care



Antimicrobial



Food harmless



Load bearing – particularly high bending strength

#### Product standard

EN 13894-1

#### Core material

PremiumBoard Birch multiplex  
Extremely stable veneer panel with attractive narrow edge for indoor elements and furniture.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)

#### EC scope

EN 438-7:2005  
HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)

#### Formaldehyde emission class

E1 E05 (EN 717-1)


#### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

#### FORMAT IN MM

#### THICKNESS IN MM

| Length | Width | Thickness   |
|--------|-------|-------------|
| 2,500  | 1,250 | 19.6        |
| 2,800  | 2,070 | 19.6   28.6 |




## Duropol Element Poplar Veneer



Poplar veneer panel, glued moisture-resistant, faced on both sides with Duropol HPL. For the highest demands on moisture resistance and stability with low weight.

### AREAS OF APPLICATION




For high demands on the board material for interior design, particularly for bending: In library, shop and chemist fitting, for the office furniture sector, especially suitable for filing cabinets, shelving, showcases, etc.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | EN 13894-1  |
| <b>Core material</b>               | PremiumBoard Poplar veneer CARB2<br>Veneer panel made from poplar plywood, AW 100 glued for a particularly high resistance to humidity. Technical values to DIN EN 636. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>EC scope</b>                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)   |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 2,800        | 2,070 | 16.6   19.6     |



## Duropol Worktop Quadra



Worktop made of a particleboard to EN 312, decor side bonded with robust Duropol HPL to EN 438, underside with water-repellent backing. The postforming front edge of the Quadra worktop has a radius of 3 mm, the rear edge is sealed with a protective edge. It is also available as a variant with both sides profiled.

### AREAS OF APPLICATION




Duropol worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants, as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | <b>ClassicBoard P2</b><br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.<br><b>ClassicBoard Hydrofuge MR</b><br>DIN EN 312 standard urea resin bonded furniture panel with reduced thickness swell, suitable for non-load bearing use in humid conditions. |
| <b>Reaction to fire</b>            | Normally flammable   |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Note</b>                        | You can find comprehensive accessories for our worktop range at <a href="http://www.pfleiderer.com">www.pfleiderer.com</a> .   |

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |                 |
|--------------|-------|-----------------|------------|-----------------|
| Length       | Width |                 | front edge | rear edge       |
| 4,100        | 600   | 28.8   38.8     | Quadra     | protective edge |
| 4,100        | 650   | 38.8            | Quadra     | protective edge |
| 4,100        | 900   | 28.8   38.8     | Quadra     | protective edge |
| 4,100        | 900   | 28.8   38.8     | Quadra     | Quadra          |
| 4,100        | 1,200 | 28.8   38.8     | Quadra     | protective edge |
| 5,300        | 600   | 28.8   38.8     | Quadra     | protective edge |
| 5,300        | 900   | 28.8   38.8     | Quadra     | protective edge |
| 5,300        | 900   | 28.8   38.8     | Quadra     | Quadra          |
| 5,300        | 1,200 | 28.8   38.8     | Quadra     | protective edge |




## Duopal Worktop Cubix



Worktop made of a particleboard to EN 312, decor side bonded with robust Duopal HPL to EN 438, underside with water-repellent backing. The postforming front edge of the Cubix worktop has a radius of 2 mm, the rear edge is sealed with a protective edge. It is also available as a variant with both sides profiled.

### AREAS OF APPLICATION



Furniture and interior fitting

Duopal worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants, as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

### PRODUCT FEATURES



**Product standard** EN 13894-1


**Core material**  
**ClassicBoard P2**  
Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.  
**ClassicBoard Hydrofuge MR**  
DIN EN 312 standard urea resin bonded furniture panel with reduced thickness swell, suitable for non-load bearing use in humid conditions.

**Formaldehyde emission class** E1 E05 (EN 717-1)

**Antimicrobial effect** Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

**Note** You can find comprehensive accessories for our worktop range at [www.pfleiderer.com](http://www.pfleiderer.com).

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |                 |
|--------------|-------|-----------------|------------|-----------------|
| Length       | Width |                 | front edge | rear edge       |
| 4,100        | 600   | 38.7            | Cubix      | protective edge |
| 4,100        | 650   | 38.7            | Cubix      | protective edge |
| 4,100        | 670   | 38.7            | Cubix      | Cubix           |
| 4,100        | 900   | 38.7            | Cubix      | protective edge |
| 4,100        | 900   | 38.7            | Cubix      | Cubix           |
| 4,100        | 1,200 | 38.7            | Cubix      | protective edge |
| 5,300        | 600   | 38.7            | Cubix      | protective edge |
| 5,300        | 670   | 38.7            | Cubix      | Cubix           |
| 5,300        | 900   | 38.7            | Cubix      | protective edge |
| 5,300        | 900   | 38.7            | Cubix      | Cubix           |
| 5,300        | 1,200 | 38.7            | Cubix      | protective edge |



## Duopal Worktop PerForm



Worktop made of a particleboard to EN 312, decor side bonded with robust Duopal HPL to EN 438, underside with water-repellent backing. The front longitudinal edge of the PerForm worktop has a laser edge, the rear edge is sealed with a protective edging strip. As a variant it is also available with a laser edge on both sides.

### AREAS OF APPLICATION



Furniture and interior fitting

Duopal worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants, as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

### PRODUCT FEATURES



**Product standard** EN 13894-1


**Core material**  
**ClassicBoard P2**  
Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.  
**ClassicBoard Hydrofuge MR**  
DIN EN 312 standard urea resin bonded furniture panel with reduced thickness swell, suitable for non-load bearing use in humid conditions.

**Formaldehyde emission class** E1 E05 (EN 717-1)

**Antimicrobial effect** Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

**Note** You can find comprehensive accessories for our worktop range at [www.pfleiderer.com](http://www.pfleiderer.com).

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |                 |
|--------------|-------|-----------------|------------|-----------------|
| Length       | Width |                 | front edge | rear edge       |
| 4,100        | 600   | 38.8            | laser edge | protective edge |
| 4,100        | 640   | 38.8            | laser edge | protective edge |
| 4,100        | 900   | 38.8            | laser edge | protective edge |
| 4,100        | 900   | 38.8            | laser edge | laser edge      |
| 4,100        | 1,200 | 38.8            | laser edge | protective edge |




## Duopal Worktop, square edged profile



Worktop made of a particleboard to EN 312, decor side bonded with robust Duopal HPL to EN 438, underside with water-repellent backing. The longitudinal edges of the worktop are machined.

### AREAS OF APPLICATION



Furniture and interior fitting


Duopal worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants, as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 13894-1   |
| <b>Core material</b>               | <b>ClassicBoard P2</b><br>Urea resin-bonded particleboard, type P2 in accordance with EN 312, suitable for non load-bearing purposes in dry areas.<br><b>ClassicBoard Hydrofuge MR</b><br>DIN EN 312 standard urea resin bonded furniture panel with reduced thickness swell, suitable for non-load bearing use in humid conditions. |
| <b>Formaldehyde emission class</b> | E1 E05 (EN 717-1)  |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196  |
| <b>Note</b>                        | You can find comprehensive accessories for our worktop range at <a href="http://www.pfleiderer.com">www.pfleiderer.com</a> .   |

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |           |
|--------------|-------|-----------------|------------|-----------|
| Length       | Width |                 | front edge | rear edge |
| 4,100        | 600   | 38.8            | milled     | milled    |
| 4,100        | 900   | 38.8            | milled     | milled    |
| 4,100        | 1,200 | 38.8            | milled     | milled    |




## Duopal Compact Worktop



Compact high pressure laminate with single or double-sided machined longitudinal edge in standard quality according to EN 438-4:CGS respectively EN 438-9:BCS for use as a worktop. With uniform black-, grey- or white-coloured core, single-sided decorative melamine resin surface and decorative backing.

### AREAS OF APPLICATION



Furniture and interior fitting


In all private and public interior application areas in which robustness, long durability, and high hygienic demands are placed on the Duopal Compact Worktop, such as in hotels and restaurants, shops, sanitary areas, schools, sports facilities and swimming pools.

### PRODUCT FEATURES



|                                    |   |
|------------------------------------|---|
| <b>Product standard</b>            | Black core: EN 438-4<br>White/ grey core: EN 438-9  |
| <b>Core material</b>               | <b>Compact laminate white core</b><br>Uniform white through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands.<br><b>Compact laminate grey core</b><br>Uniform grey through-pigmented solid compact laminate core, impact resistant and moisture resistant for applications with high specification demands.<br><b>Compact laminate black core</b><br>Solid, black pigmented compact laminate core, impact resistant and moisture resistant for applications with high specification demands. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)  |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)   |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196   |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> , min. 1,400 kg/m <sup>3</sup> (EN ISO 1183-1)   |
| <b>Note</b>                        | You can find comprehensive accessories for our worktop range at <a href="http://www.pfleiderer.com">www.pfleiderer.com</a> .  |

| FORMAT IN MM |       | THICKNESS IN MM |
|--------------|-------|-----------------|
| Length       | Width |                 |
| 4,100        | 640   | 12              |
| 4,100        | 950   | 12              |




## Duopal Furniture Element Universal P3



Furniture element made of a moisture-resistant particleboard construction, Type P3 to EN 312, bonded with robust Duopal HPL according to EN 438. The postforming longitudinal edge has a radius of 3 mm on both the top and reverse side, making the furniture element universally applicable as a furniture element, windowboard or thin worktop.

### AREAS OF APPLICATION



Furniture and interior fitting

The ideal solution for new buildings and modernisation. The furniture element Universal P3 is perfectly suitable as a furniture element, windowboard or thin worktop due to its format and postforming edge on the top and reverse side.

### PRODUCT FEATURES



Easy care



Antimicrobial



Food harmless



Low swelling / moisture resistant

#### Product standard

EN 13894-1

#### Core material

ClassicBoard P3  
Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)


#### Formaldehyde emission class

E1 E05 (EN 717-1)

#### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |                 |
|--------------|-------|-----------------|------------|-----------------|
| Length       | Width |                 | front edge | rear edge       |
| 4,100        | 200   | 20              | Quadra     | protective edge |
| 4,100        | 250   | 20              | Quadra     | protective edge |
| 4,100        | 300   | 20              | Quadra     | protective edge |
| 4,100        | 600   | 20              | Quadra     | protective edge |



## Duopal Windowboard FBL



Windowboard with a moisture-resistant particleboard core to EN 312, faced with sturdy Duopal HPL to EN 438. The postforming longitudinal edge has a radius of 3 mm and has a folded edge. The 38 mm folded edge is a visual highlight. It allows recesses to be elegantly concealed or radiator covers to be connected.

### AREAS OF APPLICATION



Furniture and interior fitting

The ideal solution for new buildings and refurbishment. The indoor windowboards are preferably used in areas such as office and administration buildings, in conference and sales rooms and in laboratories, clinics and doctors' surgeries, and in schools, residential and care facilities.

### PRODUCT FEATURES



Easy care



Antimicrobial



Food harmless



Low swelling / moisture resistant

#### Product standard

EN 13894-1

#### Core material

ClassicBoard P3  
Melamine resin bonded particleboard, type P3 in accordance with EN 312, suitable for non load-bearing purposes in damp areas.

#### Reaction to fire

Normally flammable  
D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)

#### Formaldehyde emission class

E1 E05 (EN 717-1)

#### Antimicrobial effect

Surface with antimicrobial effect for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

| FORMAT IN MM |       | THICKNESS IN MM | DESIGN OF  |                 |
|--------------|-------|-----------------|------------|-----------------|
| Length       | Width |                 | front edge | rear edge       |
| 4,100        | 200   | 20              | dropfront  | protective edge |
| 4,100        | 250   | 20              | dropfront  | protective edge |
| 4,100        | 300   | 20              | dropfront  | protective edge |





# DECORATIVE PANELS FOR EXTERIOR USE

Compact laminates

Decor used:  
F76006 Tempered Steel


## DECORATIVE PANELS XTERIOR COMPACT

### Duropol XTerior compact



Compact high pressure laminate for outdoor use in standard quality according to EN 438-6:EDS / intensive decors according to EN 438-6:EGS. With uniform black-coloured core and single-sided decorative acrylic lacquer on the top side and decorative melamine resin surface on the reverse or double-sided decorative acrylic lacquer.

#### AREAS OF APPLICATION



Exterior use

Duropol XTerior compact fulfils the highest UV resistance requirements for the surface and due to its high mechanical strength values and design freedom, it is suitable for outdoor use, e.g. as facade, garden furniture, privacy screens, roof undersides, balconies or playground equipment. Especially if high standards of robustness, weather resistance and easy cleaning are required.

#### PRODUCT FEATURES



Decorative variety



Easy care



Anti-fingerprint



Anti-graffiti



UV-resistant



Weatherproof





Low swelling /  
moisture  
resistant



High impact  
resistance

|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 438-6   |
| <b>Core material</b>               | Compact laminate black core<br>Solid, black pigmented compact laminate core, impact resistant and moisture resistant for applications with high specification demands. |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)   |
| <b>EC scope</b>                    | EN 438-7:2005<br>Compact laminate panels/sidings for exterior wall and ceiling finishes (including suspended ceilings)   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |

| FORMAT IN MM |       | THICKNESS IN MM           |
|--------------|-------|---------------------------|
| Length       | Width |                           |
| 2,800        | 2,070 | 6   8   10   12   13   15 |




## Duropol XTerior compact F – single-sided lacquering




Compact high pressure laminate for outdoor use in flame-retardant quality according to EN 438-6:EDF / intensive decors according to EN 438-6:EGF. With uniform black-coloured core and single-sided decorative acrylic lacquer on the top side and decorative melamine resin surface on the reverse.

### AREAS OF APPLICATION




Duropol XTerior compact F fulfils the highest UV resistance requirements for the surface and due to its preventive fire protection, the high mechanical strength values and design freedom it is suitable for outdoor use, e.g. as facade, garden furniture, privacy screens, roof undersides, balconies or playground equipment. Especially if high standards of robustness, weather resistance and easy cleaning are required.

### PRODUCT FEATURES



|                                    |  |
|------------------------------------|--|
| <b>Product standard</b>            | EN 438-6   |
| <b>Core material</b>               | Flame-retardant compact laminate black core<br>Solid, black pigmented compact laminate core, suitable for applications with high requirements for the surface spread of flame. |
| <b>Reaction to fire</b>            | Flame-retardant grade<br>B-s1,d0 (EN 13501-1)  |
| <b>EC scope</b>                    | EN 438-7:2005<br>Compact laminate panels/sidings for exterior wall and ceiling finishes (including suspended ceilings)   |
| <b>Formaldehyde emission class</b> | E1 (EN 717-1)  |
| <b>Density</b>                     | Min. 1,350 kg/m <sup>3</sup> (EN ISO 1183-1)   |

| FORMAT IN MM |       | THICKNESS IN MM       |
|--------------|-------|-----------------------|
| Length       | Width |                       |
| 2,800        | 2,070 | 8   10   12   13   15 |





Order samples online at any time:  
[samples.pfleiderer.com](http://samples.pfleiderer.com)

**WORK**  
APP

**Decor Scanner**  
[workapp.pfleiderer.com](http://workapp.pfleiderer.com)



© Copyright 2020 Pfleiderer Deutschland GmbH.

This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness. There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: [www.pfleiderer.com](http://www.pfleiderer.com)

**Pfleiderer uses wood from Certified Sustainable Forest Management.**



[www.blauer-engel.de/uz76](http://www.blauer-engel.de/uz76)

- low emissions
- wood from sustainable forestry
- no adverse impact on health in the living environment

Blue Angel for LivingBoard, DecoBoard P2, Duropal HPL, Duropal HPL Compact and Duropal Bonded Elements P2

**MADE IN GERMANY**

**Good to know: the Pfleiderer quality promise.**

Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit [quality.pfleiderer.com](http://quality.pfleiderer.com).

**Pfleiderer UK Limited** · Greenway House · Larkwood Way · Tytherington Business Park · Macclesfield · Cheshire SK10 2XR · England  
Tel.: +44 (0) 16 25 660 410 · [www.pfleiderer.com](http://www.pfleiderer.com)

**Pfleiderer Deutschland GmbH** · Ingolstädter Straße 51 · 92318 Neumarkt · Germany  
Tel.: +49 (0) 91 81 / 28 480 · Fax: +49 (0) 91 81 / 28 482 · [info@pfleiderer.com](mailto:info@pfleiderer.com) · [www.pfleiderer.com](http://www.pfleiderer.com)